The HALL OF THE AGE OF MAN is designed to show what we know of Man and his environment during the long period of geologic time in which man rose from a condition of limited intelligence and subordination to the Animal World to his present condition of great intelligence and mastery both of the Animal World and of many of the principal forces of Nature.

The exhibit is arranged in an educational manner so as to present very simply, very truthfully, and very clearly, our actual knowledge, and not to confuse the visitor with theories or speculations.

The actual fossil remains of Man are represented by casts which are colored as nearly as possible to duplicate the originals which are to be found only in the great museums of Europe. Great pains are taken to secure casts of the very latest discoveries in various parts of the world. The beginning of this collection was a gift of Dr. J. Leon Williams in 1915, and it is constantly being amplified by gifts from other friends and from museums abroad.

The models and restorations and mural paintings of man and of the great mammals among which he lived and struggled represent the knowledge of more than a century of exploration and anatomical study by the leading students of Comparative Anatomy, Palæontology from the time of Cuvier in 1790 to the present period

and ed, ter.



NEANDERTHAL MAN

Modeled by Dr. J. H. McGregor on cast of skull found at La Chapelle aux Saints, France, in 1908.



TRINIL APE-MAN Pithecanthropus erecius

 MAN erectus
 NEANDERTHAL MAN Homo neanderthalensis
 CRô-MAGNON MAN Homo sapiens

 Fig. 1.
 THREE GREAT RACES OF PREHISTORIC MAN. Models by Professor J. H. McGregor.

The Hall of the Age of Man in the American Museum

By HENRY FAIRFIELD OSBORN

Second Edition, reprinted, with additions and changes from *Natural History*, the Journal of the American Museum of Natural History, for May-June, 1920, pages 228-246.

The exhibits in the Hall of the Age of Man are intended to illustrate what is known of the origin, relationships and early history of man, as deduced from his remains and primitive implements, and also to show the animals by which he was surrounded in the early stages of his existence. These animals are shown not only as mounted skeletons but in a series of large mural paintings portraying them as they appeared in the flesh amid their natural surroundings. These paintings are the result of the study of their fossil remains and their careful comparison with related existing animals, a work to which the author has devoted many years of study. Hence they give an accurate and vivid idea of the animals that were the contemporaries of early races of man in various regions of the world.

A series of cases in the center of the hall are devoted to the story of man, and that it can be compressed into so small a space is an indication of the scarcity of his remains, for here are displayed reproductions of the most notable specimens that have been discovered. It has been necessary to use copies, for the actual specimens are few in number and scattered through many museums in widely separated parts of the world.

THE beginning of the Age of Man, some 500,000 years ago, roughly estimated as the close of the Age of Mammals, marks in reality but the beginning of the close of the Age of Mammals. The extinction of the most superb mammals that the earth has ever produced, during the early stages of human evolution, progressed from natural causes due directly or indirectly to the Glacial epoch. With the introduction of firearms the destruction has proceeded with increasing rapidity, and today it is going on, by the use of guns and steel traps, at a more rapid rate than ever. By the middle of this century man will be alone amid the ruins of the mammalian world he has destroyed, the period of the Age of Mammals will have entirely closed, and the Age of Man will have reached a numerical climax, from which some statisticians believe it will probably recede, because we are approaching the point of the over-population of the earth in three of the five great continents.

Man as a Primate, Case I

A few of the more striking points of anatomical agreement between men and apes are illustrated in the first A case, which shows comparative series of skulls, lower jaws, brain-casts and teeth.

In this exhibit skulls of the great man apes (at the right in Case I) are placed for comparison with those of some of the known extinct or fossil races of man, each ascending along a line of its own. Copies of the most recent discoveries in various parts of the world are placed in this series; in fact, this entire exhibit is designed to show from time to time our progress in discovery, to present actual evidence in place of theories and speculations, and to show how very limited this evidence is as compared with the abundant evidence in the ancestry, for example, of the horse (shown in the hall of the Age of Mammals).

The Ascent of Man

Man has a long line of ancestry of his own, perhaps two million or more years in length. The cradle of the human race was, in our opinion, in Asia, in regions not yet explored by palæontologists. One reason that human and prehuman fossil remains are rare is that the ancestors of man lived partly among the trees and forests; this does not mean that they were arboreal; they lived chiefly on the ground.¹ Even when living in a more open country the ancestors of man were alert to escape the floods and sandstorms which entombed animals like the horse of the open country and of the plains. Hence fossil remains of man as well as of his ancestors are extremely rare until the period of burial began.

The earliest known human remains of the Trinil, Piltdown and Heidelberg races consist principally of portions of skulls, of jaws, and teeth. Individuals of the prehistoric races of Europe are now represented by casts in the Hall of the Age of Man. The museum series

^{[&}lt;sup>1</sup>This refers only to the higher, more recent ancestors of man. The most thorough studies of the anatomy of the foot of man and other primates have brought strong support to the view that the human foot has been derived from an earlier ape-like stage in which the great toe could be used in climbing. W. K. G.]



MAN'S PLACE AMONG THE PRIMATES

1, skull of gibbon; 2, orang; 3, chimpanzee; 4, old male gorilla; 5, young gorilla; 6, *Pithecanthropus*, skull reconstructed by Dr. J. H. McGregor; 6, model of bust of *Pithecanthropus* by Dr. McGregor; 6, cast of original skull top of same; 7, Piltdown skull (*Eoanthropus*) reconstructed by Dr. McGregor; 8, Neander-thal (Chapelle-aux-Saints), cast of original; 9, Talgai (Australia) cast of original; 10, old man of Crô-Magnon, cast of original; 11, modern white skull. The Heidelberg jaw (cast) is between 7 and 8. The other specimens are casts of various teeth and jaw fragments of fossil apes: *Propliopithecus* at the bottom, Sinapithecus at the left, and several species of Dryopithecus and allied genera at the right. The geologic ages (Oligocene, Miocene, etc.) are indicated by the horizontal zones. The black lines indicate the relationships as inferred by Dr. W. K. Gregory.



SKULL MODELS OF FOUR PREHISTORIC HUMAN TYPES

Reconstructions by Professor J. H. McGregor.

Dark parts represented in the original, light parts restored from other specimens.

 Trinil Ape-Man (*Pithecanthropus erectus*), Upper Pliocene, Java. Showing a very low type of skull, with strong ape-like characteristics.
 Piltdown Man (*Evanthropus dawsoni*), Upper Pliocene (?), Sussex, England. Showing a distinctly higher type of skull; nevertheless, the brain cast is far inferior in the development of its parts to that of modern man. The jaw (of which the left side is preserved in the original) is of very low type, more apelike than any other known human jaw.

3. Neanderthal Man (Homo neanderthalensis), Old Stone Age, Europe. The skull is of very large size but of low type, shallow in height, narrow in the frontal region; face very massive with wide nose and sloping chin. 4. Crô-Magnon Man (*Homo sapiens*), Late Old Stone Age, Central France. The skull is of high grade, with steep forehead, high vault and vertically

straight face.



Fig. 2. A, B, C, D, skull fragments found by Dawson and Smith Woodward in 1911, 1912. E, jaw fragment found by Dawson in 1912. F, canine tooth found by Father Teilhard de Chardin in 1913. G, nasal bones found by Dawson in 1913. H, single worked flint found near original skull fragments by Smith Woodward. Jaw one-third natural size; other fragments a bit larger than one-third (distorted somewhat by camera).



Fig 3. A, side and top views of jaw of first Piltdown man, with first and second lower molar teeth in place. B, side and top views of first lower molar tooth of second Piltdown man. About three-fourths natural size.



Fig. 4. The "Heidelberg jaw," found at Mauer, near Heidelberg, Germany. About one-third natural size.



Fig. 5. Sand-pit at Mauer, near Heidelberg. X marks the spot where the jaw was found, in place and beneath 79 feet of glacial and post glacial deposits.

began in 1915 with the gift of the J. Leon Williams Collection, and has been enriched by additions from the museums of London, Paris, and recently by the Neanderthal man of Krapina, presented by Professor K. Gorjanovič-Kramberger, through the kindness of Col. C. W. Furlong; also the Talgai skull from South Australia, presented by Dr. Stewart A. Smith.

The earliest known man is the Foxhall man, known at present only by his flint implements, partly burned with fire, found near the little hamlet of Foxhall, near Norwich, on the east coast of England. These flints, discovered in 1921, constitute the first proofs that man of sufficient intelligence to make a variety of flint implements and to use fire existed in Britain at the close of the *Age of Mammals*; this is the first true Tertiary man ever found.

The Trinil ape-man, the *Pithecanthropus* of Java is the lowest of the known human or subhuman races. It is called ape-man because it is more human than ape-like. The restored head by Professor J. Howard McGregor, of Columbia University, is designed to show its half human, half anthropoid resemblance, as suggested by the top of the cranium, the only part known, which is far more human than that of any ape cranium, and at the same time far more ape-like than that of any human cranium. It is not impossible that this ape-man is related to the Neanderthal man.

The Most Ancient Human Races, Piltdown and Heidelberg

A few deep brown fragments of a skull and jaw and one tooth represent all the remains known of the Piltdown man, discovered in England by Charles Dawson in 1912. Several reconstructions of the Piltdown skull have been made, including the original by Professor A. Smith Woodward in London, in the British Museum, another, in this country, by Professor McGregor. The problem whether the Piltdown jaw belongs to this human skull or whether it belongs to a fossil chimpanzee is now actually settled, because a *second* specimen of the Piltdown man has been found two miles from the first in the same Piltdown gravels; this specimen has the same kind of lower grinding teeth and the same form in the bone of the forehead. The skull itself is of a primitive human type, the brain cast showing a lowly development of the higher cerebral association centers (Elliot Smith 1922).

Unquestionably the next most ancient human relic which has thus far been discovered is the jaw of the so-called Heidelberg man, a fossil which may be 250,000 years old. It is notable for its great size and for its lack of a protruding bony chin. The Heidelberg man may be ancestral to the Neanderthal man.



MEN OF THE OLD STONE AGE. THE NEANDERTHAL RACE OF EUROPE Represented by casts of the original specimens and by models by Professor J. H. McGregor.

- Skull top and femur of the type specimens of this race, discovered in the Neander Valley, near Düsseldorf, Germany, in 1856. Skull top, and 3, skull top and jaw from Spy, Belgium. Completed bust, and 5, half-head, half-skull model of Neanderthal Man.

 - Reconstructed skull of the old man of La Chapelle-aux-Saints (Dordogne, France). -2467.86.0
 - Original condition of same.
- Skull of youth found at Le Moustier, Dordogne, France.
 - Jaws from Malarnaud, France.
- Jaw fragments, etc., from Krapina, Croatia.



THE NEANDERTHAL FLINT WORKERS (MURAL I)

Painted by Charles R. Knight under the direction of Henry Fairfield Osborn. Copyrighted photograph.

11

The Neanderthal Race

The Neanderthal man represents the oldest fossil human race of which the skeleton is fully known. The remains are very abundant, and the American Museum owns reproductions of many skulls and parts of skulls found during the last half century in Spain, Germany, France, and Hungary. Foremost of these is the skullcap found near Düsseldorf, Germany, in 1856, which constitutes the type of the Neanderthal race itself.

Of great interest is the reconstruction by Professor McGregor of a Neanderthal female head, based upon a skull found at Gibraltar in 1848, which gives us the head characters of the women of this very primitive race.

Nearly perfect is the skull from La Chapelle-aux-Saints, originally restored by Professor Marcellin Boule, of Paris, and reconstructed by Professor McGregor; this distinguished American expert in the anatomy of palæolithic man is now engaged upon the reconstruction of the entire skeleton and body of the Neanderthal man. This life-sized Neanderthal model will be one of themost interesting exhibits in the American Museum; it represents many years of laborious study and research by Professor McGregor, who was sent by the Museum on a special tour through Europe to examine all the known fossil remains of the Neanderthal race, representing forty or fifty individuals altogether, including the last specimen to be found, that of La Ferrassie, France, which is now being described by Dr. Boule.

The Rodesian Race

The most recent discovery is the Rhodesian man, *Homo rhodesiensis*, made in 1921, in a cave at the Broken Hill Mine, northern Rhodesia, Africa, where the human remains were found in association both with stone and bone implements, and with broken bones of animals which had evidently been used as food. This man was in the Stone Age of industry, using scrapers and knives of quartz and quartzite. The forehead is very low and the ridges above the orbit are excessively prominent; the opening for the nose was very wide, but the palate and teeth are like those in existing races. The brain is of a very low human type of the capacity of 1,280 c.c. (see Smith Woodward's *Guide*, pp. 29–31).

The Neanderthal Flint Workers (Mural I)

The mural of the Neanderthal group of flint workers shows in the distance, along the Dordogne River, herds of woolly rhinoceroses. The center of interest is the flint industry, which, with the chase, occu-



MEN OF THE LATE PALÆOLITHIC (OLD STONE AGE) OF EUROPE. THE CRÔ-MAGNON AND OTHER RACES OF HIGH TYPE.

- Skull top found at Galley Hill, England. Cast of original. - ci ci
 - Skull top (cast) found at Brünn, Moravia.
- Combe Capelle skull (cast) found near Montferrand, France.
- Completed bust, and 5. Half-head, half-skull model of Crô-Magnon man.
- Skull (cast) of type specimen, with teeth and some missing parts restored from study of other skulls of this race. Skull (cast) of type specimen, one of five individuals found at Les Eyzies, Dordogne, France.
 - - Skull top (cast) found with type specimen at Les Eyzies.
- Skull (cast) of man discovered with other parts of skeleton at Obercassel, near Bonn, Germany. 4.9.2.8.6.6
- Skull (cast) of woman discovered with other parts of skeleton at Obercassel, near Bonn, Germany



pied the entire energy of the Neanderthals. Since the Neanderthal type is totally different from any modern human type, it must be studied from models of its own. The group is very carefully arranged to show the physical characters of this man: the knees slightly bent in the peculiar standing posture, the broad, heavy shoulders, slightly stooped, and the massive neck and the head set well forward. In the background is the famous cavern of Le Moustier, which gives its name to the Mousterian period of flint industry pursued by the Neanderthals.

The Crô-Magnon Race of High Type

The highly evolved Crô-Magnon race entered Europe from the east and drove out the Neanderthals. The Crô-Magnons were people like ourselves in point of evolution, and the characters of the head and cranium reflect their moral and spiritual potentiality. This was a race of warriors, of hunters, of painters and sculptors far superior to any of their predecessors. The contrast between the Crô-Magnon head and those of the Neanderthals which precede them is as wide as it possibly could be. It is intellectual and thoughtful.

Crô-Magnon Artists Painting the Mammoth (Mural II)

One of the recent murals in the hall of the Age of Man (over the doorway opposite the Crô-Magnon exhibit) represents four of the Crô-Magnon artists actually painting the great fresco in the cave of Font-de-Gaume, Dordogne, France. The writer has been studying the composition of this group for years, with Mr. Charles R. Knight, artist, aided by advice of the Abbé Henri Breuil of the Institut de Paléontologie Humaine, Paris, as well as of Mr. N. C. Nelson, archæologist at the American Museum of Natural History.

There are six figures in the group; four are depicted partly nude to show their anatomy in contrast with that of the Neanderthals. The two half-kneeling figures are holding up small lamps to illuminate the smooth surface of the limestone wall on which the procession of mammoths is being depicted. The half-erect figure represents an artist with pointed flint incising the outlines of a mammoth on the wall. The fully erect central figure represents an artist laying on the colors. A kneeling figure is preparing the colors on a rock. This design enables the painter to show the tall, slender proportions of the men of this Crô-Magnon race. The standing figure to the left is that of a chieftain clothed in well-made fur garments, who carries on top of his staff his *baton de commandement* as the insignia of his rank. The only illumination is that of the flickering wicks in the small oil lamps.

HALL OF THE AGE OF MAN

Men of the New Stone Age

Men of the Neolithic, or New Stone Age, continued to used chipped stone implements, but unlike their predecessors, they often polished them. They were the direct forerunners of civilization. They cultivated the ground, raising cereals, and had domesticated cattle and other animals; they made pottery and wove textiles; they lived in villages of huts, often built on piles near the shores of lakes. They erected sepulchres and temples of huge stones (dolmens, megaliths).

The Neolithic Stag Hunters (Mural III)

This mural group also is in its place in the hall (at the west end), having been completed in 1919. It represents men of the Nordic race, brown- or fair-haired, hunters of the stag, living along the southern shores of the Baltic in the earliest stage of the New Stone Age, a stage known as the Campignian from remains of huts and rudely polished stone implements found near Campigny in France. The scene is on the border of one of the northern beech forests and represents the return from the hunt. After the ardor of the chase the hunters have thrown off their fur garments. The chieftain in the center is partly clad in furs: in the coming winter season he will be wholly fur clad. His son, a fair-haired youth with a necklace of bear claws, grasps a bow and arrow and holds in leash a wolf dog, ancestor of the modern sheep dog of northern France. The hunters, with spears tipped with stone heads, are resting from the chase. Two vessels of pottery indicate the introduction of the new ceramic art, accompanied by crude ornamentation.

This race was courageous, warlike, hardy, but of a lower intelligence and artistic order than the Crô-Magnons; it was chiefly concerned, in a rigorous northern climate, with the struggle for existence, in which the qualities of endurance, tribal loyalty, and the rudiments of family life were being cultivated. Rude huts take the place of caverns and shelters, which are now mostly abandoned.

These were tall men with high, narrow skulls, related to the existing Nordic race, more powerful in build than the people of the Swiss Lake Dwellings. Skulls and skeletons representative of this hardy northern type are abundantly known in Scandinavia, but have not found their way to our American Museum collections as yet.

The Great Fossil Mammals Contemporaneous with and Hunted by Man

The hall of the Age of Man contains four chief collections of the mammals of the world during the period of the Age of Man. In Europe man hunted the reindeer, the wild horses and cattle, and the mammoth. He used the hide of the reindeer for clothing, the flesh and marrow for food. He carved the bones as well as the ivory tusks of the mammoth.



Men of the Nordic race, brown- or fair-haired, living along the southern shores of the Baltic in the earliest stage of the New Stone Age. STAG HUNTERS OF THE NEW STONE AGE (NEOLITHIC) (MURAL III)

The mammoth, the northern, hairy type of elephant known to early explorers of fossil remains, was foremost among the great mammals hunted by man. The previous history of the proboscidean order is also shown in the Hall of the Age of Man.

This is one of the romances of evolution quite equal in interest to the evolution of the horse. This collection is by far the most complete in existence; it contains as much in the way of complete skeletons as those in all the other museums of the world combined. The early stages in the evolution of the proboscideans, beginning with the *Palæomastodon* discovered in the Fayûm region of northern Africa, carry us back into times far antecedent to the Age of Man, namely, into an early period of the Age of Mammals, the Oligocene. Thus the visitor can see here the entire history of the evolution of the proboscideans, which taken altogether is the most majestic line of evolution that has thus far been discovered. The evolution of the proboscideans culminates in the mastodons and mammoths.

The Four Seasons in the Glacial Epoch (Murals IV-VII)

The four great murals on the north walls of the Hall of the Age of Man represent scenes during the four seasons of the year near the close of the Glacial epoch in the Northern Hemisphere.

These four seasons belong in the same period of geologic time, namely, the final glacial stage, the period of the maximum advance of the glaciers over the entire Northern Hemisphere, of the most intense cold, and of the farthest southward extension of the northern types of mammals. This is the time of the Crô-Magnon race, and our knowledge of the mammals, reindeer, and rhinoceroses is derived from the actual Crô-Magnon paintings and etchings, chiefly those found within the caverns. The murals of the four seasons are as follows:

- IV. Midwinter.—The woolly rhinoceros in northern France.
- V. Early Winter.—The reindeer and mammoth on the river Somme, France.
- VI. *Midsummer.*—The mastodon, royal bison, and horse on the Missouri River, in the latitude of Kansas.
- VII. Autumn.—The deer-moose, tapir, and giant beaver, in northern New Jersey.

Glacial Midwinter in Northern France (Mural IV)

The woolly rhinoceros, like the woolly mammoth, was heavily enwrapped in hair, beneath which was a thick coat of fine wool. With this protection the animal was quite indifferent to the wintry blasts which



THE WOOLLY RHINOCEROS IN A GLACIAL WINTER, NORTHERN FRANCE (MURAL IV)

Painted by Charles R. Knight, under the direction of Henry Fairfield Osborn. Copyrighted photograph. swept over the steppe-like country of northern France. This goldenbrown wool is actually preserved on the side of the face of one specimen discovered, which is now in the Museum of Petrograd. The head of the rhinoceros was long and narrow, like that of the white rhinoceros of Africa, but the jaws were narrower and the upper lips were more pointed. It is an animal quite distinct from the great black rhinoceros still extant in Africa, which is a grazer with broad lips. In the distance in the painting are shown the saigas, antelopes which wandered over France at that time, and a group of woolly mammoths.

Early Winter Scene on the Somme River in Northern France (Mural V)

The scene represents the two herds, reindeer and mammoth, migrating southward from the banks of the river Somme. These reindeer and mammoths are, in fact, depicted very precisely in the paintings and engravings left by the Crô-Magnon artists—especially in the cavern of Font-de-Gaume. It is a striking fact that, in the case of the mammoth, every painting, drawing, etching, and model which the Crô-Magnon man has given us exhibits exactly the same characters: the long hairy covering, the very high hump above the forehead, the notch between the hump and the neck, the very high shoulders, the short back, the rapid slope of the back over the hind quarters, the short tail. There is no doubt that, aided by these wonderful Palæolithic designs, the artist, Mr. Knight, has given us a very close representation of the actual appearance of the woolly mammoth.

Midsummer on the Missouri (Mural IV)

The summer scene on the Missouri River (on the parallel of Kansas) represents the region south of the farthest advance of the ice sheet. The mastodons are grouped in such a manner as to show the characteristic low, flattened head, the long low back, the symmetrical fore and hind quarters, the extremely short, massive limbs, and the very broad and massive hip region as seen from behind. In the center of the picture stands the majestic Bison regius, the royal bison, known only from a skull, a superb specimen with the horn cores attached, in the collection of the American Museum. These animals were like gigantic buffalo or bison, beside which the modern buffalo would appear very diminutive. The characters of the hair and wool are not known, but it is assumed that they were similar to those of the existing buffalo, since the paintings of the bison by the Crô-Magnon artists in France all show the distinctive beard below the chin. At the right is a group of wild American horses of the period, the last of their race in this country; the species is Equus scotti, the skeleton of which has been discovered in northern Texas.



Painted by Charles R. Knight, under the direction of Henry Fairfield Osborn. Copyrighted photograph.

These animals were abundant in Europe in the cold dry climate, south of the great slowly retreating ice-sheet of the "Fourth Glaciation." They were hunted THE REINDEER AND MAMMOTH ON THE RIVER SOMME, FRANCE (MURAL V) and accurately depicted by the Crô-Magnon artists.



South of the farthest advance of the ice sheet the mastodon lived in the forests of the east, while giant bisons and wild horses roamed on the plains of the west. Many occurrences of fossil human bones have been reported in North America, but none have yet been proven to be older than the latest glacial times. THE MASTODON, ROYAL BISON AND HORSE ON THE MISSOURI RIVER, IN LATE GLACIAL TIMES (MURAL VI)

21



Painted by Charles R. Knight, under the airection of Henry Fairfield Osborn. Copyrighted photograph.

THE MASTODON

This distant relative of the elephants may have been a contemporary of early man in the closing phases of the period of the glaciers, in North America.



Painted by Charles R. Knight, under the direction of Henry Fairfield Osborn. Copyrighted photograph.

THE WOOLLY MAMMOTH

This great elephant was characteristic of the latter part of the period of the glaciers in Europe. He was nunted by the Crô-Magnons.



Painted by Charles R. Knight, under the direction of Henry Fairfield Osborn. Copyrighted photograph.

AUTUMN IN NORTHERN NEW JERSEY DURING LATE GLACIAL TIMES (MURAL VII) now found in Central and South America; the giant beaver (right) is now extinct.

The deer-moose (Cervalces) was an extinct species of deer combining characters of the deer and of the moose; the tapirs (center), are related to those

24

HALL OF THE AGE OF MAN

Early Autumn in New Jersey (Mural VII)

The autumn scene in northern New Jersey embraces three very distinctive North American types of the period, all of which have become extinct. The deer-moose, *Cervalces* (to the left), was described by Professor W. B. Scott, of Princeton, from a single skeleton found in the gravel beds of northern New Jersey, which is now preserved complete in the Princeton Museum. The American fossil tapir (in the center) is known from sparse remains, the best of which were among the earliest discoveries of the pioneers of American palæontology. The giant rodents of the genus *Castoroides* (see two individuals at the right in the painting) are known from nearly complete skulls and skeletons discovered in Ohio and other central western states.

The Tar Pools of Southern California (Mural VIII)

This mural represents a scene in southern California, in the vicinity of the Rancho-la-Brea deposits, including the remains of the astonishing group of animals caught in the asphalt trap, so splendidly represented in the collection of the Museum of History, Science, and Art, of Los Angeles.

The most characteristic animals of North and South America that lived during the Age of Man (see the south side of the hall) are known through some of the unique remains from the famous deposits of Ranchola-Brea of southern California, especially the sloths, saber-toothed tigers, and wolves of the period—to which it is hoped that we may add some of the less abundant forms, like the camel and the horse. So far as possible, through exploration and exchange, this quarter section of the hall will represent the mammalian life of North America, in contrast with the mammalian life of South America during the same period of time.

A Loess Storm on the Pampas of Argentina (Mural IX)

A mural on the western wall (at the left) of the Hall of the Age of Man presents a South American scene during the Old Stone Age. It depicts the ancient pampas of Argentina with the winding river La Plata in the background, and a typical extinct mammalian fauna. In the distance at the right a violent dust storm is transporting columns of fine, impalpable dust known as loess.

The Museum is extraordinarily rich in the great Pampean Collection presented by certain of the trustees in 1899. This collection shows the close connections between North and South America in glacial times.

One of the most wonderful fossil groups in the Museum, if not the most wonderful, is the sloth and glyptodont group (center of southern side of the Hall of the Age of Man). This group is still in preparation.



Painted by Charles R. Knight, under the direction of Henry Fairfield Osborn. Copyrighted photograph.

THE DEATH-TRAP OF RANCHO LA BREA, CALIFORNIA (MURAL VIII)

Animals gathered around a "tar-pool" or asphalt pit. Giant condors, sabre-tooth tigers and ground sloths (Mylodons) in the foreground; wolves and mammoths in the background. Attracted by the water on the surface, one of the sloths is becoming mired in the treacherous pit. The scene respresents the abundant animal life of Southern California during the latter part of the glacial times, when the eastern states and northern Europe were covered by great ice sheets.

26



A LOESS STORM ON THE PAMPAS OF ARGENTINA (MURAL IX)

The glaciers which covered so much of the northern hemisphere with a vast ice sheet during the Age of Man, were only locally developed in South America and never invaded the pampas of Argentina. Here lived a great assemblage of strange mammals, whose remains were often buried in the storms of fine dust (loess). The scene depicts in the foreground two giant ground sloths (Mylodon, Lestodon) and three glyptodonts; at the left a couple of toxodons are quietly browsing, while at the right are some of the slender-limbed Macrauchenias. It includes five sloths of three varieties (the *Mylodon*, *Lestodon* and *Scelidotherium*) and three glyptodonts. These animals, so entirely different in external appearance and habits, nevertheless belong to the same order of mammals, the Edentata, which, as its name implies, is distinguished by the absence of enamel on the teeth. It is important to bring these two animals together in the same exhibit, so as to show the very wide contrasts in adaptation which may occur within the limits of a single mammalian order: the sloths covered with long hair and with vestiges of armature embedded in the skin, the glyptodonts nearly hairless, and encased in powerful bony armature, which renders them completely immune to attack by the saber-toothed tiger of the period.

Appendix

The Family Tree of Man

By William K. Gregory

Man is no doubt vastly superior to his distant relatives the anthropoid (man-like) apes. His brain and mind are on far higher levels of development, he walks erect, he is able to speak. Man has a long line of ancestry of his own, extending for perhaps two million years or more, far back into the Age of Mammals.

Yet the science of comparative anatomy has revealed the fact that man is constructed upon the same general anatomical plan as that of his more backward relatives, the gorilla and the chimpanzee, and that he is connected with them by a very large number of anatomical marks of distant kinship. The common plan, with differences in detail, upon which man and the great apes are constructed, becomes more and more evident and indisputable as our practical knowledge and experience of human and comparative anatomy increase.

The science of comparative anatomy, in combination with the science of palæontology, has provided the basis for the exhibit called "The Family Tree of Man," which is an attempt to present in a simple graphic form what is accepted by the best scientific authorities.

The Primates first became distinguishable from other orders of mammals very early in the Age of Mammals, that is, some three million years ago, according to the most conservative estimate. The first Primates were already adapted for living in trees and had grasping hind feet, but as may be judged from their small crania, they were greatly inferior in brain development to their modern descendants. This stage of evolution is represented in the exhibit by a cast of the skull of an extinct primate, *Notharctus osborni*, from the Middle Eocene of northwestern Wyoming.

The next two stages of ascent are so far known only from two small lower jaws dating from the Lower Oligocene of Egypt. In the first of these, *Parapithecus*, the lower jaw and dentition are intermediate in character between the Eocene tarsioid primates and the oldest anthropoid. In the second jaw (*Propliopithecus*) the number and position of the teeth and the form and detailed arrangement of the cusps of all the teeth are exactly such as would be expected in the common starting point for the divergent lines leading to the gibbons, to the higher apes and to man.

In the long ages of the Miocene epoch (which is at the beginning of the second half of the Age of Mammals) there was a great branching out into different lines on the part of the primitive anthropoid stock, some of which began to foreshadow the modern gorillas and chimpanzees, while others (e.g., *Sivapithecus*) showed certain pre-human characters in the jaw and molar teeth.

By the latter part of the Age of Mammals the pre-human stock had probably become broken up into several distinct species, some of which were more backward, others more progressive toward higher types. The most backward of these early pre-human races was the *Pithecanthropus* or Ape-man, from the Upper Pliocene (late Age of Mammals) or Lower Pleistocene (early Age of Man) of Java. The top of his skull is strongly reminiscent of the apes and indeed it was long debated whether *Pithecanthropus* was a progressive ape, or a primitive man; but the imprint of the frontal lobes of the brain on the inside of the skull show that he was an extremely primitive man, perhaps ancestral to the Heidelberg and Neanderthal races.

The Dawn Man (*Eoanthropus*) of the Upper Pliocene, or Lower Pleistocene of England, had a more progressive type of brain case than that of *Pithecanthropus*, but his lower jaw was very ape-like, lacking a bony chin.

The Heidelberg jaw (Lower Pleistocene age, Germany), although already definitely human, is probably several hundred thousand years old. The jaw is of great size, with retreating chin and primitive human teeth.

The Neanderthal Race occupied Europe in the latter part of the Glacial period. The head is large, but the forehead is low, with strongly projecting brow ridges.

The Crô-Magnon race occupied Europe in the closing stages of Glacial times. It was in a high stage of evolution and belongs with modern races of man in the species *Homo sapiens*.

The Australian aboriginals represent one of the most primitive of the surviving races of man. They are probably distantly related to the most primitive peoples of India and to the early stock of the white races.

The detailed relationships of the other races of men are illustrated in special exhibits in the Introduction to Anthropology, now on the second floor, extreme west tower.



Fig. 6. The progress of primitive man as shown by his tools and weapons.

A. IMPLEMENTS TYPICAL OF THE EARLY PALEOLITHIC AGE
 1. Hand-ax or chopping tool of flint.

2. Dagger or perforating tool of flint.

3. Implement of flint for various purposes, such as cutting and scraping.



B. IMPLEMENTS AND ORNAMENTS TYPICAL OF THE LATE PALEOLITHIC AGE

- 1. Knife blade or spear point of flint.
- 2. Knife or etching tool of flint.
- 3. End scraper or planing tool of flint.
- 4. Harpoon point of bone.
- 5. Lance point of bone.
- 6. Beads or pendants of elk teeth.
- 7. Beads of univalve shells.
- S. Fragment of bone with partial outline of a horse etched upon it.
- 9. Fragment of bone with traces of geometric ornamentation.



Fig. 7. The progress of primitive man as shown by his tools and weapons (continued).

IMPLEMENTS TYPICAL OF THE NEOLITHIC AGE

- 1.
- 2
- 3.
- 4.

5.

Ax-hammer of stone, perforated for hafting. Ax of flint, partly polished. Saw of flint, one edge notched. Dagger of flint, probably in imitation of metallic form. Knife or sickle blade of flint. Arrow point of flint, also made in larger sizes and used as spear 6. points.

STONE CULTURES		HUMAN RACES	CONTEMPORARY MAMMALS
HISTORICAL		PERIOD	EXISTING MAMMALS
NEOLITHIC		PERIOD	MASTODON(?)MAMMOTH
AZILIAN MAGDALENIAN SOLUTRIAN		GRENELLE CRÔ-MAGNON	
AURIGNACIAN		GRIMALDI	REINDEER
COLD MOUSTERIAN		NEANDERTHAL	MAMMOTH WOOLLY RHINOCEROS
WARM MOUSTERIAN	C		ELEPHAS ANTIQUUS HIPPOPOTAMUS
COLD ACHEULEAN	ΗH		
WARM ACHEULEAN	0 L	KRAPINA	
LATE CHELLEAN	Ш Ц	EHRINGSDORF	
CHELLEAN	PA		ELEPHAS ANTIQUUS HIPPOPOTAMUS
EARLY CHELLEAN			ELEPHAS ANTIQUUS
		HEIDELBERG 🥏	RHINOCEROS ETRUSCUS HIPPOPOTAMUS SABRE-TOOTH
CROMERIAN			ELEPHAS PRIMIGENIUS MUSKOX
			REINDEER
FOXHALLIAN			

Fig. 8. Sequence of Old Stone Age (Paleolithic) in Europe. The order in which the races of primitive men appeared in Europe and the most striking mammals living at the same time.



Osborn, Henry Fairfield. 1920. "The Hall of the Age of the Man (second edition)." *Guide leaflet* 52, Page 1–31.

View This Item Online: <u>https://www.biodiversitylibrary.org/item/136270</u> **Permalink:** <u>https://www.biodiversitylibrary.org/partpdf/364211</u>

Holding Institution American Museum of Natural History Library

Sponsored by IMLS / LSTA / METRO

Copyright & Reuse

Copyright Status: Copyright American Museum of Natural History. Materials in this collection are made available for personal, non-commercial, and educational use. Images and text may not be used for any commercial purposes without prior written permission from the American Museum of Natural History.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.