

Case 3617***Habroleptoides confusa* Sartori & Jacob, 1986 (Insecta, Ephemeroptera, LEPTOPHLEBIIDAE): proposed precedence over *Habroleptoides carpatica* Bogoescu & Crăsnaru, 1930**

Éva Vánca

Babeş-Bolyai University, Department of Taxonomy and Ecology, Clinicilor 5–7, 400006 Cluj-Napoca, Romania (e-mail: vancsaeva@gmail.com)

Michel Sartori

Museum of Zoology, Palais de Rumine, CH-1014 Lausanne, Switzerland (e-mail: michel.sartori@vd.ch)

Abstract. The purpose of this application, under Article 23.9.3 of the Code, is to conserve the specific name *Habroleptoides confusa* Sartori & Jacob, 1986 for a well-known European mayfly (family LEPTOPHLEBIIDAE). A recent study has shown that the name is threatened by the senior subjective synonym *Habroleptoides carpatica* Bogoescu & Crăsnaru, 1930, which has been seldom used since its first publication, while the junior synonym is very widely used. Therefore, precedence of the name *Habroleptoides confusa* Sartori & Jacob, 1986 is requested.

Keywords. Nomenclature; taxonomy; Ephemeroptera; LEPTOPHLEBIIDAE; *Habroleptoides confusa*, *Habroleptoides carpatica*; Romania; Europe; mayflies.

1. *Habroleptoides carpatica* was described by Bogoescu & Crăsnaru (1930, pp. 190–194) from the type locality Valea Căşăriei brook, close to the Zoological Research Station of Sinaia, Bucegi Mountains, Southern Carpathians, Romania. The species was differentiated from the widespread European species *Habroleptoides modesta* (Hagen, 1864) by characters both at the imaginal stage (e.g. number of crossveins in the hind wings, shape of the male genitalia, shape of the subanal plate of the female), and at the larval stage (number of segments in the labial and maxillary palps).

2. In their revision of the genus *Habroleptoides* Schönemund, 1929, Sartori & Jacob (1986, pp. 683–691) redescribed *H. modesta* from its type area (Corsica Island). They showed that all continental records of this species were erroneous, and proposed the name *Habroleptoides confusa* Sartori & Jacob (1986, p. 687) (for *Habroleptoides modesta* sensu auct., nec *Potamanthus modestus* Hagen, 1864). The type locality for *H. confusa* is the Orbe River, Vallorbe, canton of Vaud, Switzerland. Sartori & Jacob (1986) mentioned that the differentiating characters of the *H. carpatica* adults as given in the original description (Bogoescu & Crăsnaru, 1930) and in subsequent additional information (Bogoescu, 1958, p. 86) seem to fall within the intraspecific variation of *H. confusa*. However, the type material of *H. carpatica* is lost, and since no topotypic material was known to exist, the taxonomy of *H. carpatica* could not be clarified.

3. Recently, *Habroleptoides* larvae were reared from the type locality of *H. carpatica* and their morphology was studied (Váncsa et al., 2013). The study confirmed that the morphological characters analysed fall within the intraspecific variability of *H. confusa* and that the structure of the larval mouthparts of *H. carpatica* was based on a misinterpretation by Bogoescu & Crăsnaru, 1930. Thus, both species should be considered as subjective synonyms.

4. The species name *H. carpatica* has seldom been used since its publication, mainly by Bogoescu (1932, 1958). The species has also been reported from Serbia (Filipović, 1979) and Bosnia-Herzegovina (Tanasijević, 1970), without diagnosis. However, the conditions of Article 23.9.1.1 of the Code (Reversal of Precedence) are not met.

5. On the contrary, the same species is well known under the name *Habroleptoides confusa* (or as *H. modesta* auct. before 1986). Widespread in Europe (except the British Isles, Fennoscandia and Mediterranean Islands) the species has been mentioned in more than 250 studies, including ca. 150 since 1986 by more than 60 authors (e.g. Grimm, 1987; Vinçon & Thomas, 1987; Bauernfeind, 1990; Hefti & Tomka, 1991; Kluge, 1994; Gaino & Rebor, 1995; Kukula, 1995; Moog et al., 1997; Kriska et al., 1998; Thomas, 1998; Weichselbaumer & Bauernfeind, 1999; Haybach & Malzacher, 2003; Kovács & Bauernfeind, 2003; Brulin, 2007; Willkommen & Hornschemeyer, 2007; Buffagni et al., 2009; Lubini et al., 2012). Hence the conditions of Article 23.9.1.2 of the Code are met. The species name is also widely used in European legislation and projects such as AQEM (www.aqem.de), STAR (www.eu-star.at), Euro-limpacs (www.eurolimpacs.ucl.ac.uk), WISER (www.wiser.eu), REFRESH (www.refresh.ucl.ac.uk) or BioFresh (www.freshwaterbiodiversity.eu).

6. Because the usage of the name *H. carpatica* would cause confusion and instability in nomenclature and ecology, we propose that the specific name *H. confusa* be given precedence over the name *H. carpatica*, whenever the two are considered as synonyms.

7. The International Commission on Zoological Nomenclature is accordingly asked:

(1) to use its plenary power to give the name *confusa* Sartori & Jacob, 1986, as published in the binomen *Habroleptoides confusa*, precedence over the name *carpatica* Bogoescu & Crăsnaru, 1930, as published in the binomen *Habroleptoides carpatica*, whenever the two are considered to be synonyms;

(2) to place on the Official List of Specific Names in Zoology the following names:

(a) *confusa* Sartori & Jacob, 1986, as published in the binomen *Habroleptoides confusa*, with the endorsement that it is to be given precedence over the name *carpatica* Bogoescu & Crăsnaru, 1930, as published in the binomen *Habroleptoides carpatica*, whenever the two are considered to be synonyms;

(b) *carpatica* Bogoescu & Crăsnaru, 1930, as published in the binomen *Habroleptoides carpatica*, with the endorsement that it is not to be given priority over the name *confusa* Sartori & Jacob, 1986, as published in the binomen *Habroleptoides confusa*, whenever the two are considered to be synonyms.

References

Bauernfeind, E. 1990. Der derzeitige Stand der Eintagsfliegen-Faunistik in Österreich (Insecta: Ephemeroptera). *Verhandlungen der Botanischen-Zoologischen Gesellschaft, Wien*, **127**:

61–82.

- Bogoescu, C.** 1932. Contribution à l'étude systématique des Ephéméroptères de Roumanie. *Publicațiunile Societății Naturaliștilor din România*, **11**: 134–142.
- Bogoescu, C.** 1958. *Fauna Republicii Populare Romîne*, vol. 7(3), *Ephemeroptera*. 187 pp. Editura Academiei Republicii Populare Romîne, Bucarest.
- Bogoescu, C. & Crăsnaru, C.** 1930. Sur une nouvelle espèce de *Habroleptoides* Schoenem. (Ephemeroptera) *Habroleptoides carpatica* n. sp. *Bulletin de la Section Scientifique de Roumanie*, **13**: 191–194.
- Brulin, M.** 2007. Atlas de distribution des Ephémères de France. 1ère partie: hors Baetidae et Heptageniidae (Insecta, Ephemeroptera). *Ephemera*, **8**(1): 1–73 (2006).
- Buffagni, A., Cazzola, M., López-Rodríguez, M.J., Alba-Tercedor, J. & Armanini, D.G.** 2009. *Distribution and Ecological Preferences of European Freshwater Organisms. Volume 3 – Ephemeroptera*. 254 pp. Schmidt-Kloiber, A. & Hering, D. (Eds.), Pensoft Publishers, Sofia-Moscow.
- Filipović, D.** 1979. Biogeographical and faunistical notes on mayflies (Ephemeroptera) of SR Serbia. Pp. 31–38 in Pasternak, K. & Sowa, R. (Eds.), *Proceedings of the Second International Conference on Ephemeroptera*. Panstwowe Wydawnictwo Naukowe, Warszawa.
- Gaino, E. & Rebor, M.** 1995. Comparative study of the mating apparatus of three species of Leptophlebiidae (Ephemeroptera). *Aquatic Insects*, **17**(2): 95–104.
- Grimm, R.** 1987. Beitrag zur Kenntniss der Eintagsfliegenfauna der Iller (Ephemeroptera). *Nachrichtenblatt der Bayerischen Entomologen*, **36**(4): 95–102.
- Haybach, A. & Malzacher, P.** 2003. Verzeichnis der Eintagsfliegen (Ephemeroptera) Deutschlands. *Entomofauna Germanica*, **6**: 33–46.
- Hefti, D. & Tomka, I.** 1991. Mayfly communities in a prealpine stream system of Switzerland. *Aquatic Sciences*, **53**(1): 20–38.
- Kluge, N.J.** 1994. Habrophlebiinae subfam. n. with description of a new species of *Habroleptoides* from the Caucasus (Ephemeroptera : Leptophlebiidae). *Zoosystematica Rossica*, **3**(1): 35–43.
- Kovács, T. & Bauernfeind, E.** 2003. Checklist of the Hungarian mayfly fauna (Ephemeroptera). *Folia Entomologica Hungarica*, **64**: 69–84.
- Kriská, Gy., Horváth, G. & Andrikovics, S.** 1998. Why do mayflies lay their eggs en masse on dry asphalt roads? Water-imitating polarized light reflected from asphalt attracts Ephemeroptera. *The Journal of Experimental Biology*, **201**: 2273–2286.
- Kukula, K.** 1995. Life cycles of selected species of mayflies (Ephemeroptera) of the Wolosatka and Terebowiec streams (the Bieszczady National Park, south-eastern Poland). *Acta Hydrobiologica*, **37**: 213–224.
- Lubini, V., Knispel, S., Sartori, M., Vicentini, H. & Wagner, A.** 2012. *Listes rouges Ephémères, Plécoptères, Trichoptères. Espèces menacées en Suisse, état 2010*. 111 pp. Office fédéral de l'environnement, Berne, et Centre Suisse de Cartographie de la Faune, Neuchâtel.
- Moog, O., Bauernfeind, E. & Weichselbaumer, P.** 1997. The use of Ephemeroptera as saprobic indicators in Austria. Pp. 254–260 in Landolt, P. & Sartori, M. (Eds.), *Ephemeroptera & Plecoptera biology-ecology-systematics. Mauron, Tinguely & Lachat SA, Fribourg*.
- Sartori, M. & Jacob, U.** 1986. Révision taxonomique du genre *Habroleptoides* Schönemund, 1929 (Ephemeroptera, Leptophlebiidae). II. A propos du statut de *Habroleptoides modesta* (Hagen, 1864). *Revue Suisse de Zoologie*, **93**(3): 683–691.
- Tanasijević, M.** 1970. Fauna Ephemeroptera na području planina Maglic, Volujak i Zelengora. *Glasnik Zemaljskog Muzeja, Sarajevo, N.S.*, **9**: 179–184.
- Thomas, A.G.B.**, 1998. A provisional checklist of the mayflies of North Africa (Ephemeroptera). *Bulletin de la Société d'Histoire Naturelle de Toulouse*, **134**: 13–20.
- Váncsa, É., Rákósy, L. & Sartori, M.** [2013]. On the identity of *Habroleptoides carpatica* Bogoescu & Crăsnaru, 1930 and *H. confusa* Sartori & Jacob, 1986 (Insecta, Ephemeroptera, Leptophlebiidae, Habrophlebiinae). *Journal of Entomological Research Society*, (submitted).
- Vinçon, G. & Thomas, A.G.B.** 1987. Etude hydrobiologique de la Vallée d'Ossau (Pyrénées-Atlantiques). 1. Répartition et écologie des Ephéméroptères. *Annales de Limnologie*, **23**(2):

95-113.

- Weichselbaumer, P. & Bauernfeind, E.** 1999. Vorläufiges Verzeichnis der Eintagsfliegen Kärntens. Pp. 509–514 in Rottenburg, T. et al. (Eds.), *Rote Liste gefährdeter Tiere Kärntens*, Klagenfurt.
- Willkommen, J. & Hornschemeyer, T.** 2007. The homology of wing base sclerites and flight muscles in Ephemeroptera and Neoptera and the morphology of the pterothorax of *Habroleptoides confusa* (Insecta : Ephemeroptera : Leptophlebiidae). *Arthropod Structure & Development*, **36**(2): 253–269.

Acknowledgement of receipt of this application was published in BZN 70: 2.

Comments on this case are invited for publication (subject to editing) in the *Bulletin*; they should be sent to the Executive Secretary, I.C.Z.N., c/o Natural History Museum, Cromwell Road, London SW7 5BD, U.K. (e-mail: iczn@nhm.ac.uk).



Vánca, Éva and Sartori, Michel. 2013. "Case 3617 Habroleptoides confusa Sartori & Jacob, 1986 (Insecta, Ephemeroptera, leptophlebiidae): proposed precedence over Habroleptoides carpatica Bogoescu & Crăsnaru, 1930." *The Bulletin of zoological nomenclature* 70(2), 82–85.
<https://doi.org/10.21805/bzn.v70i2.a10>.

View This Item Online: <https://www.biodiversitylibrary.org/item/333654>

DOI: <https://doi.org/10.21805/bzn.v70i2.a10>

Permalink: <https://www.biodiversitylibrary.org/partpdf/378077>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: International Commission on Zoological Nomenclature

License: <https://creativecommons.org/licenses/by-nc-sa/4.0/>

Rights: <http://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.