GOERIDAE ULMER, 1903 VERSUS TRICHOSTOMATIDAE RAMBUR, 1842 (INSECTA, TRICHOPTERA): REQUEST FOR A RULING UNDER ARTICLE 23d(ii). Z.N.(S.)1456

By the Secretary, International Commission on Zoological Nomenclature

In 1961 (Bull. zool. Nom., vol. 19, p. 301) Dr D. E. Kimmins proposed that the family-group name TRICHOSTOMATIDAE Rambur, 1842 (as 'Trichostomides') be rejected as a nomen oblitum under the provisions of Article 23b then in force. The application was not proceeded with owing to the uncertainty surrounding those provisions, and has subsequently been overlooked. Dr Kimmins no longer wishes to proceed with it, but Dr Peter Barnard (British Museum (Natural History), London) advises me that it ought to be pursued.

2. Dr Kimmins pointed out that the earliest family-group name for the taxon currently known as GOERIDAE (GOERINAE Ulmer, 1903, Abh. Naturw. Ver. Hamburg, vol. 18, p. 81) is TRICHOSTOMA-TIDAE Rambur, 1842, Hist. nat. Ins. Névr., p. 489 (as 'Trichostomides'). The bases for these two family-group names are, respectively, Goera Stephens, 1829, Nom. brit. Ins. p. 28, type species, by subsequent designation by Westwood, 1840, Introd. mod. Class. Ins., vol. 2, Syn. genera brit. Ins., p. 50, Phryganea pilosa Fabricius, 1775; Trichostoma Pictet, 1834, Rech. Phrygan., p. 172, type species, by subsequent designation by Kimmins, 1961, Bull. zool. Nom. vol. 19, p. 301, Trichostoma picicorne Pictet, 1834, op. cit., p. 174, a junior subjective synonym of Phryganea pallipes Fabricius, 1781, Spec. Ins., vol. 1, p. 388. (As that species is the type species of Silo Curtis, 1833—see Opinion 654, Bull. zool. Nom. vol. 20, pp. 119–120, 1963—Trichostoma Pictet, 1834 is a junior subjective synonym of Silo Curtis.)

3. TRICHOSTOMATIDAE has been used by Newman, 1853, Zoologist vol. 11, Appendix, p. cciv and by Acloque, 1897, Faune de France, vol. 2, p. 42, but since then the name has been abandoned in favour of GOERIDAE. The status of TRICHOSTOMATIDAE seems in any case to be anomalous. The name of its type genus is a junior subjective synonym; yet because the senior subjective synonym (Silo Curtis, 1833) is not the basis of a family-group name, Article 40 presumably does not apply, since it was not by reason of that synonymy that the family-group name was changed. On the other hand, Article 23d(ii) clearly applies, since the application of the Law of Priority to GOERIDAE and TRICHOSTOMATIDAE would clearly upset general usage. This is shown by the following references to recent uses of

GOERIDAE, kindly supplied by Dr Barnard:

Ross, 1944, p. 256 (Trichoptera of Illinois) Ross, 1956, p. 10 (evolution of Trichoptera)

Schmid, 1958, p. 153 (Trichoptera of Ceylon)

Peterson, 1960, p. 369 (larvae of insects) Kimmins, 1966, p. 118 (British check-list)

Lepneva, 1966, p. 322 (larvae of USSR)

Malicky, 1973, p. 12 (review of world Trichoptera)

Macan, 1973, p. 90 (key to British species) Schmid, 1980, p. 143 (Trichoptera of Canada)

Malicky, 1983, p. 137 (key to European species).

4. Dr Kimmins's original application was supported by Dr F. C. J. Fischer (*Rotterdam*), Dr K. M. F. Scott (*University of Cape Town*), Dr Glenn B. Wiggins (*Royal Ontario Museum*) and Dr Bo Tjeder (*Falun, Sweden*). The International Commission on Zoological Nomenclature is accordingly asked:

(1) to rule under Article 23d(ii) that the family-group name GOERINAE Ulmer, 1903 is to be accepted as the valid name for any family-group taxon to which that name and TRICHOSTOMATIDAE Rambur, 1842 have been

applied;

(2) to place the generic name *Goera* Stephens, 1829 (gender: feminine) type species, by subsequent designation by Westwood, 1840, *Phryganea pilosa* Fabricius, 1775, on the Official List of Generic Names in Zoology;

(3) to place the specific name *pilosa* Fabricius, 1775, as published in the binomen *Phryganea pilosa* (specific name of type species of *Goera* Stephens, 1829) on the Official List

of Specific Names in Zoology;

(4) to place the family-group name GOERINAE Ulmer, 1903 (type genus *Goera* Stephens, 1829) on the Official List of

Family-Group Names in Zoology;

(5) to place the family-group name TRICHOSTOMATIDAE Rambur, 1842 (type genus *Trichostoma* Pictet, 1834) (invalid through the ruling requested under (1) above) on the Official Index of Rejected and Invalid Family-Group Names in Zoology.

REFERENCES

KIMMINS, D. E. 1966. A revised check-list of the British Trichoptera. *Entomologist's Gaz.*, vol. 17, pp. 111–120.

LEPNEVA, S. G. 1966. Trichoptera. II, 2. Larvae and pupae of Integripalpia. Fauna SSSR (N.S.), vol. 95, pp. 1–562. [In Russian.]

MACAN, T. T. 1973. A key to the adults of the British Trichoptera. Scient. Publs Freshwat. biol. Ass. no. 28. pp. 1-151.

- MALICKY, H. 1973. In Kükenthal, W. (Editor). Trichopteren (Köcherfliegen). Handb. Zool., Berl., vol. 4(2). part 29, pp. 1–114
- 1983. Atlas of European Trichoptera x, 298 pp. The Hague.
- PETERSON, A. 1960. Larvae of insects an introduction to nearctic species Part II. 416 pp. Columbus.
- ROSS, H. H. 1944. The caddis flies, or Trichoptera, of Illinois. *Bull. Ill. nat. Hist. Surv.*, vol. 23(1), pp. vi, 1–326.
- SCHMID, F. 1958. Trichoptères de Ceylan. Arch Hydrobiol., vol. 54, pp. 1-173.
- ——— 1980. Genera des Trichoptères du Canada et des Etats adjacents. Les insectes et Arachnides du Canada. part 7, pp. 1–296.



Melville, R. V. 1984. "Goeride Ulmer, 1903 Versus Trichostomatidae Rambur, 1842 (Insecta, Trichoptera): Request For A Ruling Under Article 23D(Ii). Z.n. (S.) 1456." *The Bulletin of zoological nomenclature* 41, 80–82.

View This Item Online: https://www.biodiversitylibrary.org/item/44483

Permalink: https://www.biodiversitylibrary.org/partpdf/37990

Holding Institution

Natural History Museum Library, London

Sponsored by

Natural History Museum Library, London

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: International Commission on Zoological Nomenclature

License: http://creativecommons.org/licenses/by-nc-sa/3.0/

Rights: https://biodiversitylibrary.org/permissions

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.