### Case 3225

# *Phymaturus* Gravenhorst, 1837 and *Lacerta palluma* Molina, 1782 (currently *Phymaturus palluma*; Reptilia, Sauria): proposed conservation of usage of the names by designation of a neotype for *Lacerta palluma* Molina, 1782

#### Richard Etheridge and Jay M. Savage

Department of Biology, San Diego State University, San Diego, California, 92182–4614 U.S.A. (e-mail: rether@sunstroke.sdsu.edu)

**Abstract.** The purpose of this application, under Article 75.6 of the Code, is to conserve the widespread existing usage of the generic name *Phymaturus* Gravenhorst, 1837 and the specific name *P. palluma* (Molina, 1782) for a genus and a species of lizard (family LIOLAEMIDAE) from South America by designating the holotype of *Centrura flagellifer* Bell, 1843 as the neotype of *Lacerta palluma* Molina, 1782. *Phymaturus* and *P. palluma* have been used in this sense since the name *L. palluma* was first misapplied by Gravenhorst in 1837. In this application it is accepted that the valid name for Molina's lizard species will be *Callopistes maculatus* Gravenhorst, 1837.

**Keywords.** Nomenclature; taxonomy; Reptilia; LIOLAEMIDAE; TEIIDAE; Callopistes; *Phymaturus*; Callopistes maculatus; Phymaturus palluma; lizard; South America.

1. Molina (1782, p. 217) described a species of lizard (family TEIIDAE) from Chile and named it *Lucerta palluma* after an Araucanian Indian name; *palluma* is a noun in apposition. In the same work (1782, p. 345) and in its second edition (Molina, 1810, p. 189), Molina then used a different spelling for the generic name, referring to the taxon as *Lacerta palluma*. In so doing he acted as the First Reviser and selected *Lacerta palluma* as the valid spelling (see Article 24 of the Code).

2. Gravenhorst (1837, p. 749, pl. 55, fig. 2) placed what he thought was the nominal species *Lacerta palluma* Molina, 1782 in a new genus which he named (p. 749) *Phymaturus. Lacerta palluma* Molina, 1782 is thus the name of the type species by monotypy of *Phymaturus*. He illustrated a dorsal view of the lizard's head, but had misidentified Molina's taxon. Gravenhorst's lizard belongs to the family LIOLAEMIDAE, whereas Molina's lizard belongs to the family TEIIDAE. Molina's specific name *palluma* has been mistakenly applied to Gravenhorst's taxon for over 100 years.

3. Bell (1843, p. 25, pl. 14, fig. 2) described a new genus and species of lizard with the name *Centrura flagellifer* (family LIOLAEMIDAE). His illustration of the holotype (which is held in The Natural History Museum, London, with accession number BMNH 1946.8.29.84 and examined by R.E. in 1968) is clearly that of the species referred to as *Phymaturus palluma* by Gravenhorst (1837). Boulenger (1885, p. 184) synonymized *Centrura flagellifer* with *Phymaturus palluma* sensu Gravenhorst, 1837.

4. Cei & Lescure (1985, p. 452) showed that the species named *Lacerta palluma* by Molina (1782) is the lizard named *Callopistes maculatus* by Gravenhorst, 1837 (p. 744; family TEIIDAE). *C. maculatus* is, by monotypy, the type species of *Callopistes* Gravenhorst, 1837 (p. 743).

5. In an attempt to rectify the situation caused by Gravenhorst's misidentification of *Lacerta palluma* Molina, 1782, Cei & Lescure (1985, p. 456) used the next available generic name, *Centrura* Bell, 1843 (p. 25) whose type species by monotypy is *Centrura flagellifer* Bell, 1843 as the substitute name for *Phymaturus*.

6. Later, Lescure & Cei (1991, p. 174) decided on a new approach to resolving the confusion created by Gravenhorst's misidentification of *Lacerta palluma* Molina. They suggested that the Commission might use its plenary power to designate *Centrura flagellifer* Bell, 1843 as the type species of *Phymaturus* Gravenhorst, 1837, citing Article 70b of the second (1964) edition of the Code as the justification for this action. However, this proposal was never brought to the Commission.

7. Veloso et al. (2000, p. 258), following Cei & Lescure (1985), stated that the species described by Molina (1782) as *Lacerta palluma* is a senior synonym of the teiid lizard *Callopistes maculatus* Gravenhorst, 1837. They designated a neotype (which is held in the National Museum of Natural History, Chile, with the accession number 2909) for *Lacerta palluma* in order to give 'taxonomic stability to the name *Callopistes palluma* (Molina, 1782) and also the name [sic] *Phymaturus flagellifer* (Bell, 1843) = *Phymaturus palluma* [of authors other than Molina, 1782]'.

8. In our opinion, none of the actions by Cei & Lescure (1985), Lescure & Cei (1991) or Veloso et al. (2000, p. 258) best serves nomenclatural stability. The lizard taxon mistakenly called *Phymaturus palluma* (Molina, 1782) by Gravenhorst in 1837 is of great scientific interest because of its herbivorous diet, viviparous reproduction, saxicolous habits, possession of sex chromosomes and occurrence at high elevations. As a result, it has appeared in numerous publications but under the incorrect name of *P. palluma* (Molina, 1782). Recent examples of usage of this name are de Queiroz, 1982; Arnold, 1984; Bee de Speroni, Cabrera & Manca, 1984; Lamborot & Navarro-Suarez, 1984; Shine, 1985; Etheridge & de Queiroz, 1988; Hallermann, 1994; Etheridge, 1995; Grimalt et al., 1995; McGuire, 1996; Reeder & Wiens, 1996; Schulte et al., 1998; Schulte et al., 1999 and Etheridge & Espinoza, 2000.

9. We propose that the Commission designate the holotype of *Centrura flagellifer* Bell, 1843 (see para. 3 above) as the neotype of *Lacerta palluma* Molina, 1782 to conserve the existing and widespread usage of the generic name *Phymaturus* Gravenhorst, 1837 and the specific name of *Lacerta palluma* Molina, 1782. Following this, *Centrura* and *C. flagellifer* Bell, 1844 will be junior objective synonyms of *Phymaturus* and *P. palluma* respectively, and the valid name for the lizard described by Molina will be *Callopistes maculatus* Gravenhorst, 1837 (see para. 4 above).

10. The International Commission on Zoological Nomenclature is accordingly asked:

- to use its plenary power to set aside all previous type fixations for the nominal species *Lacerta palluma* Molina, 1782 and to designate the specimen BMNH 1946.8.29.84, referred to in para. 3 above, as the neotype;
- (2) to place on the Official List of Generic Names in Zoology the following names:
  (a) *Phymaturus* Gravenhorst, 1837 (gender: masculine), type species by monotypy *Lacerta palluma* Molina, 1782;

- (b) Callopistes Gravenhorst, 1837 (gender: masculine), type species by monotypy Callopistes maculatus Gravenhorst, 1838;
- (3) to place on the Official List of Specific Names in Zoology the following names:
  - (a) *palluma* Molina, 1782, as published in the binomen *Lucerta* (sic) *palluma* and as defined by the neotype designated in (1) above (specific name of the type species of *Phymaturus* Gravenhorst, 1837);
    - (b) *maculatus* Gravenhorst, 1837, as published in the binomen *Callopistes maculatus* (specific name of the type species of *Callopistes* Gravenhorst, 1837).


#### References

- Arnold, E.N. 1984. Variation in the cloacal and hemipenial muscles in lizards and its bearing on their relationships. Symposia of the Zoological Society of London, 52: 47-85.
- Bee de Speroni, N.T., Cabrera, M.R. & Manca, L. 1984. Consideraciones sobre la osteología craneal, hioides, esternón y lengua de *Phymaturus palluma* (Molina, 1782) (Sauria, Iguanidae). *Historia Natural* (Corrientes, Argentina), **3**(24): 197–212.
- Bell, T. 1843. Reptiles. In Darwin, C. (Ed.), Zoology of the Voyage of H. M.S. Beagle under the Command of Capt. Fitzroy R.N., during the years 1832 to 1836, vol. 5. 51 pp. Smith, Elder and Co., London.
- Boulenger, G.A. 1885. Catalogue of the lizards in the British Museum (Natural History), Ed. 2, vol. 2. xiii, 497 pp. London.
- Cei, J.M. & Lescure, J. 1985. Identité de Lacerta palluma Molina, 1782, et revalidation de Centrura flagellifer Bell, 1843 (Reptilia, Sauria). Bulletin Muséum National d'Histoire Naturelle (Paris), Series 7(4), section A, 2: 451–459.
- de Queiroz, K. 1982. The scleral ossicles of sceloporine iguanids: a re-examination with comments on their phylogenetic significance. *Herpetologica*, 38(2): 302-311.
- Etheridge, R. 1995. Redescription of *Ctenoblepharys adspersa* Tschudi, 1845, and the taxonomy of Liolaeminae (Reptilia: Squamata: Tropiduridae). *American Museum Novitates*, 3142: 1–34.
- Etheridge, R. & de Queiroz, K. 1988. A phylogeny of Iguanidae. Pp. 283–367 in Estes, R. & Pregill, G. (Eds.), *Phylogenetic relationships of the lizard families: essays commemorating Charles L. Camp.* Stanford University Press, California.
- Etheridge, R. & Espinoza, R.E. 2000. Taxonomy of the Liolaeminae (Squamata: Iguania: Tropiduridae) and a semi-annotated bibliography. Smithsonian Herpetological Information Service, 126: 1–65.
- Gravenhorst, J.L.C. 1837. Beiträge zur genauern Kenntniss einiger Eidechsgattungen. Nova Acta Academiae Caesarea Leopoldino-Carolinae Germaninicae Naturae Curiosorum, 18(2): 712–784
- Grimalt, P.E., Castro, L.P., Mayorga, L.S. & Bertini, F. 1995. Epididymal acid hydrolases in the annual reproductive cycle of two lizards. *Comparative Biochemistry and Physiology*, 112A(2): 321–325.
- Hallermann, J. 1994. Zur Morphologie der Ethmoidalregion der Iguania (Squamata) eine vergleichend-anatomische Untersuchung. Bonner Zoologische Monographien, 35: 1–33.
- Lamborot, M. & Navarro-Suarez, M. 1984. Karyotypes and sex determination in *Phymaturus* palluma Molina (Iguanidae). *Herpetologica*, 40(3): 58–264.
- Lescure, J. & Cei, C.M. 1991. L'espèce-type du genre *Phymaturus* Gravenhorst, 1838 (Reptilia, Sauria). *Bollettino del Museo Regionale di Scienze Naturali*, 9(1): 173–175.
- McGuire, J.A. 1996. Phylogenetic systematics of crotaphytid lizards (Reptilia: Iguania: Crotaphytidae). Bulletin of the Carnegie Museum of Natural History, 32: 1–143.
- Molina, G.I. 1782. Saggio sulla storia naturale del Chili. 375 pp. Stamperia di S. Tommaso d'Aquino, Bologna.
- Molina, G.I. 1810. Saggio sulla storia naturale del Chili, Ed. 2. 308 pp. Fratelli Masie Comp, Bologna.

- 41
- Reeder, T.W. & Wiens, J. 1996. Evolution of the lizard family Phrynosomatidae as inferred from diverse types of data. *Herpetological Monographs*, 10: 43–84.
- Schulte, J.A., Macey, J.R., Espinoza, R.E. & Larson, A. 1999. Phylogenetic relationships in the iguanid lizard genus *Liolaemus*: multiple origins of viviparous reproduction and evidence for recurring Andean vicariance and dispersal. *Biological Journal of the Linnean Society* of London, 69: 75–102.
- Schulte, J.A., Macey, J.R., Larson, A. & Papenfuss, J. 1998. Molecular tests of phylogenetic taxonomies: a general procedure and example using four subfamilies of the lizard family Iguanidae. *Molecular Phylogenetics and Evolution*, 10(3): 367–376.
- Shine, R. 1985. The evolution of viviparity in reptiles: an ecological analysis. Pp. 605–694 in Gans, C. & Billet, F. (Eds.), *Biology of the Reptilia*, vol. 15, Development. John Wiley, New York.
- Veloso, A., Núñez, H. & Cei, J.M. 2000. Fixation and description of a neotype for Lacerta palluma Molina 1782 (currently) – (Squamata: Teiidae). Bollettino del Museo Regionale di Scienze Naturali, 17(1): 257–268.

Acknowledgement of receipt of this application was published in BZN 59: 1.

Comments on this case are invited for publication (subject to editing) in the *Bulletin*; they should be sent to the Executive Secretary, I.C.Z.N., c/o The Natural History Museum, Cromwell Road, London SW7 5BD, U.K. (e-mail: iczn@nhm.ac.uk).



Phymaturus palluma (Molina, 1782) from Sierra de Uspallata, Mendoza Province, Argentina.



Etheridge, Richard and Savage, Jay Mathers. 2003. "Phymaturus Gravenhorst, 1837 And Lacerta Palluma Molina, 1782 Of Usage Of The Names By Designation Of A Neotype For Lacerta Palluma Molina, 1782." *The Bulletin of zoological nomenclature* 60, 38–41.

View This Item Online: <u>https://www.biodiversitylibrary.org/item/107012</u> Permalink: <u>https://www.biodiversitylibrary.org/partpdf/42915</u>

**Holding Institution** Smithsonian Libraries and Archives

**Sponsored by** Biodiversity Heritage Library

## **Copyright & Reuse**

Copyright Status: In copyright. Digitized with the permission of the rights holder. Rights Holder: International Commission on Zoological Nomenclature License: <u>http://creativecommons.org/licenses/by-nc-sa/3.0/</u> Rights: <u>https://biodiversitylibrary.org/permissions</u>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.