

A CATALOGUE OF THE ACARINA, OR MITES, OF THE UNITED STATES.

By NATHAN BANKS,

Custodian, Section of Arachnida, U. S. National Museum.

INTRODUCTION.

In 1886 Prof. Herbert Osborn and Prof. L. M. Underwood published, in the Canadian Entomologist, a preliminary list of the species of Acarina of North America. It included 99 species in 28 genera. The species described prior to that time were by various entomologists, and in only one case, that of Professor Garman, had a single author done any considerable work in one genus. During the past twenty years several naturalists have described a large number of new species. Professor Wolcott, Doctor Koenike, and Miss Marshall, in the water-mites; Doctor Haller and Professor Tyrrell, in the bird-mites; Professor Neumann, in the ticks; and myself in various families, are chiefly responsible for this increase. At present there are 450 species, grouped in 133 genera, known from the United States; yet this is probably less than a third of our entire acarid fauna.

So little is known regarding the distribution of the species, most of which have been described from the Eastern States, that I have not given localities. In identifying species one must now compare the specimen with descriptions of all the species, irrespective of locality. The generic synonyms are given in the index. In the arrangement of families I have followed the common usage.

It is hoped that by bringing together these references an interest will be stimulated among others that will result in greater work in the Acarina, one of the most important groups from either the biological or economic standpoint.

A synopsis of the genera of the mites and a list of the literature down to 1904 will be found in a Treatise on the Acarina or Mites, published in the Proceedings, U. S. National Museum, XXVIII, pages 1-114.

CATALOGUE OF THE ACARINA.

Family EUPODIDÆ.

RHAGIDIA.

Rhagida THORELL, *Œfv. Svenska Akad. Förh.*, XXVIII, 1871, p. 700.

R. cavicola BANKS, Amer. Nat., 1897, p. 382.

R. pallida BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 222.

LINOPODES.

Linopodes KOCH, Crust. Myr. Arach. Deutsch., fasc. 4, 1836.

L. antennæpes BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 221.

L. mammouthia BANKS, Amer. Nat., 1897, p. 383.

EUPODES.

Eupodes KOCH, Crust. Myr. Arach. Deutsch., fasc. 4, 1836.

E. marinus BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 75.

E. variabilis BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 221.

NOTOPHALLUS.

Notophallus CANESTRINI, Prosp. Acarof. Ital., II, 1886, p. 202.

N. dorsalis BANKS, Canad. Entom., 1902, p. 172.

TYDEUS.

Tydeus KOCH, Crust. Myr. Arachn. Deutsch., fasc. 4, 1836.

T. gloveri ASHMEAD, Canad. Entom., 1879, p. 159 (*Tyroglyphus*).

Family BDELLIDÆ.

BDELLA.

Bdella LATREILLE, Précis Caract. Ins., 1796, p. 180.

- B. borealis** KRAMER and NEUMAN, Acariden wahrend Vega Exped., 1883, p. 525.
- B. californica** BANKS, Proc. Calif. Acad. Science, (3), III, 1904, p. 366.
- B. cardinalis** BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 219.
- B. frigida** BANKS, Insects, etc., Commander Isl., 1899, p. 348.
- B. marina** PACKARD, First Rept. U. S. Fish Com., 1874, p. 544.—BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 220.
- B. oblonga** SAY, Journ. Phil. Acad., II, 1821, p. 74.—LE CONTE Edit., II, 1859, p. 19.
- B. peregrina** BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 219.
- B. robusta** BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 220.
- B. tenella** BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 75.
- B. villosa** KRAMER and NEUMAN, Acariden wahrend Vega Exped., 1883, p. 525.

CYTA.

Cyta HEYDEN, Isis, 1826, p. 612.

C. americana BANKS, Canad. Entom., 1902, p. 171 (*Ammonia*).

SCIRUS.

Scirus HERMANN, Mém. Apterol., 1804, p. 62.

S. quadripilis BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 220.

EUPALUS.

Eupalus KOCH, Crust. Myr. Arachn. Deutsch., fasc. 4, 1836.

E. echinatus BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 221.

Family CHEYLETIDÆ.

CHEYLETUS.

Cheyletus LATREILLE, Précis Caract. Ins., 1796, p. 179.

C. clavispinus BANKS, Canad. Entom., 1902, p. 172.

C. ferox BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 134.

C. pyriformis BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 135.

C. seminivorus PACKARD, Guide Study Insects, 1869, p. 665.

MYOBIA.

Myobia HEYDEN, Isis, 1826, p. 613.

M. musculi SCHRANK, Enum. Ins. Austr., 1781, p. 301.—MÉGNIN, Journ. de l'Anat. Phys., XIV, 1878, p. 432.

HARPIRHYNCHUS.

Harpirhynchus MÉGNIN, Journ. de l'Anat. Phys., XIV, 1878, p. 429.

H. longipilus BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 135 (*Sarcopterus*).

PSORERGATES.

Psorergates TYRRELL, Proc. Canad. Inst., (3), I, 1883, p. 342.

P. simplex TYRRELL, Proc. Canad. Inst., (3), I, 1883, p. 342.—NEUMANN, Revue Vétérinaire, April, 1893.—CANESTRINI, Prospetto, VI, 1894, p. 809.

musculinus MICHAEL, Journ. Linn. Soc. Zool., XX, 1889, p. 400 (*Gonio-merus*).

SYRINGOPHILUS.

Syringophilus HELLER, Die Schmarotzer * * * den Menschen (Leipzig), 1880, p. 186.

S. bipectinatus HELLER, Die Schmarotzer, 1880, p. 186.—BERLESE, Acari Italiani, fasc. XXXVII, No. 9, 1885, p. 10.

villosa HANCOCK, Amer. Nat., 1895, p. 382 (*Picobia*).

Family ERYTHRÆIDÆ.

ERYTHRÆUS.

Erythraeus LATREILLE, Gen. Crust. Ins., I, 1806, p. 146.

- E. mamillatus** SAY, Journ. Phil. Acad., II, 1821, p. 70.—LECONTE, Edit., II, 1859, p. 16.
E. spinatus BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 210.

ANYSTIS.

Anystis HEYDEN, Isis, 1826, p. 612.

- A. agilis** BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 211 (*Actineda*).

GEKOBIA.

Gekobia MEGNIN, Ann. Soc. Entom. France, 1878, p. 188.

- G. texana** BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 134.

Family TETRANYCHIDÆ.

BRYOBIA.

Bryobia KOCH, Crust. Myr. Arachn. Deutsch., fasc. 4, 1836.

- B. pratensis** GARMAN, Fourteenth Report State Entom. of Illinois, 1885, p. 73.—MARLATT, Insect Life, III, 1890, p. 45.
pallida GARMAN, Insect Life, III, 1890, p. 74 (Young).
B. weyerensis PACKARD, Cave Memoir, 1887, p. 42.

TETRANYCHUS.

Tetranychus DUFOUR, Ann. Sci. Nat., XXV, 1832, p. 276.

- T. aceris** SHIMER, Trans. Amer. Ent. Soc., II, 1869, p. 320 (*Acarus*).
T. bicolor BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 218; Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 72.
T. bimaculatus HARVEY, Ann. Rept. Maine Agric. Exp. Station, for 1892 (1893), p. 133.—BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 73.
T. desertorum BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 76.
T. gloveri BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 76.—MORGAN, Bull. no. 48, Louisiana Agric. Exp. Sta., 1897, pp. 130–135.—TITUS, Cir. no. 65, U. S. Dept. Agric., Bur. Entom., 1905, p. 5.
T. gracilipes BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 72.
T. modestus BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 73.
T. mytilaspidis RILEY, Hubbard, Orange Insects, 1885, p. 216.—BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 71.—WOODWORTH, Bull. no. 145, California Agric. Exp. Sta., 1902, pp. 19, 5 figs.
T. sexmaculatus RILEY, Insect Life, II, 1890, p. 225.—BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 75.
T. telarius LINNÆUS, Fauna Suecia, 1761, p. 481.—BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 75.
T. tumidus BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 73.
T. verbesinæ COCKERELL, Nature, 16 Oct., 1902, p. 608.

T. viridis BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 218.

T. vitis BOISDUVAL, Entom. Horticole, 1867, p. 92.

telarius MAYET and VIALA, Ann. de l'Ecole Nationale d'Agric. de Montpellier, 1893, pp. 18, 1 pl. (not of Linnaeus).

TENUIPALPUS.

Tenuipalpus DONNADIEU, Ann. Sci. Linn., Lyon, XXII, 1875, p. 111.

T. californicus BANKS, Jour. N. Y. Entom. Soc., 1904, p. 55.

TETRANYCHOIDES.

Tetranychoides BANKS, Journ. N. Y. Entom. Soc., 1904, p. 54.

T. californica BANKS, Journ. N. Y. Entom. Soc., 1904, p. 54.

STIGMÆUS.

Stigmarus KOCH, Crust., Myr. Arachn. Deutsch., fasc. 4, 1836.

S. floridanus BANKS, Tech. Bull. no. 8, Div. Ent., U. S. Dept. Agric., 1900, p. 77.

NEOPHYLLOBIUS.

Neophyllobius BERLESE, Acari dann. piante colt., 1886, p. 20.

N. americanus BANKS, Proc. Ent. Soc., Wash., VII, 1906, p. 133.

Family RHYNCHOLOPHIDÆ.

RHYNCHOLOPHUS.

Rhyncholophus DUGÉS, Ann. Sci. Nat., (2), I, 1834, p. 31.

R. angustipes, new name.

gracilipes BANKS, Proc. Calif. Acad. Sci., (3), III, 1904, p. 305 (not of Kramer, 1897).

R. cavernarum PACKARD, Cave Memoir, 1887, p. 42.

R. cinctipes BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 216.

R. elongatus BANKS, Insects, etc., Commander Isl., 1899, p. 348.

R. floridanus BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 74.

R. longipes BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 215.

R. maculatus BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 216.

R. montanus BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 216.

R. parvus BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 216.

R. pilosus BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 217.

R. punctatus BANKS, Proc. Acad. Nat. Sci., Phil., 1904, p. 143.

R. robustus BANKS, Ann. New York Acad. Sci., VIII, 1895, p. 432.

R. roseus BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 215.

R. simplex BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 215.

R. texanus BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 217.

SMARIS.

Smaris LATREILLE, Précis Caract. Ins., 1796, p. 180.

S. australis BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 74.

S. occidentalis BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 214.

Family TROMBIDIIDÆ.

TROMBIDIUM.

Trombidium FABRICIUS, Gen. Insect., 1776, p. 151.

- T. armatum** KRAMER, and NEUMAN, Acariden wahrend Vega Exped., 1883, p. 521.
- T. bulbipes** PACKARD, 3rd Mass. Rept., 1873, p. 26.
- T. gemmosum** BANKS, Proc. Acad. Nat. Sci. Phil., 1901, p. 595.
- T. giganteum** RILEY, First Rept. U. S. Ent. Com., 1878, p. 312.—BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 212.
- T. granulatum** BANKS, Canad. Entom., 1902, p. 171.
- T. magnificum** LE CONTE, Proc. Acad. Nat. Sci. Phil., 1852, p. 145.—BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 213.
- T. marinus** BANKS, Trans Amer. Ent. Soc., XXIII, 1896, p. 73.
- T. scabrum** SAY, Journ. Phil. Acad., II, 1821, p. 69.—LE CONTE, Edit., II, 1859, p. 16.—BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 212.
- T. sericieum** SAY, Jour. Phil. Acad., II, 1821, p. 70.—LE CONTE, Edit., II, 1859, p. 6.—RILEY, 7th Mo. Rept., 1875, p. 175.—BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 212.

MICROTROMBIDIUM.

Microtrombidium HALLER, J. H. Ver. Würtb., XXXVIII, 1882, p. 322.

- M. granulosa** BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 74 (*Ottonia*).
- M. locustarum** WALSH, Pract. Entom., I, 1866, p. 126.—RILEY, Amer. Nat., XII, 1878, p. 139; First Ann. Rept. U. S. Ent. Com., 1878, p. 306.—BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 213.
- M. muscarum** RILEY, First Rept. U. S. Ent. Com., 1878, p. 306.—BANKS, Trans. Amer. Ent. Soc., XXI, 1894, p. 213.
- M. trombidioides** BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 74 (*Ottonia*).

Family CÆCULIDÆ.

CÆCULUS.

Cæculus DUFOUR, Ann. Sci. Nat., XXV, 1832, p. 289.

C. americanus BANKS, Proc. Ent. Soc. Wash., IV, 1899, p. 221.

C. clavatus BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 136.

Family HYDRACHNIDÆ.

LIMNOCHARES.

Limnochares LATREILLE, Précis, Caraet. Ins., 1796, p. 181.

- L. aquaticus** LINNÆUS, Faun. Suec., 1761, p. 482.—PIERSIG, Das Tierreich, Lief. 13, 1901, p. 14.
L. extendens SAY, Jour. Phil. Acad., II, 1821, p. 80.—LE CONTE, Edit., II, 1859, p. 22. [Probably not the European species of same name.]

EYLAIS.

Eylais LATREILLE, Précis, Caraet. Ins., 1796, p. 182.

- E. desecta** KOENIKE, Abh. naturw. Ver. Bremen, XIV, 1897, p. 288.
E. falcata KOENIKE, Abh. naturw. Ver. Bremen, XIV, 1897, p. 288.
E. triangulifera KOENIKE, Abh. naturw. Ver. Bremen, XIV, 1897, p. 289.

THYAS.

Thyas KOCH, Crust. Myr. Arach. Deutsch., 1835, fasc. 5.

- T. pedunculata** KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 192.
T. stolli KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 194.

PANISUS.

Panisus KOENIKE, Zool. Anz., XIX, 1896, p. 356.

- P. cataphracta** KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 196.

TANAOGNATHUS.

Tanognathus WOLCOTT, Trans. Amer. Micr. Soc., XXI, 1900, p. 193.

- T. spinipes** WOLCOTT, Trans. Amer. Micr. Soc., XXI, 1900, p. 194.

KRENDOWSKIA.

Krendowskia PIERSIG, Zool. Anz., XVIII, 1895, p. 147.

- K. ovata** WOLCOTT, Trans. Amer. Micr. Soc., XXI, 1900, p. 181.

STEGANASPIS.

Steganaspis WOLCOTT, Trans. Amer. Micr. Soc., XXII, 1901, p. 105.

- S. arrenuroides** WOLCOTT, Trans. Amer. Micr. Soc., XXII, 1901, p. 106.

ARRENURUS.

Arrenurus DUGÈS, Ann. Sci. Nat., (2), I, 1834, p. 17.

- A. birgei** MARSHALL, Trans. Wisc. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 158.
A. cardiacus MARSHALL, Trans. Wisc. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 153.
A. caudatus DE GEER, Mém. Hist. Ins., III, 1778, p. 139.—PIERSIG, Das Tierreich, Lief. 13, 1901, p. 87.—MARSHALL, Trans. Wisc. Acad. Sci., Arts, Lett., XIV (Pt. 2), 1904, p. 521.

- A.** *conicus* PIERSIG, Zool. Anzeiger, XVI, 1893, p. 311; Das Tierreich, Lief. 13, 1901, p. 86.—MARSHALL, Trans. Wisc. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 158.
- A.** *corniger* KOENIKE, Zool. Anzeiger, XVII, 1894, p. 276.—PIERSIG, Das Tierreich, Lief. 13, 1901, p. 84.—MARSHALL, Trans. Wisc. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 155.
- A.** *cylindratus* PIERSIG, Zool. Anzeiger, XIX, 1896, p. 441; Das Tierreich, Lief. 13, 1901, p. 84.—MARSHALL, Trans. Wisc. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 156.
- A.** *globator* MÜLLER, Zool. Dan. Prodr., 1776, p. 188.—PIERSIG, Das Tierreich, Lief. 13, 1901, p. 82.—MARSHALL, Trans. Wisc. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 148.
- A.** *globator* var. *megalurus* MARSHALL, Trans. Wisc. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 150.
- A.** *interpositus* KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 176.
- A.** *krameri* KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 182.
- A.** *lautus* KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 172.
- A.** *manubriator* MARSHALL, Trans. Wisc. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 151.
- A.** *morrisoni* MARSHALL, Trans. Wisc. Acad. Sci., Arts, Lett., XIV (Pt. 2), 1904, p. 523.
- A.** *parallelatus* MARSHALL, Trans. Wisc. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 154.
- A.** *securiformis* PIERSIG, Zool. Anzeiger, XVII, 1894, p. 377; Das Tierreich, Lief. 13, 1901, p. 83.—MARSHALL, Trans. Wisc. Acad. Sci., Arts, Lett., XIV (Pt. 1), 1903, p. 152.
- A.** *setiger* KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 178.

ATURUS.

Aturus KRAMER, Arch. f. Naturgesch., XLI, 1875, p. 309.

- A.** *mirabilis* PIERSIG, Sitzungsb. Ges. Leipzig, XXII–XXIII, 1897, p. 157.
scaber KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 186 (not Kramer).

XYSTONOTUS.

Xystonotus WOLCOTT, Trans. Amer. Micr. Soc., XXI, 1900, p. 185.

- X.** *asper* WOLCOTT, Trans. Amer. Micr. Soc., XXI, 1900, p. 186.

MIDEOPSIS.

Mideopsis NEUMAN, Svenska Akad. Handl., XVII, 1880, p. 67.

- M.** *orbicularis* MÜLLER, Zool. Dan. Prodr., 1776, p. 190.—KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 191.

LEBERTIA.

Lebertia NEUMAN, Svenska Akd. Handl., XVII, 1880, p. 68.

- L.** *tau-insignita* LEBERT, Bull. Soc. Vaudoise (2), XVI, 1879, p. 371.—KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 201.

SPERCHON.

Sperchon KRAMER, Arch. f. Naturgesch., 1877, p. 240.

- S. glandulosus**, KOENIKE, Zeitschr. wiss. Zool., XLIII, 1885, p. 270; Abh. naturw. Ver. Bremen, XIII, 1895, p. 202.
S. parmatus KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 202.
S. tenuipalpis KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 204.

LIMNESIA.

Limnesia KOCH, Crust. Myr. Arach. Deutsch., fasc. 2, 1835.

- L. cornuta** WOLCOTT, Trans. Amer. Micr. Soc., XXIV., 1903, p. 143.
L. histrionica HERMANN, Mém. Apterol., 1804, p. 55.—WOLCOTT, Trans. Amer. Micr. Soc., XXIV., 1903, p. 146.
L. koenikei PIERSIG, Zool. Anz., 1894, p. 115; Das Tierreich, XIII, 1901, p. 177.
L. maculata MÜLLER, Zool. Danica prod., 1776, p. 191.—WOLCOTT, Trans. Amer. Micr. Soc., XXIV., 1903, p. 156.
L. paucispina WOLCOTT, Trans. Amer. Micr. Soc., XXIV., 1903, p. 152.
L. undulata MÜLLER, Hydrachnae Daniae, 1781, p. 80.—KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 206.—WOLCOTT, Trans. Amer. Micr. Soc., XXIV., 1903, p. 149.

LIMNESIOPSIS.

Limnesiopsis PIERSIG, Zoologica, XXII, 1897, p. 204.

- L. anomala** KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 207.

KOENIKEA.

Koenikea WOLCOTT, Trans. Amer. Micr. Soc., XXI, 1900, p. 189.

- K. concava** WOLCOTT, Trans. Amer. Micr. Soc., XXI, 1900, p. 190.

ATRACTIDES.

Atractides KOCH, Crust. Myr. Arach. Deutsch., fasc. 11, 1837.

- A. spinipes** KOCH, Crust. Myr. Arach. Deutsch., fasc. 11, 1837, fig. 16.
ovalis KOENIKE, Abh. naturw. Ver. Bremen, VIII, 1883, p. 32; XIII, 1895, p. 211.

HYGROBATES.

Hygrobates KOCH, Crust. Myr. Arach. Deutsch., fasc. 10, 1837.

- H. decaporus** KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 215.
H. exilis KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 213.
H. longipalpis HERMANN, Mém. Apterol., 1804, p. 55.—KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 212.
H. multiporus KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 216.

TYRRELLIA.

Tyrrellia KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 198.

- T. circularis** KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 199.

ATAX.

Atax FABRICIUS, Syst. Antiatorum, 1805, p. 366.

- A. abnormipes** WOLCOTT, Zool. Bull., I, 1898, p. 280; Trans. Amer. Micr. Soc., XX, 1899, p. 218.
- A. aculeatus** KOENIKE, Zool. Anz., XIII, 1890, p. 140.
- A. aculeatus** var. *sayi* PIERSIG, Das Tierreich, XIII, 1901, p. 213.—WOLCOTT, Trans. Amer. Micr. Soc., XX, 1899, p. 210.
- A. adensameri** THON, Ann. Hofmus. Wien, XVI, 1902, p. 31.
- A. arcuata** WOLCOTT, Zool. Bull., I, 1898, p. 284; Trans. Amer. Micr. Soc., XX, 1899, p. 231.
- A. crassipes** MÜLLER, Zool. Dan. Prodr., 1776, p. 189.—WOLCOTT, Trans. Amer. Micr. Soc., XX, 1899, p. 205.
- A. fossulatus** KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 221.—WOLCOTT, Trans. Amer. Micr. Soc., XX, 1899, p. 226.
- A. indistinctus** WOLCOTT, Zool. Bull., I, 1898, p. 281; Trans. Amer. Micr. Soc., XX, 1899, p. 221.
- A. intermedius** KOENIKE, Abh. naturw. Ver. Bremen, VII, 1882, p. 265.
- A. intermedius** var. *Wolcotti* PIERSIG, Zool. Anzeiger, XXIII, 1900, p. 211.—WOLCOTT, Trans. Amer. Micr. Soc., XX, 1899, p. 214.
- A. pectinata** WOLCOTT, Zool. Bull., I, 1898, p. 280; Trans. Amer. Micr. Soc., XX, 1899, p. 212.
- A. serratus** WOLCOTT, Zool. Bull., I, 1898, p. 282; Trans. Amer. Micr. Soc., XX, 1899, p. 223.
- A. stricta** WOLCOTT, Zool. Bull., I, 1898, p. 283; Trans. Amer. Micr. Soc., XX, 1899, p. 229.
- A. tumidus** WOLCOTT, Zool. Bull., I, 1898, p. 285; Trans. Amer. Micr. Soc., XX, 1899, p. 236.
- A. ypsilonphorus** BONZ, Nova Acta Acad. Leop., VII, 1783, p. 52.
- A. ypsilonphorus** var. *haldemani* PIERSIG, Zool. Anz., XXIII (1900), p. 212.—KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 217.—WOLCOTT, Trans. Amer. Micr. Soc., XX, 1899, p. 233.
formosa DANA and WHELPLEY, Amer. Jour. Sci., XXX, 1836, p. 357.
oviformis HALDEMAN, Zool. Contrib., 1842, p. 1.
lactea HALDEMAN, Zool. Contrib., 1842, p. 1.

UNIONICOLA.

Unionicola HALDEMAN, Zool. Contrib., 1842, p. 1. [Most, if not all, the species are probably synonyms of *Atax ypsilonphorus*.]

- U. humerosa** HALDEMAN, Zool. Contrib., 1842, p. 2.
- U. lugubris** HALDEMAN, Zool. Contrib., 1842, p. 2.
- U. personata** HALDEMAN, Zool. Contrib., 1842, p. 2.
- U. proxima** HALDEMAN, Zool. Contrib., 1842, p. 2.
- U. reticulata** HALDEMAN, Zool. Contrib., 1842, p. 3.
- U. symmetrica** HALDEMAN, Zool. Contrib., 1842, p. 2.
- U. unicolor** HALDEMAN, Zool. Contrib., 1842, p. 3.

NEUMANIA.

Neumania LEBERT, Bull. Soc. Vaudoise (2), XVI, 1879, p. 340.

- N. vernalis** MÜLLER, Zool. Dan. Prodr., 1776, p. 189.—KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 218.—PIERSIG, Das Tierreich, XIII, 1901, p. 227.

NAJADICOLA.

Najadicola PIERSIG, Zool. Anz., XX, 1897, p. 60.

- N. ingens** KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 219.—WOLCOTT, Trans. Amer. Micr. Soc., XX, 1899, p. 238.

FELTRIA.

Feltria KOENIKE, Zool. Anz., XV, 1892, p. 323.

- F. minuta** KOENIKE, Zool. Anz., p. 323, 1892.—PIERSIG, Das Tierreich, XIII, 1901, p. 231.

PIONA.

Piona KOCH, Ubers. Arachn. Syst., III, 1842, p. 13.

- P. constrictus** WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 222.
P. coronis WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 208.
P. crassus WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 246.
P. debilis WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 234.
P. exilis WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 210.
P. fuscatus HERMANN, Mem. apterol., 1804, p. 58.—PIERSIG, Das Tierreich, XIII, 1901, p. 256.
P. guatemalensis STOLL, Biol. Cent.-Amer. Arach.-Acari., 1887, p. 11.—KOENIKE, Abh. naturw. Ver. Bremen, XIII, 1895, p. 209.
P. inconstans WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 241.
P. medioides WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 229.
P. obturbans PIERSIG, Zool. Anz., XIX, 1896, p. 439.—WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 240.
P. pugilis WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 213.
P. reighardi WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 235.
P. rotundus KRAMER, Arch. f. Naturgesch., 1879, p. 12.—WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 231.
P. setiger WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 243.
P. spinulosus WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 226.
P. triangularis WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 220.
P. turgidus WOLCOTT, Trans. Amer. Micr. Soc., XXIII, 1902, p. 216.

HYDRACHNA.

(Unplaced.)

- H. belostomæ** RILEY, 1st Rept. U. S. Ent. Com., 1878, p. 312.
H. coccinea HALDEMAN, Proc. Phil. Acad., I, 1842, p. 196.
H. nebulosa HALDEMAN, Proc. Phil. Acad., I, 1842, p. 196.
H. pyriformis DANA and WHELPLEY, Amer. Journ. Sci., XXX, 1836, p. 358.
H. 5-undata HALDEMAN, Proc. Phil. Acad., I, 1842, p. 184.
H. scabra HALDEMAN, Proc. Phil. Acad., I, 1842, p. 184.
H. triangularis SAY, Journ. Phil. Acad., II, 1821, p. 79.—LE CONTE, Edit., II, 1859, p. 22. [Probably equal *Atax ypsilonophorus*.]
H. tricolor PACKARD, Amer. Journ. Sci. (3), I, 1871, p. 108.

Family HALACARIDÆ.

THALASSARACHNA.

Thalassarachna PACKARD, Amer. Journ. Sci. (3), I, 1871, p. 108.

T. verrillii PACKARD, Amer. Journ. Sci. (3), I, 1871, p. 107.

Family IXODIDÆ.

ARGAS.

Argas LATREILLE, Précis Caract. Ins., 1796, p. 178.

- A. miniatus** KOCH, Arch. f. Naturg., X, 1844, p. 219.—SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 402.
americana PACKARD, Rept. U. S. Geol. Survey Montana, Idaho, Wyoming, Utah, 1872, p. 740.—NEUMANN, Mém. Soc. Zool. France, 1896, p. 9.
radiatus RAILLIET, Traité Zool. Méd., 1893, p. 718.
persicus NEUMANN, Arch. Parasit., IX, 1905, p. 240 (not of Fischer).
A. sanchezi DUGÈS, La Naturaleza (2), I, 1891, p. 20.—NEUMANN, Mém. Soc. Zool. France, 1896, p. 16; 1901, p. 255.

ORNITHODOROS.

Ornithodoros KOCH, Arch. f. Naturg., X, 1844, p. 219.

- O. megnini** DUGÈS, La Naturaleza Mexicana, VI, 1885, p. 197.—NEUMANN, Mém. Soc. Zool. France, 1896, p. 42.—SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 408.
spinosum MARX, Proc. Ent. Soc. Washington, III, 1895, p. 199 (*Rhynchoprium*).
O. turicata DUGÈS, La Natur. Mexicana, VI, 1885, p. 196.—NEUMANN, Mém. Soc. Zool. France, 1896, p. 31.
americanus MARX, Proc. Ent. Soc. Washington, 1895, III, p. 199.

IXODES.

Ixodes LATREILLE, Précis Caract. Ins., 1796, p. 179.

- I. angustus** NEUMANN, Mém. Soc. Zool. France, 1889, p. 136; 1901, p. 284.
I. arcticus OSBORN, Fur Seals and Fur Seal Islands of North Pacific Ocean, III, 1899, pp. 553–554.
I. brunneus KOCH, Arch. f. Naturg., X, 1844, p. 232; Arachn. Syst., IV, 1847, p. 101; NEUMANN, Arch. Parasit., VIII, 1904, p. 454.
I. californicus BANKS, Proc. California Acad. Science (3), III, 1904, p. 369.
I. cookei PACKARD, 1st Ann. Rept. Peabody Acad. Science, 1869, p. 67.
cruciarius FITCH, 14th New York Rept., 1871, p. 366.
hexagonus var. *longispinosus* NEUMANN, Mém. Soc. Zool. France, 1901, p. 283.
hexagonus SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 467 (not of Leach).
I. dentatus NEUMANN, Mém. Soc. Zool. France, 1899, p. 119.
I. diversifossus NEUMANN, Mém. Soc. Zool. France, 1899, p. 136.
I. frontalis PANZER, Fauna Ins. Germ., fasc. 59, fig. 23, 1795.—NEUMANN, Mém. Soc. Zool. France, 1899, p. 133.

- I. fuscus** SAY, Journ. Phil. Acad., II, 1821, p. 79.—LE CONTE, Edit., II, 22, 1859.
[Probably male of *I. scapularis*.]
- I. inchoatus** NEUMANN, Mém. Soc. Zool. France, 1901, p. 283 (as var. of *hexagonus*). [Doubtfully the same as European.]
- I. ricinus** LINNAEUS, Syst. Nat., 1758, p. 615.—NEUMANN, Mém. Soc. Zool. France, 1899, p. 112.—SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 463.
- I. scapularis** SAY, Journ. Phil. Acad., II, 1821, p. 78.—LE CONTE, Edit., II, 1859, p. 21.
affinis NEUMANN, Mém. Soc. Zool. France, 1899, p. 120.
- I. sculptus** NEUMANN, Arch. Parasit., VIII, 1904, p. 462.
- I. uriæ** WHITE, Sutherland's Journ. Voy. Baffins Bay, II, App., 1852, p. cex.
[No description.] [Perhaps *Ceratixodes borealis* Kramer and Neuman.]

CERATIXODES.

Ceratixodes NEUMANN, Arch. Parasit., VI, 1902, p. 115.

- C. borealis** KRAMER and NEUMAN, Acariden wahrend Vega Exped., 1883, p. 526.
fimbriatus KRAMER and NEUMAN, Acariden wahrend Vega Exped., 1883, p. 526, male.
hirsutus BIRULA, Bull. Acad. Imp. St. Petersb., 1895, p. 356.
- C. signatus** BIRULA, Bull. Acad. Imp. St. Petersb., 1895, p. 357.

HÆMAPHYSALIS.

Hæmaphysalis KOCH, Arch. f. Naturg., X, 1844, p. 237.

- H. chordeilis** PACKARD, 1st Ann. Rept. Peabody Acad. Science, 1869, p. 67.
H. leporis-palustris PACKARD, 1st Ann. Rept. Peabody Acad. Science, 1869, p. 67.—NEUMANN, Mém. Soc. Zool. France, 1897, p. 343.
rostralis DUGES, Bull. Soc. Zool. France, 1888, p. 129. (*Gonixodes*.)

AMBLYOMMA.

Amblyomma KOCH, Arch. f. Naturg., X, 1844, p. 223.

- A. americana** LINNAEUS, Syst. Nat., X, 1758, p. 615.—FITCH, 14th N. Y. Rept., 1871, p. 364.—NEUMANN, Mém. Soc. Zool. France, 1899, p. 209.—SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 475.
? *orbiculatus* SAY, Journ. Phil. Acad., II, 1821, p. 76.
unipuncta PACKARD, 1st Ann. Rept. Peabody Acad. Sci., 1869, p. 66.
- A. cajennense** FABRICIUS, Entom. syst., IV, 1794, p. 427.—KOCHE, Übersicht Arachn. syst., IV, 1847, p. 73.—NEUMANN, Mém. Soc. Zool. France, 1899, p. 205.
crenatum SAY, Journ. Phil. Acad., II, 1821, p. 76.—LE CONTE, Edit., II, 1859, p. 20.
mixtum KOCH, Arch. f. Naturg., X, 1844, p. 227.
- A. maculatum** KOCH, Arch. f. Naturg., X, 1844, p. 227.—NEUMANN, Mém. Soc. Zool., France, 1899, p. 249.
tigrinum KOCH, Arch. f. Naturg., X, 1844, p. 227.
tenellum KOCH, Arch. f. Naturg., X, 1844, p. 227.
rubripes KOCH, Arch. f. Naturg., X, 1844, p. 228.
ovatum KOCH, Arch. f. Naturg., X, 1844, p. 228.
triste KOCH, Arch. f. Naturg., X, 1844, p. 229.
- A. tuberculatum** MARX, Insect Life, VI, p. 314.—NEUMANN, Mém. Soc. Zool. France, 1899, p. 235.

DERMACENTOR.

Dermacentor KOCH, Arch. f. Naturges., X, 1844, p. 235.

- D. *albibictus* PACKARD, Amer. Nat., II, 1868, p. 559 (no description); Guide Study Ins., 9th part, p. 662, 1869 (Aug.); Amer. Nat., III, 1869, p. 365-6.
variegatus NEUMANN, Mém. Soc. Zool. France, 1897, p. 367.—SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 452.
reticulatus SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 448 (not of Fabricius).
- D. *bifurcatus* NEUMANN, Mém. Soc. Zool. France, 1899, p. 122; Arch. Parasitol., VIII, 1904, p. 453.
- D. *nigrolineatus* PACKARD, 1st Ann. Rept. Peabody Acad. Science, 1869, p. 66.
- D. *nitens* NEUMANN, Mém. Soc. Zool. France, 1897, p. 376.—SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 455.
- D. *occidentalis* NEUMANN, Archiv. Parasitol., IX, 1905, p. 235.
reticulatus NEUMANN, Mém. Soc. Zool. France, 1897, p. 360, part.
- D. *parumapertus* NEUMANN, Mém. Soc. Zool. France, 1901, p. 267; Archiv. Parasitol., IX, 1905, p. 236.
- D. *variabilis* SAY, Journ. Phil. Acad., II, 1821, p. 77.—LE CONTE, Edit., II, 1859, p. 21.
americanus AUTHORS (not Linnaeus).
electus KOCH, Arch. f. Naturges., X, 1844, p. 235.—SALMON and STILES, 17th Ann. Rept. Bur. Anim. Ind., 1902, p. 455.
albibictus PACKARD, 1st Rept. Peabody Acad. Sci., 1869, p. 66 (not of Guide and Amer. Nat.).
5-striatus FITCH, 14th New York Rept., 1871, p. 366.
robertsoni FITCH, 14th New York Rept., 1871, p. 366.
? punctulatus SAY, Journ. Phil. Acad., II, 1821, p. 78.—LE CONTE, Edit., p. 21, 1859.

MARGAROPUS.

Margaropus KARSCH, Mitt. Münch. Ent. Ver., 1879, p. 96.

- M. *annulatus* SAY, Journ. Phil. Acad., II, 1821, p. 75.—LE CONTE, Edit., II, 1859, p. 19.—NEUMANN, Mém. Soc. Zool. France, 1897, p. 407.—SALMON and STILES, 17th Ann. Rept. Bur. Anim. Industry, 1902, p. 420.
bovis PACKARD, 1st Rept. Peabody Acad. Sci., 1869, p. 68.
bovis RILEY, Gamgee's Rept. Diseases Cattle, 1869, p. 168.
indentatus GAMGEE, Gamgee's Rept. Diseases Cattle, 1869, p. 121.
dugesi MÉGNIN, Les Parasites, 1880, p. 126.

IXODES.

(Unplaced.)

- I. *cinctus* FABRICIUS, Syst. Antiatorum, 1805, p. 356.
I. *erraticus* SAY, Journ. Phil. Acad., 1821, p. 77.—LE CONTE, Edit., II, 1859, p. 20.
[Probably a *Dermacentor*.]

Family GAMASIDÆ.

HALARACHNE.

Halarachne ALLMAN, Ann. Mag. Nat. Hist., XX, 1847, p. 47.

H. americana BANKS, Proc. Ent. Soc. Wash., IV, 1899, p. 213.

PTEROPTUS.

Pteroptus DUFOUR, Ann. Sci. Nat., XXVI, 1832, p. 98.

P. americanus BANKS, Canad. Entom., 1902, p. 173.

DERMANYSSUS.

Dermanyssus DUGES, Ann. Sci. Nat. (Zool.), I, 1834, p. 18.

D. gallinæ REDI, Esper. Int. Insetti., 1668, pl. II.—MÉGNIN, Parasit., 1880, p. 115.—OSBORN, Bull. 33 Iowa Agric. Exp. Sta., 1896, p. 595.

LIPONYSSUS.

Liponyssus KOLENATI, Sitzungsber. Kais. Akad. Wissenschaft. Wien, Math.-naturw. cl., XXXV, 1859, p. 172.

L. americanus BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 136.

HÆMOGAMASUS.

Hæmogamasus BERLESE, Acari Myr. Scorp., fasc. 52, 1889.

H. americanus BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 137.

RAILLIETIA.

Raillietia TROUESSART, C. R. Soc. Biol., LIV, 1902, p. 1337; Bull. Soc. Zool. France, XXVII, 1902, p. 232.

R. auris LEIDY, Proc. Phil. Acad., 1872, p. 138.—TROUESSART, C. R. Soc. Biol., LIV, 1902, p. 1337; Bull. Soc. Zool. France, XXVII, 1902, p. 233.

CELÆNOPSIS.

Celanopsis BERLESE, Acari Myr. Scorp., fasc. 31, 1886.

C. americanus BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 137.

SEIUS.

Seius KOCH, Crust. Myr. Arachn. Deutsch., fasc. 4, 1836.

S. sanborni PACKARD, Cave Memoir, 1887, p. 42.

S. quadripilis BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 138.

LÆLAPS.

Lælaps KOCH, Crust. Myr. Arachn. Deutsch., fasc. 4, 1836.

- L. cavernicola** PACKARD, Cave Memoir, 1887, p. 42.
- L. cuneifer** var. **americanus** BERLESE, Redia, I, 1904, p. 418.
- L. macropilis** BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 139.
- L. pilosula** BANKS, Proc. Calif. Acad. Science, (3), III, 1904, p. 368.
- L. placidus** BANKS, Journ. N. Y. Ent. Soc., 1895, p. 128.
- L. similis** MONIEZ, Rev. Biol. Nord France, VI, 1894, p. 20.
- L. wyandottensis** PACKARD, Cave Memoir, 1887, p. 42.

ECHINOMEgistUS.

Echinomegistus BERLESE, Redia, I, 1904, p. 266.

- E. wheeleri** WASMANN, Zool. Anzeiger, 1902, p. 72 (*Antennophorus*).—BERLESE, Redia, I, 1904, p. 398.

GAMASUS.

Gamasus LATREILLE, Hist. nat. Crust. Ins., III, 1802, p. 64.

- G. antennæpes** SAY, Journ. Phil. Acad., II, 1821, p. 71.—LE CONTE, Edit., II, 1859, p. 17.
- G. californicus** BANKS, Proc. Calif. Acad. Science (3), III, 1904, p. 368.
- G. juloides** SAY, Journ. Phil. Acad., II, 1821, p. 72.—LE CONTE, Edit., II, 1859, p. 18.
- G. longipalpoides** FELT, 11th Rept. State Entom. N. Y., 1896, p. 259. [Name not to be applied unless mite is new.]
- G. musculus** SAY, Journ. Phil. Acad., II, 1821, p. 72.—LE CONTE, Edit., II, 1859, p. 17.
- G. nidularius** SAY, Journ. Phil. Acad., II, 1821, p. 72.—LE CONTE, Edit., II, 1859, p. 17.
- G. passali** GUÉRIN, Iconog. Règne Anim., IV, Arachn., 1843, p. 15.
- G. spinipes** SAY, Journ. Phil. Acad., II, 1821, p. 71.—LE CONTE, Edit., II, 1859, p. 17.
- G. stygius** PACKARD, Cave Memoir, 1887, p. 42.
- G. troglodytes** PACKARD, Cave Memoir, 1887, p. 42.

MACROCHELES.

Macrocheles LATREILLE, Règne Anim. (nouv. ed. rev. et aug.), IV, 1829, p. 282.

- M. arcticus** KRAMER and NEUMAN, Acariden wahrend Vega Exped., 1883, p. 522.
- M. carolinensis** BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 137.
- M. exilis** BANKS, Proc. Wash. Acad. Sciences, II, 1900, p. 485.
- M. mœstus** BANKS, Canad. Entom., 1898, p. 265.

MEGISTHANUS.

Megisthanus THORELL, Ann. Mus. Genov., XVIII, 1882, p. 41.

- M. floridanus** BANKS, Proc. Acad. Nat. Sci. Phil., 1904, p. 145.

LIROASPIS.

Liroaspis BANKS, Canad. Entom., 1902, p. 174.

L. americana BANKS, Canad. Entom., 1902, p. 174.

UROPODA.

Uropoda LATREILLE, Gen. Crust. Ins., I, 1806, p. 157.

- U. americana** RILEY, Proc. Am. Assoc. Adv. Sci., XXV, 1877, p. 273; 9th Mo. Rept., 1877, p. 41.
- U. campomolendina** var. **canadensis** BERLESE, Redia, II, 1905, p. 22.
- U. formica** FITCH, Trans. N. Y. State Agric. Soc. for 1854, p. 857, (1855). 1st Rept., p. 153.
- U. lucifugus** PACKARD, Cave Memoir, 1887, p. 42.
- U. pennsylvanica** BERLESE, Redia, I, 1904, p. 251; p. 347 (*Uroplitella*).
- U. punctulata** BANKS, Canad. Entom., 1898, p. 266.

TRACHYTES.

Trachytes MICHAEL, Trans. Roy. Micr. Soc., 1894, p. 297.

T. lagenæformis BERLESE, Redia, II, 1905, p. 21.

CILLIBA.

Cilliba HEYDEN, Isis, 1826, p. 612.

- C. circularis** BANKS, Canad. Entom., 1898, p. 266 (*Discopoma*).
- C. hirsuta** BANKS, Proc. U. S. Nat. Mus., XXV, 1902, p. 221 (*Discopoma*).
- C. hirticoma** BERLESE, Redia, I, 1904, pp. 246, 331.

DINYCHUS.

Dinychus KRAMER, Arch. f. Naturg., LII, 1886, p. 255.

D. americanus BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 139.

Family ORIBATIDÆ.

GALUMNA.

Galumna HEYDEN, Isis, 1826, p. 612. [Oribata of authors, not of Latreille.]

- G. affinis** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 6.
- G. alata** PACKARD, Cave Memoir, 1887, p. 42. [Name preoccupied; but it may be a synonym of some other species.]
- G. arborea** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 7.
- G. armipes** BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 492.
- G. depressa** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 6.
- G. emarginata** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 7.
- G. hirsuta** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 7.
- G. imperfecta** BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 492.
- G. magna** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 6.
- G. minuscula** BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 492.
- G. mœsta** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 6.

- G. nitidula** BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 491.
G. palustris BANKS, Journ. N. Y. Ent. Soc., 1895, p. 128.
G. persimilis BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 491.
G. pratensis BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 6.
G. robusta BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 7.
G. slossonæ BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 490.
G. texana BANKS, Proc. Acad. Nat. Sci., Philad., 1906, p. 494
G. turgida BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 493.
G. unimaculata BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 490.
G. virginica BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 493.

ORIBATELLA.

Oribatella BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 8.

- O. aquatica** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 9.
O. armata BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 9.
O. bidentata BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 8.
O. borealis BANKS, Insects, etc., Commander Isl., 1899, p. 349.
O. minuta BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 76.
O. obesa BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 9.
O. perfecta BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 75.
O. 4-dentata BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 8.
O. setosa BANKS, Journ. N. Y. Ent. Soc., 1895, p. 129.
O. signata BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 9.

ORIBATODES.

Oribatodes BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 10.

- O. mirabilis** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 10.

GYMNOBATES.

Gymnobates BANKS, Canad. Entom., 1902, p. 175.

- G. glaber** BANKS, Canad. Entom., 1902, p. 176.

ORIBATULA.

Oribatula BERLESE, Acari, Myriop. Scorp. Ital., Crypt., II, 1896, p. 54.

- O. pallida** BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 494.

EREMÆUS.

Eremæus KOCH, Crust. Myr. Arach. Deutsch., fasc. 3, 1835.

- E. arctica** BANKS, Insects, etc., Commander Isl., 1899, p. 349.
E. floridanus BANKS, Proc. Acad. Nat. Sci. Philad., 1904, p. 145.
E. pilosus BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 11.

LIACARUS.

Liacarus MICHAEL, Das Tierreich, III, 1898, p. 40.

- L. abdominalis** BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 495.
- L. carolinensis** BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 494.
- L. concolor** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 11.
- L. frontalis** BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 495.
- L. modestus** BANKS, Proc. California Acad. Science (3), III, 1904, p. 367.
- L. nitidus** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 10.

TEGEOCRANUS.

Tegeocranus NICOLET, Arch. Mus., Paris, VII, 1855, p. 464.

- T. lamellatus** BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 497.

OPPIA.

Oppia KOCH, Übers. Arachn. Syst., III, 1842, p. 104.

- O. canadensis** BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 497.
- O. montana** BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 497.
- O. spinipes** BANKS, Proc. Acad. Nat. Sci. Philad., 1906, 496.

NOTASPIS.

Notaspis HERMANN, Mém. Apterol., 1804, p. 87.

- N. carbonarius** BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 496.
- N. castaneus** BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 496.
- N. punctulatus** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 10.

ORIBATA.

Oribata LATREILLE, Hist. Nat. Crust. Ins., III, 1802, p. 65.

- O. angustipes** BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 136.
- O. australis** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 12.
- O. bulbipedata** PACKARD, Cave Memoir, 1887, p. 42.
- O. californica** BANKS, Proc. California Acad. Science (3), 1904, p. 367.
- O. floridana** BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 76.
- O. longiseta** BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 498.
- O. minuta** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 12.
- O. puritanica** BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 498.

CARABODES.

Carabodes KOCH, Crust. Myr. Arach. Deutsch., fasc. 3, 1835.

- C. apicalis** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 13.
- C. brevis** BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 77.
- C. dorsalis** BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 77.
- C. granulatus** BANKS, Journ. N. Y. Ent. Soc., 1895, p. 129.
- C. nigra** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 12.
- C. oblonga** BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 13.

CYMBÆREMÆUS.

Cymbæremæus BERLESE, Acari, Myr. Scorp., Ital., 1896, fasc. 78.

C. marginalis BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 76 (*Eremæus*).

HERMANNIA.

Hermannia NICOLET, Arch. Mus. Paris, VII, 1855, p. 468.

H. quadriseriata BANKS, Insects, etc., Commander Isl., 1899, p. 349.

H. trinebulosa RILEY, Hubbard, Orange Insects, 1885, p. 216.

NEOLIODES.

Neoliodes BERLESE, Bull. Soc. Ent. Ital., XX, 1888, p. 47.

N. concentrica SAY, Journ. Phil. Acad., II, 1821, p. 73.—LE CONTE, Edit., II, 1859, p. 18.—BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 15 (*Liodes*).

N. floridensis BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 499.

NOTHRUS.

Nothrus KOCH, Crust. Myr. Arach. Deutsch., fasc. 2, 1835.

N. banksi MICHAEL, Das Tierreich, Lief. 3, Oribat., 1898, p. 70.

furcatus BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 15 (not Koch).

N. bipilus BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 14.

N. excisus BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 15.

N. rugulosus BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 15.

N. simplex BANKS, Journ. New York Ent. Soc., 1895, p. 130.

N. taurinus BANKS, Proc. Acad. Nat. Sci. Philad., 1906, p. 499.

N. truncatus BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 14.

SCUTOVERTEX.

Scutovortex MICHAEL, Journ. Roy. Mier. Soc., II, 1879, p. 241.

S. marinus BANKS, Trans. Amer. Ent. Soc., XXIII, 1896, p. 77 (*Nothrus*).

S. petrophagus BANKS, Entom. News, 1906, p. 194.

HOPLODERMA.

Hoploderma MICHAEL, Das Tierreich, III, 1898, p. 77.

H. granulata BANKS, Canad. Entom., 1902, p. 175.

H. setosa BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 16 (*Hoplophora*).

H. sphærula BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 16 (*Hoplophora*).

PHTHIRACARUS.

Phthiracarus PERTY, Allg. Naturg., III, 1841, p. 874.

P. arctata RILEY, 6th Mo. Rept., 1874, p. 53 (*Hoplophora*).—BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 16 (*Tritia*).

P. cryptopus BANKS, Proc. California Acad. Science (3), III, 1904, p. 367.

P. glabrata SAY, Journ. Phil. Acad., II, 1821, p. 73.—LE CONTE, Edit., II, 1859, p. 18.—BANKS, Trans. Amer. Ent. Soc., XXII, 1895, p. 16 (*Tritia*).

ORIBATIDÆ.

(Unplaced.)

- O. aspidioti** ASHMEAD, Can. Entom., 1879, p. 93 (*Oribata*).
N. malleolus KARPELLES, Berl. Ent. Zeitschr., 1884, p. 34 (*Nothrus*).
N. ovivorus PACKARD, Guide Study Insects, 1869, p. 664 (*Nothrus*).
N. pileiformis KARPELLES, Berl. Ent. Zeitsch., 1884, p. 33 (*Nothrus*).
O. quadripilis FITCH, 3rd N. Y. Rept., 1856, p. 442 (*Oribata*).

Family TARSONEMIDÆ.

SITEROPTES.

Siteroptes AMERLING, Lotos, 1861, p. 24.

- S. carnea** BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 140.

TARSONEMUS.

Tarsonemus CANESTRINI and FANZAGO, Atti. Soc. Ven.-Trentino, V, 1876, p. 141.

- T. pallidus** BANKS, Proc. Ent. Soc. Wash., IV, 1899, p. 295.

PEDICULOIDES.

Pediculoides TARGIONI-TOZZETTI, Ann. d. Agricol., I, 1878, p. 271.

- P. ventricosus** NEWPORT, Trans. Linn. Soc., London, XXI, 1853, p. 95.—BRUCKER, Bull. Sci. France, Belgique, XXXV, 1900, pp. 355–442, 4 pls.

PIGMEOPHORUS.

Pigmeophorus KRAMER, Arch. f. Naturg., XLIII, 1877, p. 254.

- P. americanus** BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 139.

DISPARIPES.

Disparipes MICHAEL, Trans. Linn. Soc. XVII, 1885, p. 390.

- D. americanus** BANKS, Proc. Ent. Soc. Wash., VII, 1906, p. 139.

Family TYROGLYPHIDÆ.

HISTIOSTOMA.

Histiostoma KRAMER, Arch. f. Naturg., XLII, 1876, p. 105.

- H. americanum** BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 11.
H. brevipes BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 11.
H. gracilipes BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 10.

GLYCIPHAGUS.

Glyciphagus HERING, Nova Acta Acad. Leop. (2), XVIII, 1838, p. 619.

- G. obesus** BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 12.
G. robustus BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 13.

TYROGLYPHUS.

Tyroglyphus LATREILLE, Précis Caract. Ins., 1796, p. 185.

- T. americanus** BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 16.
T. armipes BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 18.
T. breviceps BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 17.
T. coccophilus BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 16.
T. farinæ DE GEER, Mém. Hist. Ins., VII, 1778, p. 97; Das Tierreich, Lief. 7, 1899, p. 137.—BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 14.
T. lintneri OSBORN, Science, 1893, p. 360.—LINTNER, 10th N. Y. Rept., 1895, p. 452.—BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 15.
T. heteromorphus FELT, 11th New York Rept., 1896, p. 254.—BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 18.
T. longior GERVAIS, Insectes Aptères, III, 1844, p. 262.—BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 14.
T. ribis FITCH, 3rd New York Rept., 1856, p. 424. [Possibly a *Rhizoglyphus*.]
T. terminalis BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 17.

RHIZOGLYPHUS.

Rhizoglyphus CLAPARÈDE, Zeits. wiss. Zool., XVIII, 1869, p. 506.

- R. elongatus** BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 22.
R. hyacinthi BOISDUVAL, Entom. horticole, 1867, p. 86.—BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 21.
echinopus FUMOUZE and ROBIN, Journ. Anat. Physiol. V, 1868, p. 278.
R. longitarsis BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 22.
R. phylloxeræ RILEY, 6th Missouri Rept., 1874, p. 52.—BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 20.
R. rhizophagus BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 21.
R. tarsalis BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 20.

MONIEZIELLA.

Monieziella BERLESE, Acari, Myriop. Scorp. Ital., Cryptostigmata, Sarcoptidæ, 1897, p. 106.

M. angusta BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 23.

M. brevitarsis BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 24.

M. longipes BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 23.

CARPOGLYPHUS.

Carpoglyphus ROBIN, Bull. Soc. Imp. Nat. Moscou, XXXIII, 1860, p. 16.

C. passularum HERING, N. Acta. Acad. Leop., XVIII, 1838, p. 618.—MÉGNIN, Parasit., 1880, p. 141.—BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 25.

anonymus HALLER, Jahrestb. Ver. Württemb., XXXVIII, 1882, p. 297.

TRICHOTARSUS.

Trichotarsus CANESTRINI, Prosp. Acarof. Ital., III, 1888, p. 356.

T. osmiæ DUFOUR, Ann. Sci. Nat. (2), XI, 1839, p. 276.—BANKS, Canad. Entom., 1902, p. 176; Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 26.

T. xylocopæ DONNADIEU, Ann. Sci. Nat. (5), X, 1868, p. 70.—OSBORN, Amer. Nat., 1894, p. 1021.—BANKS, Techn. Bull. no. 13, Bur. Entom., U. S. Dept. Agric., 1906, p. 25.

Family CANESTRINIIDÆ.

HEMISARCOPTES.

Hemisarcoptes LIGNIÈRES, Mém. Soc. Zool. France, 1893, p. 17.

H. malus SHIMER, Trans. Amer. Ent. Soc., I, 1868, p. 368 (*Acarus*).
coccisugus LIGNIÈRES, Mém. Soc. Zool. France, 1893, p. 17.

Family ANALGESIDÆ.

PTEROLICHUS.

Pterolichus ROBIN, C. R. Acad. Sci., Paris, LXVI, 1868, p. 786.

P. aquilinus TROUESSART, Journ. Microgr., VIII, 1884, p. 573.

P. buchholzi CANESTRINI, Atti. Inst. Veneto. (5), V, 1878, p. 64.

P. longiventer MÉGNIN and TROUESSART, Journ. Microgr., VIII, 1884, p. 261.

FREYANA.

Freyana HALLER, Zeits. wiss. Zool., XXX, 1877, p. 81.

F. anserina TROUESSART and MÉGNIN, Bull. Soc. Angers, XIV, 1884, p. 40.

F. caput-medusæ TROUESSART, Bull. Soc. Angers, XVI, 1886, p. 100 (*Michalichus*).

ALLANALGES.

Allanalges TROUESSART, Bull. Soc. Angers, XVI, 1886, p. 137.

A. gracilepinnata HALLER, Arch. f. Naturg., 1882, p. 72.

PROCTOPHYLLODES.

Proctophyllodes ROBIN, C. R. Acad. Sci., Paris, LXVI, 1868, p. 786.

P. reticulifer TROUESSART and NEUMANN, Bull. sci. France Belgique, XIX, 1888, p. 371.—CANESTRINI, Das Tierreich, Lief. 7, 1899, p. 119.

MEGNINIA.

Meginia BERLESE, Acari, Myr. Scorp. Ital., fasc. 4, 1884.

M. albida TYRRELL, Trans. Ottawa Field Nat. Club, no. 3, 1882, p. 46.

M. aculeatus HALLER, Arch. f. Naturg., 1882, p. 55.

M. forcipatus HALLER, Arch. f. Naturg., 1882, p. 66.

M. gladiator HALLER, Arch. f. Naturg., 1882, p. 63.

M. pici-majoris BUCHHOLZ, Bemerk. Gatt., Dermaleichus, 1869, p. 43.

socialis ROBIN and MÉGNIN, Journ. Anat. Physiol., XIII, 1877, p. 511.

M. tyrelli HALLER, Arch. f. Naturg., 1882, p. 55.

NALGES.

Analges NITZSCH. Ersch. and Gruber, Ency. Wiss. u. Künste, I, 1818, p. 250.

A. cremidonotus TROUESSART, Bull. Soc. Angers, XXVIII, 1899, p. 29.

A. digitatus HALLER, Arch. f. Naturg., 1882, p. 52.

A. longispinosus TYRRELL, Trans. Ottawa Field Nat. Club, no. 3, 1882, p. 45.

A. passerinus LINNÆUS, Syst. Nat., X, 1758, p. 616.

fringillarum KOCH, Crust. Myr. Arach. Deutsch., fasc. 33, 1848, pl. XII.

A. pici-pubescentis PACKARD, Amer. Nat., III, 1869, p. 493.

A. tridentulatus HALLER, Arch. f. Naturg., 1882, p. 54.

A. tyranni TYRRELL, Trans. Ottawa Field Nat. Club, no. 3, 1882, p. 45.

PTERONYSSUS.

Pteronyssus ROBIN, C. R. Acad. Sci., Paris, LXVI, 1868, p. 786.

P. simplex HALLER, Arch. f. Naturg., 1882, p. 68.

P. speciosus TYRRELL, Trans. Ottawa Field Nat. Club, no. 3, 1882, p. 47.

P. tyrelli CANESTRINI, Das Tierreich, Lief. 7, 1899, p. 79.

fuscus TYRRELL, Trans. Ottawa Field Nat. Club, no. 3, 1882, p. 48
(preoccupied).

FALCULIFER.

Falculifer RAILLIET, Recueîl, Méd. Vétér., 1896, p. 6.

F. rostratus BUCHHOLZ, Bemerk., Gatt. Dermaleichus, 1869, p. 14.

falciger MÉGNIN, Journ. Anat. Physiol., XIII, 1877, p. 402 (*Pterolichus*).

Hypodectes and *Hypoderas* spp. GARMAN, Amer. Nat., 1884, p. 430.—

KELLICOTT, Ins. Life, V, 1892, p. 77.—WARD, Psyche, VII, 1894, pp. 95–100; Science, 1902, p. 911, (No. 388).

Family LISTROPHORIDÆ.

SCHIZOCARPUS.

Schizocarpus TROUESSART, C. R. Soc. Biol., Paris, XLVIII, 1896, p. 109.

S. mingaudi TROUESSART, Bull. Soc. Ent. France, 1896, pp. 28, 93.

truncatum KRAMER, Zool. Anzeiger, 1896, p. 134 (*Haptosoma*).

Family SARCOPTIDÆ.

CHORIOPTES.

Chorioptes GERVAIS, Gerv. et Van Bened., Zool. Méd., I, 1859, p. 463.

C. equi GERLACH, Krätze, 1857, p. 103.

spathiferus MÉGNIN, Parasit., 1880, p. 200.

communis var. *equi* LUGGER, 2nd Ann. Rept. State Entom. Minnesota, 1896, p. 76.

OTODECTES.

Otodectes CANESTRINI, Prosp. Acarof. Ital., VI, 1894, p. 726.

O. cynotis HERING, N. Acta Acad. Leop., XVIII, 1838, p. 600; Ann. Soc. Ent. France, 1849, p. XXXIV.

auricularum RAILLIET, Zool. Méd., (2), 1893, p. 676 (*Chorioptes*).

ecaudatus MÉGNIN, Parasit., 1880, p. 203 (*Chorioptes*).

NOTOEDRES.

Notoedres RAILLIET, Zool. Med. (2), 1893, p. 660.

N. cati HERING, N. Acta Acad. Leop., XVIII, 1838, p. 605.—GERLACH, Krätze, 1857, p. 149.

notoedres var. *cati* MÉGNIN, Parasit., 1880, p. 174.

minor var. *cati* TYRRELL, Proc. Can. Inst., I, 1883, p. 332.

minor LUGGER, 2nd Ann. Rept. Entom. Minnesota Expt. Stat., 1896, p. 61.

CNEMIDOCOPTES.

Cnemidocoptes FÜRSTENBERG, Mt. Ver. Neu Vorpomm. u. Rügen, II, 1870, p. 56.

C. gallinæ RAILLIET, Bull. Soc. Zool. France, XII, 1887, p. 132 (variety of *C. laevis*).

C. mutans ROBIN, Bull. Soc. Moscou, XXXIII, 1860, p. 184.—MÉGNIN, Parasit., 1880, p. 175.

viviparus FÜRSTENBERG, Mt. Ver. Vorpomm., II, 1870, p. 56.—LUGGER, 2nd Ann. Rept. Entom. Minnesota Expt. Stat., 1896, p. 63.

PSOROPTES.

Psoroptes GERVAIS, Ann. Sci. Nat. (2), XV, 1841, p. 9.

P. bovis GERLACH, Krätze und Raube, 1857, p. 114.—PETERS, Bull. No. 74, Nebraska Agric. Exp. Station, 1902, pp. 5–10.

P. ovis HERING, N. Acta Acad. Leop., XVIII, 1838, p. 594.

longirostris var. *ovis* MÉGNIN, Parasit., 1880, p. 192.

communis var. *ovis* CURTICE, Anim. Paras. Sheep, 1890, p. 56.—GILLETTE, Can. Entom., 1899, p. 9.—SPENCER, Bull. 124, Virginia Agric. Exp. Sta., May, 1901, pp. 41–46.—KNOWLES, Journ. Comp. Med. Vet. Archives, Philad., Oct., 1900.

SARCOPTES.

Sarcoptes LATREILLE, Gen. Crust. Ins., I, 1806, p. 151.

- S. *canis* GERLACH, Krätze und Raube, 1857, p. 141.
- S. *equi* GERLACH, Krätm., 1857, p. 72.—MÉGNIN, Parasit., 1880, p. 164.—LUGGER, 2nd Ann. Rept. Entom. Minnesota Exp. Stat., 1896, p. 59.—SPENCER, Bull. 125, Virginia Agric. Exp. Sta., June, 1901, pp. 49–52, 2 figs.—KNOWLES, Journ. Comp. Med. Vet. Archives, Philad., Oct., 1900.—PETERS, Bull. no. 74, Nebraska Agric. Exp. Station, 1902, pp. 1–27, 7 figs.
- S. *ovis* MÉGNIN, Parasit., 1880, p. 168.—CURTICE, Anim. Parasit. Sheep, 1890, p. 54.
- S. *scabiei* DE GEER, Mém. Hist. Ins., VII, 1778, p. 94.—MÉGNIN, Parasit., 1880, p. 169.
hominis HERING, N. Acta Acad. Leop., XVIII, 1838, p. 584.
- S. *seabieicrustosæ* FÜRSTENBERG, Krätm. Menschen u. Thiere, 1861, p. 212; Insect Life, V, 1893, p. 283.
- S. *suis* GERLACH, Krätze und Raube, 1857, p. 137.—MÉGNIN, Parasit., 1880, p. 163.—LUGGER, 2nd Ann. Rept. Entom. Minnesota Exp. Stat., 1896, p. 58.

Family CYTOLEICHIDÆ.

LAMINOSIOPTES.

Laminosiptes MÉGNIN, Paras. et Mal. par., 1880, p. 151.

- L. *cysticola* VIZIOLI, Giorn. Anat. Fisiol., I, 1870, p. 257.
gallinarum MÉGNIN, Parasit., 1880, p. 152.

CYTOLEICHUS.

Cytolichus MÉGNIN, Journ. Anat. et Physiol., XV, 1879, p. 150.

- C. *nudus* VIZIOLI, Giorn. Anat. Fisiol., I, 1870, p. 257.
sarcoptoides MÉGNIN, Parasit., 1880, p. 153.

Family ERIOPHYIDÆ.

ERIOPHYES.

Eriophyes SIEBOLD, Jahresber. Schles. Ges. Kult., XXVIII, 1850, p. 89.

- E. *abnormis* GARMAN, App. 12th Illinois Rept., 1883, p. 134.
- E. *aceris-crumena* RILEY, Amer. Entom. and Bot., II, 1870, p. 339.
acericola GARMAN, App. 12th Illinois Rept., 1883, p. 135.
- E. *aenigma* WALSH, Proc. Amer. Entom. Soc., III, 1864, p. 608 (as *Cecidomyia*) ; VI, 1868, p. 227.
- E. *brevitarsus* FOCKE, Rev. biol. Nord. France, III, 1890, p. 3.
- E. *caulis* COOK, 29th Ann. Rept. Geol. Indiana, 1904, p. 859.
- E. *fraxini* GARMAN, App. 12th Illinois Rept., 1883, p. 136.
- E. *malifoliae* PARROTT, Bull. 283, New York Exp. Station, 1907, p. 312.

- E. nyssæ** TROTTER, Marcellia, II, 1903, p. 67.
- E. phlœocoptes** NALEPA, SB. Akad. Wien, XCIX, Math.-natur. Cl., 1890, p. 54.—GARMAN, Ann. Rept. Kentucky Bur. Agric., 1894, p. 286.—SLINGERLAND, Can. Ent., Dec., 1895, pp. 329–331, 1 pl.
- E. populi** NALEPA, Sitzungsber. Akad. Wien, XCIX, Math. nat. Cl., 1890, p. 43.
- E. pruni-crumena** WALSH, 1st Ann. Rept. Nox. Insects Illinois, 1868, p. 55.
(?) *padi* NALEPA, Sitzber. Akad. Wiss. Wien, Math. natur. Cl., XCIX, 1890, p. 55.
- E. pyri** PAGENSTECHER, Verh. Ver. Heidelberg, I, 1857, p. 48.—GARMAN, App. 12th Illinois Rept., 1883, p. 140.—SLINGERLAND, Insect Life, V, 1892, p. 104; Bull. No. 61, Cornell Agric. Exp. Sta., 1893, pp. 317–328.—PARROTT, Bull. 283, New York Exp. Station, 1907, p. 291.
- E. quadripes** SHIMER, Trans. Amer. Entom. Soc., II, 1869, p. 319.—GARMAN, App. 12th Illinois Rept., 1883, p. 135.
- E. querci** GARMAN, App. 12th Illinois Rept., 1883, p. 138.
- E. ryderi** BANKS, new species.—RYDER, Amer. Nat., XIII, 1879, p. 704, fig.
- E. salicicola** GARMAN, App. 12th Illinois Rept., 1883, p. 138.
- E. semen** WALSH, Proc. Amer. Entom. Soc., III, 1864, p. 606 (as *Cecidomyia*); VI, 1868, p. 227.
- E. serotinæ** BEUTENMÜLLER, Bull. Amer. Mus. Nat. Hist., IV, 1892, p. 278.
cerasi-crumena WALSH, MSS., 1st Ann. Rept. Nox. Insects Illinois, 1868, p. 55.
- E. thujæ** GARMAN, App. 12th Illinois Rept., 1883, p. 138.
- E. tristriatus** NALEPA, Anz. Akad. Wien, XXVI, 1889, p. 162.
- E. ulmi** GARMAN, App. 12th Illinois Rept., 1883, p. 136.
- E. vitis** LANDOIS, Zeitsch. wiss. Zool., XIV, 1864, p. 353.—FORBES, 14th Rept. State Entom. Illinois, 1885, p. 84; Ann. Rept. Dept. Agric. (Washington), 1887, p. 391.—BIOLETTI, Bull. no. 136, California Agric. Exp. Station, 1901, 7 pp., 4 figs.

PHYLLOCOPTES.

Phyllocoptes NALEPA, Sitzungsber. Akad. Wiss. Wien, Math.-natur. Cl., XCVIII, Pt. 1, 1889, p. 116.

- P. cornutus** BANKS, Proc. Ent. Soc. Washington, VII, 1906, p. 141.
- P. oleivorus** ASHMEAD, Can. Entom., 1879, p. 160.—HUBBARD, Orange Insects, 1885, p. 107.—MARLATT, Yearbook U. S. Dept. Agric., 1900, p. 285.
- P. schlechtendali** NALEPA, Sitzungsber. Akad. Wissenschaft. Wien, Math.-natur. Cl., XCIX, 1890, p. 62.—PARROTT, Science, XXIII, 12 Jan., 1906, p. 73; Bull. 283, New York Exp. Station, 1907, p. 314.

EPITRIMERUS.

Epitrimerus NALEPA, Das Tierreich, Lief. 4, Erioph., 1898, p. 61.

- E. piri** NALEPA, Nova Acta Acad. Leop., LXI, 1894, p. 321.—PARROTT, Science, XXIII, 12 Jan., 1906, p. 73; Bull. 283, New York Exp. Station, 1907, p. 313.

CECIDOBIA.

Cecidobia BANKS, Proc. Ent. Soc. Washington, VII, 1906, p. 141.

- C. salicicola** BANKS, Proc. Ent. Soc. Washington, VII, 1906, p. 142.—NALEPA, Marcellia, V, 1906, p. 124.

Family DEMODECIDÆ.

DEMODEX.

Demodex OWEN, Lect. Invert. Anat., 1843, p. 252.

- D. *bovis* STILES, Canad. Entom., 1892, p. 286.
D. *folliculorum* SIMON, Arch. Anat. Physiol. Med., 1842, p. 218 (*Acarus*).—
MÈGNIN, Parasit., 1880, p. 266.
 hominis LEYDIG, Arch. Naturg., XXV, 1859, p. 345.
D. *phylloides* CSOKOR, Oesterr. Vierteljahrsschrift. f. Veterinärkunde, LI, 1879,
p. 133—WRIGHT, Proc. Can. Inst. (3), I, 1883, p. 275.

Family UNKNOWN.

- concolor* HALDEMANN, Binney, Terr. Air-Breathing Mollusks U. S., II, 1851,
p. 107 (*Hypopus*).
gryllaria LE BARON, 2nd Illinois Rept., 1871, p. 61 (*Atomus*).
odontalgiæ FITCH, 14th New York Rept., 1871, p. 371 (*Ixodes*). [Not an *Ixodes*.
Perhaps an Oribated nymph, or possibly something like *Dermacarus* in
Tyroglyphidæ; no *Gamasid* will fit.]
americanus RILEY, 6th Missouri Rept., 1874, p. 122 (*Leptus*).
irritans RILEY, 6th Missouri Rept., 1874, p. 122 (*Leptus*).
aranæ SAY, Journ. Phil. Acad., II, 1821, p. 80.—LE CONTE, Edit., II, 1859, p. 23
(*Leptus*).
comata SAY, Journ. Phil. Acad., II, 1821, p. 82.—LE CONTE, Edit., II, 1859, p. 23
(*Ocypete*).
hispus SAY, Journ. Phil. Acad., II, 1821, p. 81.—LE CONTE, Edit., II, 1859, p. 23
(*Leptus*).

INDEX.

Page.		Page.	
Acarellus=Tyroglyphus	616	Cochleophorus=Neumania	604
Actineda=Anystis	598	Curvipes=Piona	605
A'eurobius=Tyroglyphus	616	Cymbæremaeus	614
Allanalges	618	Cyta	596
Amblyomma	607	Cytodites=Cytoleichus	620
Ameronothus=Scutovertex	614	Cytoleichus	620
Ammonia=Cyta	596	Damaeus=Oribata	613
Analges	618	Dameosoma=Oribata	613
Angelia=Nothrus	614	Demodex	622
Anoetus=Histostoma	615	Dermacentor	608
Antennophorus=Echinomegistus	610	Dermaleichus=Analges	618
Anurania=Arrenurus	601	Dermanyssus	609
Anystis	598	Dermatophagus=Chorioptes	619
Argas	606	Dimorphus=Megninia	618
Arrenurus	601	Dinychus	611
Ascarus=Tyroglyphus	616	Discopoma=Cilliba	611
Atax	604	Disparipes	615
Atoma=Trombidium	600	Distigmatus=Tetranychus	598
Atractides	603	Echinomegistus	610
Aturus	602	Epitrimerus	621
Bdella	596	Eremæus	612
Belba=Oribata	613	Eriophyes	620
Boophilus=Margaropus	608	Erythracarus=Erythræus	598
Bradybates=Thyas	601	Erythræus	598
Brevipalpus=Tenuipalpus	599	Eupalus	597
Bryobia	598	Eupodes	596
Cæculus	600	Eylais	601
Cæpophagus=Rhizoglyphus	616	Falculifer	618
Carabodes	613	Feltria	605
Carpais=Gamasus	610	Freyana	617
Carpoglyphus	617	Galumna	611
Cecidobia	621	Gamasus	610
Cecidoptes=Eriophyes	620	Gekobia	598
Celaenopsis	609	Glyciphagus	616
Cellularia=Falculifer	618	Glycyborus=Glyciphagus	616
Cepheus=Tegeocranus	613	Goniomerus=Psorergates	597
Ceratixodes	607	Gymnobates	612
Cheyletus	597	Hæmaphysalis	607
Chorioptes	619	Hæmogamasus	609
Cilliba	611	Halarachne	609
Claviceps=Galumna	611	Haptosoma=Schizocarpus	619
Cnemidocoptes	619	Harpirhynchus	597

	Page.		Page.
Hemialges=Megninia	618	Neoliodes	614
Hemisarcoptes	617	Neophyllobius	599
Hermannia	614	Neumania	604
Heteronychus=Tetranychus	598	Nodipalpus=Histostoma	615
Heteropus=Pediculoides	615	Norneria=Ragidia	596
Histiogaster=Monieziella	617	Notaspis	613
Histiostoma	615	Nothrus	614
Holostaspis=Macrocheles	610	Notœdres	619
Homopus=Glyciphagus	616	Notophallus	596
Hoploderma	614	Oligonychus=Tetranychus	598
Hoplophora=Hoploderma	614	Oppia	613
Hoplopus=Cæculus	600	Oribata	613
Hydrachna	605	Oribatella	612
Hygrobates	603	Oribatodes	612
Hypoaspis=Lælaps	610	Oribatula	612
Hypodectes=Falcifer	618	Ornithodoros	606
Hypoderas=Falcifer	618	Otodectes	619
Hypopus=Tyroglyphus	616	Ottonia=Microtrombidium	600
Ixodes	606	Oustaletia=Pterolichus	617
Kochia=Notaspis	613	Panisus	601
Koenikea	603	Parasitus=Gamasus	610
Krameria=Pterolichus	617	Pediculoides	615
Krendowskia	601	Petrobia=Bryobia	598
Lælaps	610	Phthiracarus	614
Laminosioptes	620	Phycobius=Carpoglyphus	617
Lebertia	602	Phyllocoptes	621
Leiognathus=Liponyssus	609	Phyllostoma=Histostoma	615
Leiosoma=Liacarus	613	Physogaster=Pediculoides	615
Leptus=Trombidium	600	Phytoptus=Eriophyes	620
Liacarus	613	Picobia=Syringophilus	597
Lias=Pediculoides	615	Pigmeophorus	615
Limnesia	603	Piona	605
Limnesiopsis	603	Porrhostaspis=Gamasus	610
Limnochares	601	Proctophyllodes	618
Linopodes	596	Protolichus=Pterolichus	617
Liodes=Neoliodes	614	Pseudalloptes=Pterolichus	617
Liponyssus	609	Psorergates	597
Liroaspis	611	Psoroptes	619
Macrocheles	610	Pterolichus	617
Margaropus	608	Pteronyssus	618
Megamerus=Eupodes	596	Pteroptus	609
Megapus=Atractides	603	Raillietia	609
Megisthanus	610	Ragidia	596
Meginnia	618	Rhipistoma=Hæmaphysalis	607
Michaelichus=Freyana	617	Rhizoglyphus	616
Microspalax=Freyana	617	Rhyncholophus	599
Microtrombidium	600	Sarcoborus=Harpirhynchus	597
Mideopsis	602	Sarcopterus=Harpirhynchus	597
Molgus=Bdella	596	Sarcoptes	620
Monieziella	617	Schizocarpus	619
Murcia=Galumna	611	Scirus	597
Myobia	597	Scutacarus=Tyroglyphus	616
Najadicola	605	Scutovertex	614

	Page.		Page.
<i>Scyphius</i> = <i>Rhagidia</i>	596	<i>Tetranychoides</i>	599
<i>Seiulus</i> = <i>Seius</i>	609	<i>Tetranychus</i>	598
<i>Seius</i>	609	<i>Thalassarachna</i>	606
<i>Serrator</i> = <i>Histiostoma</i>	615	<i>Thecarthra</i> = <i>Pterolichus</i>	617
<i>Simonea</i> = <i>Demodex</i>	622	<i>Thyas</i>	601
<i>Siteroptes</i>	615	<i>Trachytes</i>	611
<i>Smaris</i>	600	<i>Trichodactylus</i> = <i>Trichotarsus</i>	617
<i>Sperchon</i>	603	<i>Trichotarsus</i>	617
<i>Sphaerogyna</i> = <i>Pediculoides</i>	615	<i>Trimerus</i> = <i>Epitrimerus</i>	621
<i>Spinturnix</i> = <i>Pteroptus</i>	609	<i>Tritia</i> = <i>Phthiracarus</i>	614
<i>Steatozoon</i> = <i>Demodex</i>	622	<i>Trombidium</i>	600
<i>Steganaspis</i>	601	<i>Trouessartia</i> = <i>Allanalges</i>	618
<i>Stigmæodes</i> = <i>Stigmæus</i>	599	<i>Tydeus</i>	596
<i>Stilocirus</i> = <i>Lælaps</i>	610	<i>Tyroglyphus</i>	616
<i>Symbiotes</i> = <i>Chorioptes</i>	619	<i>Tyrrellia</i>	603
<i>Symplectoptes</i> = <i>Laminoziptes</i>	620	<i>Unionicola</i> = <i>Atax</i>	604
<i>Syringophilus</i>	597	<i>Uroplitella</i> = <i>Uropoda</i>	611
<i>Tanaognathus</i>	601	<i>Uropoda</i>	611
<i>Tarsonemus</i>	615	<i>Xystonotus</i>	602
<i>Tegeocranus</i>	613	<i>Zetes</i> = <i>Galumna</i>	611
<i>Tenuipalpus</i>	599		



Banks, Nathan. 1907. "A catalogue of the Acarina, or mites, of the United States." *Proceedings of the United States National Museum* 32(1553), 595–625.
<https://doi.org/10.5479/si.00963801.32-1553.595>.

View This Item Online: <https://www.biodiversitylibrary.org/item/53434>

DOI: <https://doi.org/10.5479/si.00963801.32-1553.595>

Permalink: <https://www.biodiversitylibrary.org/partpdf/51899>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.