

LIST OF GENERIC TERMS PROPOSED FOR BIRDS DURING
THE YEARS 1890 TO 1900, INCLUSIVE, TO WHICH ARE
ADDED NAMES OMITTED BY WATERHOUSE IN HIS
“INDEX GENERUM AVIUM.”

By CHARLES W. RICHMOND,
Assistant Curator, Division of Birds.

Mr. F. H. Waterhouse's Index Generum Avium, comprising a list of the generic and subgeneric terms proposed in the class Aves from the time of Linnaeus down to the summer of 1889, is a work of much value to the systematic ornithologist, and one of unusual accuracy—every reference, with a half dozen exceptions, having been verified by its author.

The continued activity of workers in this branch of zoology during the past decade, both in the introduction of new names and the resurrection of old and forgotten ones, has rendered necessary the publication of a supplementary list. In compiling such a list the present writer has made use of a card catalogue¹ now in course of preparation in the Division of Birds of the United States National Museum, which contains references to most of the genera and species described in recent years, as well as to many of earlier date.

Out of about 675 names enumerated in the following pages 475 have been instituted as new since the appearance of the Index; the remainder consist of terms overlooked by Waterhouse, or used by him either without proper citation or as homonyms of other genera (e. g., *Piculus*). No effort has been made to swell the list of names omitted in the Index, but the fact that nearly two hundred names² here given were used

¹This card catalogue was begun in 1889 and has been carried along more or less actively since 1893. It now contains over twenty thousand entries, and is intended eventually to contain a reference to every described avian genus and species, including both living and fossil forms. In the case of species the type locality, collector, date, sex, and location of the type specimen are given; on generic cards are indicated the class of data followed in the ensuing list.

²Not including terms based on “bird tracks,” of which there are numbers, such as *Amblynx*, *Ancyropus*, *Argozoum*, *Batrachopus*, *Brontozoum*, *Calopus*, *Eubrontes*, *Fulicopus*, *Grallator*, *Harpedactylus*, *Ornithopus*, *Palamopus*, *Platypterna*, *Plectropus*, *Sauropus*, *Sillimanius*, *Steropoides*, *Triænopus*, *Tridentipes*, and *Typopus*, all proposed by Hitchcock.

prior to 1889, and overlooked in that work, shows that much patient research remains to be done before a complete list of the generic names of birds may be attempted.

In order to enhance the usefulness of the present list the type species of each genus has been added, as well as various cross references of interest. The family in which each genus belongs is indicated, and, it is believed, the differentiation of fossil genera (by means of a †) will also prove of value. To facilitate the finding of genera in any particular family a list of genera arranged alphabetically under families has been appended.

For various names and references, which would otherwise have been overlooked, the writer is under obligations to Drs. L. Stejneger, and T. S. Palmer, and Mr. H. C. Oberholser.

Abbottornis RICHMOND, Proc. U. S. Nat. Mus., XIX, May 13, 1897,
p. 692.

New name for *Leptopterus* Bonaparte, 1854 (not *Leptoptera* Boisduval, 1842) ----- [Laniidae.]

Named for Dr. W. L. Abbott.

Abeltera HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 351.

New name for *Sula* Brisson, on grounds of purism. . . . [Sulidae.]

Ἄβελτερος, silly, stupid.

Abelterus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 227.

New name for *Eubucco* Bonaparte, on grounds of purism.

[Capitonidae.]

Ἄβελτερος, silly, stupid.

Acmonorhynchus OATES, Fauna of Brit. India (Birds), II, 1890, p. 381.

Type, *Prionochilus vincens* Sclater ----- [Dicæidae.]

"Ἀκμων, anvil; ψύγχος, bill, beak.

Actia HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 329.

New name for *Arquatella* Baird, on grounds of purism.

[Scolopacidae.]

"Ἀκτιος, of the seashore.

†Actiornis LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 56.

Type, *Actiornis anglicus* Lydekker ----- [Phalacrocoracidae.]

"Ἀκτιος, of the seashore; ὄρνις, bird.

Actophilus OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 202.

New name for *Phyllopezus* Sharpe, 1896 (not *Phyllopezus* Peters, 1877) ----- [Jakanidae.]

Ἀκτή, beach; φιλέω, I love.

- Adelonetta** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 346.
New name for *Punanetta* Bonaparte, on grounds of purism. [Anatidæ.]
”Αδηλος, unknown, obscure; νιγττα, a duck.
- Aegialodes** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 327.
New name for *Gambetta* Kaup, on grounds of purism. [Scolopacidae.]
Aigialos, found on or near the shore.
- †**Ægialornis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 183.
Type, *Ægialornis gallicus* Lydekker. [Ægialornithidæ.]
Αιγιαλός, beach, seashore; ὄρνις, bird.
- Aerocharis** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.
New name for *Euryceros* Lesson. [Prionopidae.]
’Αήρ, air; χάρις, grace.
- Aéronautes** HARTERT, Catal. Birds Brit. Mus., XVI, 1892, p. 459.
Type, *Cypselus melanoleucus* Baird. [Micropodidae.]
’Αήρ, air; ναύτης, a sailor.
- Æthiopsar** SHARPE MS., OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 539.
Type, *Pastor fuscus* Wagler. [Sturnidae.]
(A subgenus of *Acridotheres*.)
Aiθιοψ, an Ethiop, a negro; φάρων, starling.
- Agriocharis** CHAPMAN, Bull. Amer. Mus. Nat. Hist., VIII, Dec. 11, 1896, p. 288.
Type, *Meleagris ocellata* Cuvier. [Phasianidae.]
”Αγριός, wild; χάρις, grace.
- Agropsar** OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 530.
Type, *Gracula sturnia* Pallas. [Sturnidae.]
’Αγρός, field; φάρων, starling.
- Alcatras** HERMANN, Tabula Affin. Anim., 1783, p. 156, note; p. 235.
Type, *Alcatraz* (Journ. de Physique, 1779, p. 475). [Incertæ sedis.]
Alcatraz, a pelican or sea bird (Spanish).
- Alcidius** BOUCARD, Genera of Humming Birds (in Humming Bird, V, Pt. 3), Sept. 1895, p. 345.
Type, *Orthorhynchus estellæ* d'Orbigny. [Trochilidae.]
Named for Alcide Dessalines d'Orbigny.
- Aleator** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.
New name for *Pogonias* Illiger. [Capitonidae.]
- Alector** GLOGER, Hand- und Hilfsbuch, I, 1842, p. 384.
New name for *Gallus* Brisson. [Phasianidae.]

- Alectromorphnus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 271.
 New name for *Buteogallus* Lesson, on grounds of purism.
 [Falconidae.]
 'Αλεκτρονών, a cock; μόρφωσ, dark, like an eagle, hence an eagle.
- Allenia** CORY, Auk, VIII, Jan., 1891, p. 42.
 Type, *Turdus montanus* Lafresnaye [Mimidae.]
 Named for Dr. J. A. Allen.
- Allocotops** SHARPE, Ibis, ser. 5, VI, Oct., 1888, p. 389.
 Type, *Allocotops calvus* Sharpe [Timaliidae.]
 'Αλλόκοτος, unusual; ωψ, face.
- Alopecoenas** FINSCH MS., SHARPE, Hand-list of Birds, I, 1899, p. 90.
 Type, *Phlogoenas hoedti* Schlegel [Peristeridae.]
 'Αλωπηξ, a fox; οιράς, wild pigeon.
- Alophoixus** OATES, Fauna of Brit. India (Birds) I, Dec., 1889, p. 259.
 Type, *Ixos phaeocephalus* Hartlaub [Timaliidae.]
 'Αλοφος, without a crest; + *Ixus* (ἰξός, sticky, also a miserly fellow).
- Alopochen** STEJNEGER, Standard Nat. History, IV (Birds), 1885, p. 141.
 New name for *Chenalopex* Stephens, preoccupied [Anatidae.]
 'Αλωπός, fox-colored; χήν, a goose.
- Alticeps** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. viii.
 New name for *Cephalopterus* Geoffroy St.-Hilaire [Cotingidae.]
Altus, high; *ceps* (*caput*), head.
- Amalocichla** DE VIS, Ann. Report Brit. New Guinea (1890–91), 1892, App. CC, p. 95.
 Type, *Amalocichla sclateriana* De Vis [Timaliidae.]
 'Αμαλός, soft, feeble; κίχλη, a thrush-like bird.
- Amaurocichla** SHARPE, Proc. Zool. Soc. Lond., Aug., 1892, p. 228.
 Type, *Amaurocichla bocagii* Sharpe [Timaliidae.]
 'Αμαυρός, dark; κίχλη, a thrush, or thrush-like bird.
- Amaurœnas** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 248.
 Type, *Columba polleni* Schlegel [Columbidae.]
 (A subgenus of *Columba*).
 'Αμαυρός, dark; οιράς, a wild pigeon.
- Amaurolimnas** SHARPE, Bull. Brit. Orn. Club, I, Jan 26, 1893, p. xxviii.
 Type, *Rallus concolor* Gosse [Rallidae.]
 'Αμαυρός, dark; λιμνάς (λιμναῖος), marshy, of the water.
- Amazilia** LESSON, L'Écho du Monde Savant, ser. 2, VIII, No. 32, Oct. 22, 1843, col. 757.
 Type¹ [Trochilidae.]
Amazilia, a heroine of the Incas.

¹Proposed as a "race" or subgenus of *Ornithomya*, with the following species: *O. lumachella* Lesson, *O. eximia* Delattre, *O. cinnamomea* Lesson, *O. clarisse* Longuemare.

†**Ameghinia** SHARPE, Hand-list of Birds, I, 1899, p. 184.

New name for *Pseudolarus* Ameghino, on grounds of purism!

[*Stereornithes*.]

Named for Dr. Florentino Ameghino.

Amnicola GERBE, in Degland and Gerbe, Ornith. Européenne, I, 1867, p. 526.

Type, *Sylvia melanopogon* Temminck [*Turdidae*.]

Amnis, a stream, river; *incola*, an inhabitant.

†**Amphipelargus** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 68.

Type, *Amphipelargus majori* Lydekker [*Ciconiidæ*.]

Ἄμφι, on both sides; πελαργός, a stork.

Amytornis STEJNEGER, Standard Nat. History, IV (Birds), 1885, p. 499.

New name for *Amytis* Lesson, preoccupied [*Timaliidæ*.]

Amytis (Ἄμυτις), a daughter of Astyages; ὥρνις.

Anacrites GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, X.

New name for *Paradoxornis* Gould [*Paridæ?*]

Ἀνά, + κριτής, a judge, umpire.

Androphilus SHARPE, Ibis, ser. 5, VI, Oct. 1888, p. 390.

Type, *Androphilus accentor* Sharpe [*Timaliidæ*.]

Ἄνδρος (ἀνδρ-), a man; φιλέω, I love.

†**Anisolornis** AMEGHINO, Revista Argentina Hist. Nat., I, Dec., 1891, p. 449.

Type, *Anisolornis excavatus* Ameghino [*Stereornithes*.]

Ἄνισος, unequal; ὅλος, whole, entire; ὥρνις, bird.

Anomalophrys SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 156.

Type, *Lobivanellus superciliosus* Reichenow [*Charadriidæ*.]

Ἄνωμαλος, unusual; ὄφρύς, brow, eyebrow.

†**Anomalornis** HUTTON, Trans. New Zealand Inst., XXIX, June, 1897, p. 546.

New name for *Anomalopteryx* Reichenbach, preoccupied.

[*Dinornithidæ*.]

Ἄνωμαλος, unusual; ὥρνις, bird.

Anopaiia HALDEMAN, Proc. Acad. Nat. Sci. Phila., I, 1842, p. 188.

New name for “*Harpyia* Cuvier” (= *Harpia* Vieillot), preoccupied [*Falconidæ*.]

Ἄνοπαια, unnoticed.

Antichromus RICHMOND, Auk, XVI, Apr., 1899, p. 187.

New name for *Bocagia* Shelley, preoccupied [*Laniidæ*.]

Ἄντι, against, opposite to; χρώμα, color.

Antrochelidon BALDAMUS, Journ. für Orn., Nov., 1869, p. 406.

Type, *Hirundo nigricans* Vieillot [*Hirundinidæ*.]

Ἄντρον, a cavern; χελιδών, swallow.

Anurolimnas SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.

Type, *Porzana castaneiceps* Sclater and Salvin [*Rallidæ*.]

Ἄνυ, without; οὐρά, tail; λιμνάς (λιμναῖος), marshy, of the mere.

- Aphanolimnas** SHARPE, Bull. Brit. Orn. Club, I, Dec. 31, 1892, p. xx.
 New name for *Kittlitzia* Hartlaub, preoccupied [Rallidae.]
 Ἀφανῆς, unseen, obscure; λιμνάς (*λιμναῖος*), marshy, from the mere.
- Aphelocephala** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899,
 p. 214.
 New name for *Xerophila* Gould, preoccupied [Paridae.]
 Ἀφελῆς, smooth; κεφαλή, head.
- Aphrastura** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899,
 p. 211.
 New name for *Oxyurus* Swainson, preoccupied [Furnariidae.]
 Ἀφραστός, wonderful; οὐρά, tail.
- Araclanga** GLOGER, Hand- und Hilfsbuch, I, 1842, p. 193.
 New name for *Ara* Brisson, on grounds of purism. [Psittacidae.]
 Ἀρά (*Ara*); κλαγγή, screaming.
- Aramidopsis** SHARPE, Bull. Brit. Orn. Club, I, July 4, 1893, p. liv.
 Type, *Rallus plateni* Blasius [Rallidae.]
Aramides, + ὕψις, appearance.
- † **Archaeotrogon** MILNE-EDWARDS, Compte-Rendu Second Congrès Or-
 nith. Int., II, 1892, p. 64.
 Type, *Archaeotrogon venustus* Milne-Edwards [Trogonidae.]
 Ἀρχαῖος, ancient; + *Trogon*.
- † **Ardeacites** HAUSHALTER, Murkwürdige fossile Thierüberreste aus der
 Algäuer Molasse, 1855, p. 11.
 Type, *Ardeacites molassicus* Haushalter [Ardeidae.]
Ardea, a heron, + *ites*.
- Areortyx** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn.,
 1890, p. 290.
 New name for *Areoturnix* Bonaparte, on grounds of purism.
 [Turnicidae.]
- † **Argillornis** OWEN, Quart. Journ. Geol. Soc., XXXIV, Jan., 1878,
 p. 124.
 Type, *Argillornis longipennis* Owen [Phalacrocoracidae.]
 Ἀργιλλός, white clay, chalk; ὄρνις, bird.
- Arinia** MULSANT, "Ann. Soc. Linn. Lyon, 1877, Oct. 12" [exists as a
 separate paper only].
 Type, *Arinia boucardi* Mulsant [Trochilidae.]
- Arquaata** GISTEL, Naturgesch. des Thierreichs für höhere Schulen,
 1848, p. 92.
 New name for *Numida* Linnæus [Phasianidae.]
- Arremonops** RIDGWAY, Manual N. A. Birds, ed. 2, Apr., 1896, p. 605.
 Type, *Embernagra rufivirgata* Lawrence [Fringillidae.]
Arremon (ἀρρένων, silent); + ὄψις.
- Asarcia** SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 86.
 Type, *Parra variabilis* Linnæus [Jakanidae.]
 Ἀσαρκός, without flesh, lean.

Asarcornis SALVADORI, Catal. Birds Brit. Mus., XXVII, 1895, p. 59.

Type, *Anas scutulata* S. Müller [Anatidæ.]

"Ασαρκος, lean; ὄρνις, bird.

Ascalaphia ISID. GEOFFROY ST.-HILAIRE, L'Écho du Monde Savant, III, 1837, p. 4.

Type, *Ascalaphia savignii* Isid. Geoffroy St.-Hilaire.

[Bubonidæ.]

"Ασκάλαφος, a bird supposed to be an owl.

Aspatha SHARPE, Catal. Birds Brit. Mus., XVIII, 1892, p. 331.

Type, *Prionites gularis* Lafresnaye [Momotidæ.]

"Α, without; σπάθη, a blade.

† **Asthenopterus** AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 443.

New name for *Lagopterus* Moreno and Mercerat, preoccupied. [Falconidæ.]

"Ασθενής, weak; πτερόν, wing.

Atalochrous ELLIOT, Ibis, ser. 3, VI, Oct., 1876, p. 464.

Type, *Malimbus racheliae* Cassin [Ploceidæ.]

(A subgenus of *Malimbus*.)

"Αταλός, tender, delicate; χρώς, color.

Atopornis REICHENOW and NEUMANN, Ornith. Monatsb., III, May, 1895, p. 74.

Type, *Atopornis* [= *Nigrita*] *diabolicus* Reichenow and Neumann [Muscicapidæ (= Ploceidæ).]

"Ατοπος, unusual, out of place; ὄρνις, bird.

† **Badiostes** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 600.

Type, *Badiostes patagonicus* Ameghino [Strigidæ.]

† **Barornis** MARSH, Amer. Journ. Sci., ser. 3, XLVIII, Oct., 1894, p. 344.

Type, *Barornis regens* Marsh [Incertæ sedis.]

Βαρύς, heavy; ὄρνις, bird.

Bathmisyrma REICHENOW, Ornith. Monatsb., V, Oct., 1897, p. 161.

Type, *Bathmisyrma rufum* Reichenow [Muscicapidæ.]

Βαθμός, a step; σύρμα, a trailing robe, something trailed along.

Bathmocercus REICHENOW, Ornith. Monatsb., III, July, 1895, p. 113.

Type, *Bathmocercus rufus* Reichenow [Timaliidæ.]

Βαθμός, a step; κέρκος, tail.

Bellona MULSANT and VERREAU, Mém. Soc. Imp. Sci. Nat. Cherbourg, XII, 1866, p. 219.

Type, *Trochilus cristatus* Linnaeus [Trochilidæ.]

Named for Bellona, a goddess of war.

† **Belornis** MILNE-EDWARDS, Bull. Brit. Orn. Club, I, July 4, 1893, p. liv.

New name for *Tachyornis* Milne-Edwards, preoccupied.

[Incertæ sedis.]

Βέλος, an arrow, dart; ὄρνις, bird.

Blacops RICHMOND, Auk, XVI, Apr., 1899, p. 186.

New name for *Blax* Reichenow, preoccupied (= *Verreauxia* Hartlaub) [Picidae.]
Blax ($\beta\lambda\acute{\alpha}\xi$, lazy); $\omega\psi$.

Blax REICHENOW, Ornith. Monatsb., II, Aug., 1894, p. 126.

Type, *Blax gymnophthalmus* Reichenow (see *Blacops*).
[Capitonidae (= Picidae).]

Bλάξ, lazy, sluggish.

Bleda BONAPARTE, Revue et Mag. de Zool., Feb., 1857, p. 50.

Type, *Dasycephala syndactyla* Swainson [Timaliidae.]
Named for Bleda, brother of Attila.

Bocagia SHELLEY, Bull. Brit. Orn. Club, III, May 26, 1894, p. xliii.

Type, *Telephonus minutus* Hartlaub (first species mentioned)
(see *Antichromus*) [Laniidae.]
Named for Prof. José Vicente Barboza du Bocage.

Bolbopsisittacus SALVADORI, Catal. Birds Brit. Mus., XX, 1891, p. 503.

Type, *Psittacus lunulatus* Scopoli [Psittacidae.]
Βολβός, a bulb; *ψίττακος*, a parrot.

Bonapartia BÜTTIKOFER, Notes Leyden Mus., XVIII, July 15, 1896,
p. 58.

New name for *Gymnocrotaphus* Büttikofer, preoccupied.

[Timaliidae.]

Named for Charles-Lucien-Jules-Laurent Bonaparte.

Bostrycholophus BÜTTIKOFER, Notes Leyden Mus., XVIII, July 15,
1896, p. 58.

New name for *Centrolophus* Büttikofer, preoccupied.

[Pycnonotidae.]

Βόστροψ, a curl; *λόφος*, crest.

Bowdleria ROTHSCHILD, Novitates Zoologicae, III, Dec. 29, 1896, p. 539.

Type, New Zealand group of *Sphenæacus* [Timaliidae.]

Named for Dr. R. Bowdler Sharpe.

Brachycope REICHENOW, Journ. für Ornithologie, April, 1900, p. 249.

Type, *Brachyope anomala* Reichenow [Ploceidae.]

Brachypteryx OWEN, Descr. Catal. Osteol. Series Mus. Roy. College of
Surgeons, I, 1853, p. 238.

Type, *Rallus australis* Sparrman [Rallidae.]

Brachypus SWAINSON, Zool. Journ., I, Oct., 1824, p. 305.

Type, "Le Curouge" Levaillant (= *Turdus cafer* Linnæus).

[Pycnonotidae.]

Βραχύς, short; *πούς*, foot.

Brachyrynchus de SELYS-LONGCHAMPS, in Vander Maelen's Dict. Géogr.

Prov. Liège, 1831, Appendix, p. 36.

Type, *Parus caudatus* (= *Mecistura rosea* Blyth) [Paridae.]

Βραχύς, short; *ρύγχος*, beak.

- Brachyspiza** RIDGWAY, Auk, XV, July (May 13), 1898, p. 224.
 Type, *Fringilla capensis* P. L. S. Müller [Fringillidae.]
Bραχύς, short; *σπιζα*, a finch.
- Brewsteria** MAYNARD, Birds Eastern North Amer., ed. 2, Pt. 40, 1896,
 p. 691.
 Type, *Falco ferrugineus* Lichtenstein [Falconidae.]
 Named for Mr. William Brewster.
- † **Brontornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon.
 Argen., I), 1891, p. 37.
 Type, *Brontornis burmeisteri* Moreno and Mercerat.
 [*Stereornithes*.]
Βροντή, thunder; *Ὥρνις*, bird.
- Buleites** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848,
 p. xi.
 New name for *Stenorhynchus* Gould [Mimidae.]
Βουλευτής, one who sits in council, a senator.
- Calamodromus** REICHENOW, in Heine and Reichenow, Nomencl. Mus.
 Hein. Orn., 1890, p. 322.
 New name for *Rougetius* Bonaparte, on grounds of purism.
 [*Rallidae*.]
Κάλαμος, a reed; *δρόμος*, a course, race.
- Calastrapia** SHARPE, Monogr. Paradiseidæ, Part VIII, 1898, p. xiii.
 Type, *Astrapia splendidissima* Rothschild [Paradiseidæ.]
Καλός, beautiful; + *Astrapia* (*ἀστράπιος*, of lightning).
- Callaeops** GRANT, Bull. Brit. Orn. Club, IV, Jan. 29, 1895, p. xviii.
 Type, *Callaeops periophthalmica* Grant [Muscicapidae.]
Κάλλαιον, a cock's comb; *ὤψ*, eye.
- † **Callornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 574.
 Type, *Callornis giganteus* Ameghino [Stereornithes.]
Κάλλος, beauty; *Ὥρνις*, bird.
- Calobamon** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein.
 Orn., 1890, p. 123.
 New name for *Pittasoma* Cassin, on grounds of purism.
 [*Formicariidae*.]
Καλός, beautiful; *βῆμα* (*βῆμα*), a step, pace.
- Calopelia** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 522.
 Type, *Columba puella* Schlegel [Peristeridae.]
Καλός, beautiful; *πέλεια*, a dove.
- Calopezus** RIDGWAY, Proc. Biol. Soc. Wash., II, Apr. 10, 1884, p. 97.
 New name for *Calodromas* Selater and Salvin, preoccupied.
 [*Tinamidae*.]
Καλός, beautiful; *πεζός*, walking.
- Calvifrons** DAUDIN, Annales du Mus. d'Hist. Nat., III, 1804, p. 146.
 Type, *Chauvard* (= *Corvus calvus* Linnæus) (see *Perissocephalus*) [Cotingidae.]
Calvus, bald, hairless; *frons*, forehead.

- †**Camaskelus** AYMARD, Congrès Scientifique de France, 1856, I, pp. 233, 267.
 Type, *Camaskelus palustris* Aymard [Charadriiformes.]
 Κάμαξ, a pole, stake; σκέλος, the leg.
- Caprornis** KAUP, in Jardine's Contrib. Orn. for 1849, p. 112 (note).
 Type, *Vultur pileatus* Burchell [Vulturidae.]
- Carnifex** SUNDEVALL, K. Vet.-Akad. Handl. (1835), 1836, p. 78.
 Type, *Ampelis carnifex* Linnæus [Cotingidae.]
Carnifex, a public executioner.
- Cassidix** BONAPARTE, Conspectus Generum Avium, I, 1849, p. 90.
 Type, *Buceros cassidix* Temminck (first species mentioned).
 [Bucerotidae.]
Cassida, *cassis*, a helmet.
- Castanolimnas** SHARPE, Bull. Brit. Orn. Club., I, Jan. 26, 1893, p. xxviii.
 Type, *Euryzona canningi* Blyth [Rallidae.]
 Κάστανος, the chestnut; λιμνάς (λιμναῖος), marshy, from the mere.
- Cataphania** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.
 New name for "Oxyptera Cuvier" [Artamidae.]
Kαταφάνεια, clearness, transparency.
- Cataponera** HARTERT, Novitates Zoologicae, III, Mar. 14, 1896, p. 70.
 Type, *Cataponera turdoides* Hartert [Timaliidae.]
Kαταπονέω, I tire out.
- Centrolophus** BÜTTIKOFER, Notes Leyden Mus., XVII, June 9, 1896, p. 230.
 Type, *Brachypus leucogenys* Gray (see *Bostrycholophus*).
 [Pycnonotidae.]
Κέντρον, spur; λόφος, a crest.
- †**Centrornis** ANDREWS, Ibis, ser. 7, III, July, 1897, p. 344.
 Type, *Centrornis majori* Andrews [Anatidae.]
Κέντρον, spur, spine; ὄρνις, bird.
- Cerasophila** BINGHAM, Ann. Mag. Nat. Hist., ser. 7, V, no. 28, Apr., 1900, p. 358.
 Type, *Cerasophila thompsoni* Bingham [Pycnonotidae.]
Κέρασος, a cherry tree; φιλέω, I love.
- Certhiaxis** LESSON, Compl. Œuvres de Buffon (éd. Lévéque), XX, Apr., 1847, p. 287.¹
 Type, *Certhia cinnamomea* Gmelin [Furnariidae.]
Certhia (κέρθιος, a creeper); + [*Synallaxis*] axis.

¹This work is usually cited "Descr. mam. et ois.," or "Descr. mam. et ois. réc. découv.," but is correctly quoted as above. It appeared as the last (20th) volume of the Lévéque edition of Buffon, and was published in April, 1847. It was also issued as a separate work, under the title "Description de mammifères et d'oiseaux récemment découverts," etc., with the same ostensible date, and later formed the second part of Tome VII of the Didier edition, in 10 volumes, also bearing date of 1847. All were printed from the same type, the Didier edition even preserving the Lévéque signature marks.

- Cetupa** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 15.
 Emendation of *Ketupa* Lesson [Bubonidæ.]
Ketupa, native name of a Javan owl.
- Chalcopsar** SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 158.
 New name for *Megalopterus* Smith, preoccupied [Sturnidæ.]
Χαλκός, copper; *ψάρ*, starling.
- Chelidonaria** REICHENOW, Journ. für Orn., Apr., 1889, p. 187.
 Type, *Hirundo urbica* Linnæus [Hirundinidæ.]
Chelidon (*χελιδών*, a swallow).
- Chema** REICHENOW, Journ. für. Orn., Apr., 1889, p. 188.
 Emendation of *Xema* Leach [Laridæ.]
Χήμη, yawning, gaping.
- †Chenornis** PORTIS, Mem. R. Acc. Sci. Torino, ser. 2, XXXVI, 1885, p. 364.
 Type, *Chenornis graculoides* Portis [Anatidæ.]
Χήν, goose; *Ὥρνις*, bird.
- Chersophilus** SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 525.
 Type, *Alauda duponti* Vieillot [Alaudidæ.]
Χέρσος, dry land; *φιλέω*, I love.
- Chlorocharis** SHARPE, Ibis, ser. 5, VI, Oct., 1888, p. 392.
 Type, *Chlorocharis emiliae* Sharpe [Timaliidæ.]
Χλωρός, green; *χάρις*, grace.
- Chlorodrepanis** PERKINS, in Wilson and Evans, Aves Hawaienses, Pt. 7, June, 1899, p. xxi.
 Type, *Himatione stejnegeri* Wilson (first species mentioned).
 [Drepanidæ.]
Χλωρός, green; + *Drepanis* (*δρεπάνη*, a sickle).
- †Chosornis** DE VIS, Proc. Roy. Soc. Queensl., VI, 1889, p. 55.
 Type, *Chosornis præteritus* De Vis [Megapodidæ.]
Χῶστις, heaping up of earth; *Ὥρνις*, bird.
- Chrysomitridops** WILSON, Proc. Zool. Soc. Lond., Apr., 1890, p. 445.
 Type, *Chrysomitridops cœruleirostris* Wilson [Drepanidæ.]
Chrysomitris (*χρυσομῆτρις*, the goldfinch); + *Ὥψ*.
- †Cimolopteryx** MARSH, Amer. Journ. Science, ser. 3, XXXVIII, July, 1889, p. 83.
 Type, *Cimolopteryx rarus* Marsh [Incertæ sedis.]
Κιμωλία, white earth, chalk; *πτέρυξ*, wing.
- Ciridops** "WILSON," A. NEWTON, Nature, XLV, Mar. 17, 1892, p. 469.
 Type, *Fringilla anna* Dole [Drepanidæ.]
 [*Emberiza*] *ciris*; + *Ὥψ*.
- Cirulus** BREDOV, Archiv für Naturgesch., III, Pt. 1, 1837, p. 413.
 Type, *Cirulus pratensis* Bredow (= *Sturnella magna meridionalis*) [Icteridæ.]
- †Cladornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 584.
 Type, *Cladornis pachypus* Ameghino [Cladornithidæ.]
Κλάδος, branch, or shoot of a tree; *Ὥρνις*, bird.

Cladurus REICHENOW, Journ. für Orn., Jan., 1877, p. 17.

New name for *Xylobucco* Bonaparte [Capitonidae.]

Kλάδος, branch; *οὐρός*, guard.

Clamator KAUP, Naturl. Syst., 1829, p. 53.

Type, *Cuculus glandarius* Linnæus [Cuculidae.]

Claravis OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 203.

New name for *Peristera* Swainson, preoccupied .. [Peristeridae.]

Clarus, clear; *avis*, bird.

Claudia HARTERT, Catal. Birds Brit. Mus., XVI, 1892, p. 469.

Type, *Cypselus squamatus* Cassin [Micropodidae.]

Named for Mrs. Ernst Hartert.

Cleptornis OUSTALET, Le Naturaliste, ser. 2, III, Nov. 1, 1889, p. 260.

Type, *Ptilotis marchei* Oustalet [Meliphagidae.]

Κλέπτω, I steal; *Ὥρνις*, bird.

Clibanus GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. xi.

New name for *Tanagroides* Bonaparte [Fringillidae.]

Κλίβανος (*κλιβανίτης*, baked under a pot or pan), with reference to its tropical habitat?

Clytospiza SHELLEY, Birds of Africa, I, 1896, p. 32.

Type, *Pytelia monteiri* Hartlaub [Ploceidae.]

Κλυτός, famous; *σπιζα*, a finch.

Cnemophilus DE VIS, Ann. Report Brit. New Guinea (1888-89), 1890, App. G, p. 61.

Type, *Cnemophilus macgregorii* De Vis [Ptilonorhynchidae.]

Κρημός, slope of a mountain; *φιλέω*, I love.

Coccozyoenas HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 278.

New name for *Reinwardtaena* Bonaparte, on grounds of purism.

[Columbidæ.]

Κόκκυξ, cuckoo; *οινάς*, a wild pigeon.

Cocornis TOWNSEND, Bull. Mus. Comp. Zool., XXVII, July, 1895, p. 123.

Type, *Cocornis agassizi* Townsend [Fringillidae.]

Cocos, name of an island; *Ὥρνις*, bird.

Coelotreron HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 275.

New name for *Palumbœna* Bonaparte, on grounds of purism.

[Columbidæ.]

Κοῖλος, hollow; *τρήρων*, a dove.

Colinus GOLDFUSS, Handbuch der Zoologie, II, 1820, p. 220.

Type, *Tetrao mexicana* Linnæus [Phasianidae.]

Colymbetes HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 364.

New name for *Poliocephalus* Selby [Colymbidae.]

Κολυμβητής, a diver, swimmer.

- Compsortyx** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 292.
New name for *Excalfactoria* Bonaparte, on grounds of purism. [Phasianidae.]
Κομψός, elegant; *ὅρτυξ*, a quail.
- Compsospiza** BERLEPSCH, Ibis, ser. 6, V, Apr., 1893, p. 207.
Type, *Compsospiza garleppi* Berlepsch [Fringillidae.]
Κομψός, elegant; *σπιζα*, finch.
- Compsotis** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 325.
New name for *Afrotis* Bonaparte, on grounds of purism. [Otididae.]
Κομψός, elegant; *ωτίς*, a bustard.
- † **Coniornis** MARSH, Amer. Journ. Sci., ser. 3, XLV, Jan., 1893, p. 81.
Type, *Coniornis altus* Marsh [Hesperornithidae.]
Κόρις, dust; *ὅρνις*, bird.
- Conuropsis** SALVADORI, Catal. Birds Brit. Mus., XX, 1891, p. 203.
Type, *Psittacus carolinensis* Linnæus [Psittacidae.]
Conurus (*κῶνος*, a cone; *οὐρά*, tail); + *Ὥψις*, aspect.
- Coracocichla** SHARPE, Catal. Birds Brit. Mus., XVII, 1892, p. 7 (note).
New name for *Coracopitta* Sclater (not *Corapitta* Bonaparte) (see *Mellopitta*) [Pittidae.]
Κόραξ (*κόρακ-*), raven; *κίχλη*, thrush.
- Cornix** FORSTER, Synoptical Catalogue of British Birds, 1817, p. 5.
Type, *Corvus graculus*, *C. monedula* Linnæus [Corvidæ.]
- Corydon** GLOGER, Hand- und Hilfsbuch, I, 1842, p. 264.
New name for *Melanocorypha* Boie [Alaudidae.]
Κορυδών, a lark.
- Coryphœnas** R. G. W. RAMSAY, Ibis, ser. 6, Apr., 1890, p. 246.
Type, *Turacænas crassirostris* Gould [Columbidæ.]
Κορυφή, head, top; *οἰράς*, a wild pigeon.
- Cosmophoneus** NEUMANN, Journ. für Orn., July, 1899, p. 392.
Type, *Laniarius multicolor* Gray (first species mentioned). [Laniidae.]
Κόσμος, ornament; *φονεύς*, a murderer, slayer.
- † **Creccoides**¹ SHUFELDT, Proc. Amer. Phil. Soc., XXX, No. 137, Apr. 14, 1892, p. 125.
Type, *Creccoides osbornii* Shufeldt [Rallidae.]
Κρέξ, a crake; *εἶδος*, form.
- Crecopsis** SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.
Type, *Crex egregia* Peters [Rallidae.]
Κρέξ, a crake; *Ὥψις*, aspect.

¹ Emended to *Crecoidea* Shufeldt, Journ. Acad. Nat. Sci. Phila., IX, pt. 3, 1892, p. 412 (note).

- Crocomorphus** HARGITT, Catal. Birds Brit. Mus., XVIII, 1890, p. 439.
 Type, *Picus flavus* P. L. S. Müller [Picidae.]
Κρόκος, saffron; *μορφή*, form, shape, figure.
- Cryptillas** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 212.
 New name for *Phlexis* Hartlaub, preoccupied [Timaliidae.]
Κρυπτός, hidden; *ιλλάς*, a thrush.
- Cryptophaps** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 219.
 Type, *Carpophaga pæcillorrhœa* Brüggemann [Treronidae.]
 (Subgenus of *Carpophaga*).
Κρυπτός, hidden; *φάσις*, a pigeon.
- †**Cryptornis** MILNE-EDWARDS, Recher. Ois. Foss. France, II, 1870, p. 371.
 Type, *Centropus? antiquus* Gervais [Incertæ sedis.]
Κρυπτός, hidden; *Ὥρνις*, bird.
- Cumana** COUES, Auk, XVII, Jan., 1900, p. 65.
 New name for *Pipile* Bonaparte (vs. *Pipilo* Vieillot) [Cracidae.]
 From Cumaná, a town in Venezuela.
- Curotreron** HEINE and REICHENOW, Nomencl. Mus. Hein. Orn., 1890, p. 280.
 Emendation of *Kurutreron* Bonaparte [Treronidae.]
Κυρόω, I make valid, sure; + *Treron* (*τρόγρων*, a dove).
- Cyanerpes** OBERHOLSER, Auk, XVI, Jan., 1899, p. 32.
 Type, *Certhia cyanea* Linnaeus [Cærebidae.]
Κύανος, dark blue; *ἔρπης* (*ἔρπω*, I creep, crawl).
- Cyanolesbia** STEJNEGER, Auk, II, Jan., 1885, p. 47.
 Type, *Trochilus forficatus* Linnaeus [Trochilidae.]
Κύανος, dark blue; + *Lesbia*.
- Cyanopitta** GOULD, Monograph Pittidæ, Pt. 1, 1880, pl. VIII.
 Type, *Brachyurus steerii* Sharpe [Pittidæ.]
Κύανος, dark blue; + *Pitta*.
- Cymatobolus** REICHENOW, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 363.
 New name for *Majaqueus* Reichenbach, on grounds of purism. [Puffinidae.]
Κυματώω, I rise in waves; *βόλος*, a throw.
- Cymindus** HALDEMAN, Proc. Acad. Nat. Sci. Phila. I, 1842, p. 191.
 Substitute for *Cymindis* Cuvier, preoccupied [Falconidae.]
Κύμινδις, a hawk-like bird mentioned by Aristotle.
- Cyphorhina** LESSON, L'Écho du Monde Savant, ser. 2, VII, June 15, 1843, col. 1068.
 Type, *Podargus papuensis* Quoy and Gaimard [Podargidae.]
Κυφός, bent; *ῥίς*, *ῥίν*, nose.
- Dactylortyx** GRANT, Catal. Birds Brit. Mus., XXII, 1893, p. 429.
 Type, *Ortyx thoracicus* Gambel [Phasianidae.]
Δάκτυλος, finger; *Ὥρτυξ*, a quail.

Dafilula COUES, Auk, XIV, Apr., 1897, p. 207.

Type, *Querquedula eatoni* Sharpe [Anatidæ.]

Dafilula, dim. of *Dafila*.

Dammeria HARTERT, Bull. Brit. Orn. Club, VIII, July 4, 1899, p. lvii.

Type, *Dammeria henrici* Hartert [Muscicapidæ.]

From Dammer, an island in the Banda Sea.

Daphœnositta DE VIS, Ibis, ser. 7, III, July, 1897, p. 380.

Type, *Daphœnositta miranda* De Vis [Sittidæ.]

$\Delta\alpha\phi\omega\nu\sigma\delta$, bloody, blood-red; + *Sitta* ($\sigma\it{\tau}\tau\eta$, a kind of wood-pecker).

† **Darwinornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 60.

Type, *Darwinornis copei* Moreno and Mercerat (first species mentioned) [Stereornithes.]

Named for Charles Robert Darwin.

Deconychura CHERRIE, Proc. U. S. Nat. Mus., XIV, Sept. 4, 1891, p. 338.

Type, *Deconychura typica* Cherrie [Dendrocolaptidæ.]

$\Delta\epsilon\kappa\alpha$, ten; $\ddot{o}v\nu\xi$, claw; $ov\rho\acute{a}$, tail.

Deltarhynchus RIDGWAY, Proc. U. S. Nat. Mus., XVI, Oct. 25, 1893, p. 606.

Type, *Myiarchus flammulatus* Lawrence [Tyrannidæ.]

(A subgenus of *Myiarchus*.)

$\Delta\epsilon\lambda\tau\alpha$, delta; $\rho\acute{u}\gamma\chi\sigma\delta$, bill, from its Δ -shaped bill.

Dendrophaps BLYTH, Journ. Asiat. Soc. Bengal, XIV, Pt. 2, 1846, p. 855.

Type¹ [Columbidæ?]

$\Delta\epsilon\nu\delta\rho\sigma\nu$, a tree; $\phi\acute{a}\psi$, pigeon.

Dendrophassa GLOGER, Hand- und Hilfsbuch, I, 1842, p. 359.

Type, *Columba aromaticata* Gmelin [Treronidæ.]

$\Delta\epsilon\nu\delta\rho\sigma\nu$, a tree; $\phi\acute{a}\sigma\sigma\alpha$, a wood pigeon.

Dendrophila HODGSON, Madras Journ. Lit. and Science, V, Apr., 1837, p. 432.

New name for *Arborophila* Hodgson, on grounds of purism.

[Phasianidæ.]

$\Delta\epsilon\nu\delta\rho\sigma\nu$, a tree; $\phi\acute{a}\lambda\epsilon\omega$, I love.

Dendrotreron "HODGSON," BLYTH, Journ. Asiat. Soc. Bengal, XIV, Pt. 2, 1846, p. 867 (note).

Type, *Columba nipalensis* Hodgson (= *C. hodgsoni* Vigors).

[Columbidæ.]

$\Delta\epsilon\nu\delta\rho\sigma\nu$, a tree; + *Treron* ($\tau\rho\acute{e}\rho\omega\nu$, a dove).

¹"At least three subgenera occur [of *Carpophaga*, as known at that time], at the head of which may be placed *Lopholaimus*, G. R. Gray, founded on the *Col. antarctica*, Shaw (v. *dilopha*, Temminck), of Australia; then follow the ordinary Dunkuls, of which the two Indian species are characteristic; and finally a short-winged type, with bill and feet as in the former, and colouring as in the division *Chalcophaps* (of the next subfamily), to which I apply the name *Dendrophaps*."

- Dialiptila** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 243.
 Type, *Columba guinea* Linnæus (first species mentioned)
 (A subgenus of *Columba*) [Columbidae.]
Διαλύω, I part asunder; *πτίλον*, a feather.
- Dialis** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848,
 p. ix.
 New name for *Drepanis* Temminck [Drepanidae.]
Dialis, ethereal, aerial.
- † **Diaphorapteryx** FORBES, Bull. Brit. Orn. Club, I, Dec. 31, 1892, p. xxi.
 Type, *Aphanapteryx hawkinsi* Forbes [Rallidae.]
Διάφορος, different, *Apteryx* (*ἀ*, priv. + *πτέρυξ*, wing).
- Diaphorillas** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899,
 p. 212.
 New name for *Amytis* Lesson, preoccupied. (See *Amytornis*).
 [Timaliidae.]
Διάφορος, different; *ἰλλάσ*, a thrush.
- Diaphoropterus** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2,
 1899, p. 214.
 New name for *Symmorphus* Gould, preoccupied.
 [Campephagidae.]
Διάφορος, different; *πτερόν*, wing.
- † **Diatropornis** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899,
 p. 203.
 New name for *Tapinopus* Milne-Edwards, preoccupied.
 [Incertæ sedis.]
Διάτροπος, different; *Ὥρνις*, bird.
- Diatropura** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899,
 p. 215.
 New name for *Chera* Gray, preoccupied [Ploceidae.]
Διάτροπος, different; *οὐρά*, tail.
- Dichrognathus** REICHENOW, Journ. für Orn., 1881, p. 255.
 New name for *Psittinus* Blyth [Psittacidae.]
Διχρόος, two-colored; *γνάθος*, jaw.
- Dictaea** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848,
 p. ix.
 New name for *Emberizoides* Bonaparte [Fringillidae.]
Δικταῖος, of Dicte, Dictæan.
- Dilobus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn.,
 1890, p. 335.
 New name for *Lobipluvia* Bonaparte, on grounds of purism.
 [Charadriidae.]
Δίς, double; *λοβός*, a lobe.
- Dinorhamphus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 228.
 New name for *Tucanus* Cassin, on grounds of purism.
 [Ramphastidae.]
Δεινός, mighty; *ράμφος*, beak.

Diplocercus "BLYTH," JERDON, Birds of India, III, 1864, p. 737.

Type, *Tantalus leucocephalus* Forster [Ciconiidæ.]

Διπλόος, double; κέρκος, tail.

Diplura "BLYTH," JERDON, Birds of India, III, 1864, p. 737.¹

Type, *Tantalus leucocephalus* Forster [Ciconiidæ.]

Διπλόος, double; οὐρά, tail.

Dipsaleon GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.

New name for *Planetis* Wagler [Laridæ.]

Dissemurulus OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 322.

Type, *Dicrurus lophorinus* Vieillot [Dicruridæ.]

Dissemurulus, dim. of *Dissemurus*.

Dolynchoeix KAUP, Thierreich, II, Pt. 1, 1836, p. 139.

No type mentioned; a *nomen nudum* here [Incertæ sedis.]

Donacias HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 321.

New name for *Lewinia* Bonaparte, on grounds of purism.

[Rallidæ.]

Δύραξ, a reed, with suffix > *ias*.

Donacophilus REICHENOW, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 320.

New name for *Laterallus* Bonaparte, on grounds of purism.

[Rallidæ.]

Δύραξ, a reed; φιλέω, I love.

Doriponus REICHENOW, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 308.

New name for *Agamia* Reichenbach, on grounds of purism.

[Ardeidæ.]

Δορίπονος, toiling with the spear.

Drepananax SHARPE, Bull. Brit. Orn. Club, IV, Dec. 29, 1894, p. xv.

Type, *Drepanornis bruijni* Oustalet [Paradiseidæ.]

Δρεπάνη, a sickle; ἄρχε, a lord, king.

Drepanoplectes SHARPE, Ibis, ser. 6, III, Apr., 1891, p. 246.

Type, *Drepanoplectes jacksoni* Sharpe [Ploceidæ.]

Δρεπάνη, a sickle; *Plectes* (n. l. < πλεκτός, woven), a weaver.

Drepanorhamphus ROTHSCHILD, Avifauna of Laysan, etc., Pt. 3, Dec., 1900, p. 163.

Type, *Drepanis funerea* Newton [Drepanidæ.]

Δρεπάνη, a sickle; ράμφος, a curved beak.

Drepanorhynchus DUBOIS, Mem. Zool. Soc. France, VII, 1894, p. 400.

Type, *Drepanorhynchus schistaceus* Dubois (see *Spermophilopsis*) [Fringillidæ.]

Δρεπάνη, a sickle; ὄυγχος, a beak.

¹ This name has precedence (antiority) over *Diplocercus*.

Drepanorhynchus ROTHSCHILD, Avifauna of Laysan, etc., Pt. 3, Dec., 1900, pl. LXII.

Type, *Drepanis funerea* Newton (see *Drepanorhamphus*).

[*Drepanidae.*]

$\Delta\rho\varepsilon\pi\alpha\nu\eta$, a sickle; $\rho\underline{\nu}\gamma\chi\sigma\varsigma$, a beak.

Dryocolaptes GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. 86.

Type, *Picus tridactylus* Linnæus ----- [Picidae.]

Dryolimnas SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.

Type, *Rallus cuvieri* Pucheran ----- [Rallidae.]

$\Delta\rho\underline{\nu}\sigma\varsigma$, a copse, thicket; $\lambda\mu\nu\alpha\varsigma$, marshy, of the mere.

† **Dryornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 59.

Type, *Dryornis pampeanus* Moreno and Mercerat.

[*Stereornithes.*]

$\Delta\rho\underline{\nu}\varsigma$, a tree, an oak; $\delta\rho\nu\iota\varsigma$, a bird.

Dupetor HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 308.

New name for *Ardeiralla* Bonaparte ----- [Ardeidae.]

$\Delta\omega\nu\pi\eta\tau\omega\rho$, a clatterer.

Dybowskia OUSTALET, Le Naturaliste, ser. 2, VI, Sept. 15, 1892, p. 218.

Type, *Dybowskia kemoensis* Oustalet ----- [Timaliidae.]

Named for Jean Dybowski.

† **Dynamopterus** MILNE-EDWARDS, Compte-Rendu Second Congrès Ornith. Int., II, 1892, p. 64.

Type, *Dynamopterus velox* Milne-Edwards ----- [Cuculidae.]

$\Delta\nu\rho\mu\iota\varsigma$, power, force; $\pi\tau\varepsilon\rho\sigma\rho\varsigma$, wing.

Ecmeles GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Hydrocorax* Vieillot ----- [Phalacrocoracidae.]

$\prime E\kappa\mu\epsilon\lambda\eta\varsigma$, out of tune, irregular, unbridled.

Einalia HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 358.

New name for *Laroides* Brehm, on grounds of purism.

[*Laridae.*]

$Ei\nu\alpha\lambda\iota\varsigma$, of the sea.

Elachura OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 339.

Type, *Troglodytes punctatus* Blyth ----- [Troglodytidae.]

(see *Spiloptera.*)

$\prime E\lambda\alpha\chi\nu\varsigma$, small; $o\nu\rho\alpha$, tail.

† **Elaphrocnemus** MILNE-EDWARDS, Compte-Rendu Second Congrès Ornith. Int., II, 1892, p. 77.

Type, *Elaphrocnemus phasianus* Milne-Edwards (first species mentioned) ----- [Ralliformes.]

$E\lambda\alpha\phi\rho\sigma\varsigma$ nimble, swift; $\kappa\nu\eta\mu\eta$, the leg.

- Elasas** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 263.
 New name for *Elanoides* Vieillot, on grounds of purism.
 [Falconidæ.]
 'Ελασᾶς, an unknown bird.
- Elasmonetta** SALVADORI, Catal. Birds Brit. Mus., XXVII, 1895, p. 287.
 Type, *Anas chlorotis* Gray [Anatidæ.]
 'Ελασμονέττα, a thin plate; νῆττα, a duck.
- Elathea** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. viii.
 New name for “*Brachypus* Gould” [Pycnonotidæ.]
- Electron** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. viii.
 New name for “*Crypticus* Bonaparte” [Momotidæ.]
 "Ηλεκτρόν, something bright and beaming.
- †**Elornis** AYMARD, Congrès Sci. de France, 1856, I, p. 234.
 Type, *Elornis antiquus* Aymard [Phænicopteridæ.]
 "Ελος, low ground bordering rivers, a marsh; ὄρνις, a bird.
- Emarginata** SHELLEY, Birds of Africa, I, 1896, p. 89.
 Type, *Luscinia sinuata* Sundevall [Turdidæ.]
Emarginatus, emarginate.
- †**Enaliornis** SEELEY, Index to Fossil Remains of Aves, etc., 1869, p. xvii (*nomen nudum* here); Quart. Journ. Geol. Soc., XXXII, 1876, pp. 496–510.
 New name for *Pelagornis* Seeley (not Lartet). [Enaliornithidæ.]
 'Ενάλιος, living in the sea; ὄρνις, bird.
- Endomychura** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 201.
 New name for *Micruria* Grant, preoccupied [Alcidæ.]
 'Ενδόμυχος, concealed; οὐρά, tail.
- Entomyzon** SWAINSON, Zool. Journ., I, Jan., 1825, p. 480 (note).
 Type, the “blue-faced Grackle of Latham” (= *Gracula cyanotis* Latham) [Meliphagidæ.]
 'Εντός, within, inside; μύζω, I suck.
- Enygrotheres** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 353.
 New name for *Sticticarbo* Bonaparte, on grounds of purism.
 [Phalacrocoracidæ.]
 "Ενυγρός, in the water, aquatic; θηράω, I hunt, pursue.
- †**Eoneornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 593.
 Type, *Eoneornis australis* Ameghino [Anatidæ.]
 'Ηώς, dawn, νέος, new; ὄρνις, bird.
- Eremiornis** NORTH, Victorian Naturalist, XVII, Aug., 1900, p. 78.
 Type, *Eremiornis carteri* North [Timaliidæ.]
 'Ερημία, desert; ὄρνις, bird.

Eremopterix KAUP, Thierreich, II, Pt. 1, 1836, p. 139.

Type, *Fringilla otoleucus*, *F. cruciger* Temminck [Alaudidae.]

Eribates RIDGWAY, Proc. U. S. Nat. Mus., XVI, Oct. 25, 1893, p. 606.

Type, *Myiobius magnirostris* Gray [Tyrannidae.]
(A subgenus of *Myiarchus*.)

'*Eρι*, intensive particle; *βάτης*, one that treads or covers.

Erythrobucco SHELLEY, Ibis, ser. 6, I, Oct. 1889, p. 475.

Type, *Pogonias rolleti* Defilippi [Capitonidae.]

'*Eρυθρός*, red; + *Bucco* (*bucco*, a babbling, foolish fellow).

Erythrocnus SHARPE, Bull. Brit. Orn. Club, iii, Apr. 30, 1894, p. xxxix.

Type, *Ardea rufiventris* Sundevall [Ardeidae.]

'*Eρυθρός*, red; *ὅκνος*, bittern.

Erythrolimnas HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 320.

New name for *Rufirallus* Bonaparte, on grounds of purism.

[Rallidae.]

'*Eρυθρός*, red; *λιμνάς* (*λιμναῖος*) marshy, of the mere.

Erythrophoyx SHARPE, Bull. Brit. Orn. Club, III, Apr. 30, 1894, p. xxxviii.

Type, *Ardeiralla woodfordi* Grant [Ardeidae.]

'*Eρυθρός*, red; *φώνξ*, a kind of heron.

Erythrotriorchis "GURNEY MS.", SHARPE, Proc. Zool. Soc. Lond., 1875, p. 337.

Type, *Falco radiatus* Latham [Falconidae.]

'*Eρυθρός*, red; *τριορχος*, a kite.

Etoimus GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.

New name for *Mirafra* Horsfield [Alaudidae.]

'*Ετοίμος*, ready, prepared, real, actual.

Eucorax SHARPE, Bull. Brit. Orn. Club, IV, Dec. 29, 1894, p. xv.

Type, *Manucodia comrii* Sclater [Paradiseidae.]

Εὖ, well; *κόραξ*, a raven.

Eugralla LESSON, Actes Soc. Linn. Bordeaux, XII, no. 41, Sept., 1842, p. 197.

Type, *Troglodytes paradoxus* Kittlitz, and *Megalonyx nanus* Lesson. Should replace *Triptorhinus*! [Pteroptochidae.]
(A subgenus of *Megalonyx*.)

Euhierax WEBB and BERTHELOT, Hist. Nat. Canaries, II, Ornith., 1838-1844, p. 5.

Type, *Falco peregrinus* Linnæus (first species mentioned).

[Falconidae.]

Εὖ, well; *ἱέραξ*, a hawk.

Euhyas SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 736.

New name for *Eurypterus* Sharpe, preoccupied (see *Zapterus*).

[*Charadriidae*.]

Eὐ, well; + *Hyas*.

Eulacestoma DE VIS, Ann. Report Brit. New Guinea (1893–94), 1894, App. EE, p. 102.

Type, *Eulacestoma nigropectus* De Vis [*Laniidae*.]

Eὐλάκα, a plowshare; *στόμα*, mouth.

Eulipoa GRANT, Catal. Birds Brit. Mus., XXII, 1893, p. 462.

Type, *Megapodius wallacei* Gray [*Megapodidae*.]

Eὐ, well; + *Lipoa*.

Eumathes HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 110.

New name for *Mino* Lesson, on grounds of purism. [*Sturnidae*.]

Eὐμαθής, quick at learning.

† **Eupterornis** LEMOINE, Recher. Ois. Foss. Environs de Reims, Pt. 1, 1878, p. 56.

Type, *Eupterornis remensis* Lemoine [*Incertae sedis*.]

Eὐ, well; *πτερόν*, wing; *Ὥρνις*, bird.

Eurhinospiza OUSTALET, Ann. Sci. Nat. (Zool.), ser. 7, XII, 1891, p. 293.

Type, *Eurhinospiza henrici* Oustalet [*Fringillidae*.]

Eὐ, well; *ρίς* (*ρίν-*), nose; *σπιζα*, finch.

Eurillas OBERHOLSER, Proc. U. S. Nat. Mus., XXII, Oct. 7, 1899, p. 15.

Type, *Andropadus virens* Cassin [*Timaliidae*.]

Eὐρύς, broad; *ἰλλάς*, a thrush.

† **Euryonotus** MERCERAT, Anales Soc. Cientifica Argentina, XLIII, No. V, May, 1897, p. 238.

Type, *Euryonotus brachypterus* Mercerat (first species mentioned) [*Rallidae?*]

Eὐρύς, broad; *νωτος*, back.

Eurypterus SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 171.

Type, *Charadrius leucurus* Lichtenstein (see *Euhyas*).

[*Charadriidae*.]

Eὐρύς, broad; *πτερόν*, wing.

† **Eutelornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 594.

Type, *Eutelornis patagonicus* Ameghino [*Anatidae*.]

Eὐτελής, cheap, paltry, worthless; *Ὥρνις*, bird.

Falcinellus CUVIER, Règne Animal, I, 1817, p. 486.

Type, *Scolopax pygmaea* Gmelin [*Scolopacidae*.]

Falcinellus, dim. of *falx*, a sickle.

Fedoa STEPHENS, General Zoology, XII, Pt. 1, 1824, p. 70.

Type, *Fedoa americana* Stephens (= *Scolopax fedoa* Linnaeus).

[*Scolopacidae*.]

- † **Filholornis** MILNE-EDWARDS, Compte-Rendu Second Congrès Ornith. Int., II, 1892, p. 67.
 Type, *Filholornis paradoxa* Milne-Edwards (first species mentioned) ----- [Incertæ sedis.]
 Named for M. Henri Filhol.
- † **Flacourtia** ANDREWS, Novitates Zoologicae, II, Feb. 1, 1895, p. 25.
 Type, *Mullerornis rufus* Milne-Edwards and Grandidier ----- [Æpyornithidæ.]
 Named for Étienne de Flacourt, an early governor of Madagascar.
- † **Foetopterus** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 66.
 Type, *Foetopterus ambiguus* Moreno and Mercerat ----- [Falconidæ.]
 ?*Fætus*, offspring; πτερόν, wing.
- Formicicapa** DAUDIN, Ann. Mus. d'Hist. Nat., III, 1804, p. 146 (*nomen nudum* here?)
 Type, “*Gobe-fourmi*” (a *nomen nudum* here?) ----- [Formicariidæ.]
Formica, an ant; *capere*, to take.
- Galeolimnas** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 320.
 New name for *Mustelirallus* Bonaparte, on grounds of purism. ----- [Rallidæ.]
 Γαλέη, a weasel; λιμνάς, of the mere, marshy.
- Galeopsar** SHARPE, Ibis, ser. 6, III, Apr., 1891, p. 241.
 Type, *Galeopsar salvadorii* Sharpe ----- [Sturnidæ.]
 Γαλέη, a weasel; φάρ, starling.
- Galeripitta** ELLIOT, Monogr. Pittidæ, ed. 2, Pt. 5, 1895, p. xvii (introd.).
 Type, *Pitta cucullata* Hartlaub ----- [Pittidæ.]
 (A subgenus of *Pitta*).
Galerum, a helmet; + *Pitta*.
- Galgulus** WAGLER, Systema Avium, I, 1827, p. 326.
 Type, *Corvus gymnocephalus* Temminck ----- [Corvidæ.]
Galgalus, a name applied to a thrush-like bird.
- Gallina** LINNÆUS, in Hasselquist, Reise nach Palæstina, 1762, p. 327.
 Type, *Phasianus meleagris* Linnæus ----- [Phasianidæ.]
Gallina, a hen, fowl.
- † **Gallinuloides** EASTMAN, Geol. Mag., Feb., 1900, p. 54.
 Type *Gallinuloides wyomingensis* Eastman [Rallidæ (= Craces).]
Gallinula, + εἶδος, form.
- Gambetta** KAUP, Natürl. Syst., 1829, p. 54.
 Type, *Tringa calidris* Linnæus ----- [Scolopacidæ.]
Gambetta, an Italian name for a sandpiper.
- Gavia**, Gloger, Hand-und Hilfsbuch, I, 1842, p. 433.
 New name for *Vanellus* Brisson ----- [Charadriidæ.]

- Geniates** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 225.
 New name for *Chotorea* Bonaparte, on grounds of purism.
 [Capitonidæ.]
Γενειάτης, bearded.
- Gennadas** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 262.
 New name for *Gennaia* Kaup, 1847, (not *Gennæus* Wagler, 1832).
 [Falconidæ.]
Γενναδας, of noble birth.
- Gennaeochen** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 343.
 New name for *Radjah* Reichenbach, on grounds of purism.
 [Anatidæ.]
Γενναϊος, high born; *χήν*, goose.
- †**Genyornis** STIRLING and ZEITZ, Trans. Roy. Soc. S. Austr., XX, 1896, p. 171.
 Type, *Genyornis newtoni* Stirling and Zeitz. [Dromornithidæ.]
Γέρνυς, chin, jaw; *Ὥρνις*, bird.
- Geospiza** GLOGER, Hand-und Hilfsbuch, I, 1842, p. 254.
 Type, *Fringilla nivalis* Linnæus. [Fringillidæ.]
- †**Geranopsis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 166.
 Type, *Geranopsis hastingsiae* Lydekker. [Gruidæ.]
Γέρανος, a crane; *Ὥψις*, aspect.
- †**Geranopterus** MILNE-EDWARDS, Compte-Rendu Second Congrès Ornith. Int., II, 1892, p. 66.
 Type, *Geranopterus alatus* Milne-Edwards. [Coraciidæ.]
Γέρανος, a crane; *πτερόν*, wing.
- Glaucerodius** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 307.
 New name for *Florida* Baird, on grounds of purism. [Ardeidæ.]
Γλαυκός, bluish green, gray; *έρωδιός*, a heron.
- Gmelinius** BOUCARD, Genera of Humming Birds (in Humming Bird, IV, Pt. 1), Mar., 1894, p. 108.
 Type, *Trochilus bicolor* Gmelin. [Trochilidæ.]
 Named for Johann Friedrich Gmelin.
- Granatina** SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 403.
 Type, *Fringilla granatina* Linnæus. [Ploceidæ.]
Granatina, dim. of *granatus*.
- Gripeus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 352.
 New name for “*Graculus* Rehb., 1853” (type, *Pelecanus graculus* Linnæus). [Phalacrocoracidæ.]
Γριπεύς, a fisherman.

- †Griphornis** OWEN MS., Woodward, Intellectual Observer, II, Dec., 1862, p. 317.
 Type, *Griphornis longicaudatus* Owen MS., Woodward.
 [Archæopteryges.]
Γρῖφος, riddle; *Ὥρνις*, bird.
- †Glyptosaurus** WAGNER, Sitzungsberichte bay. Akad., II, 1861, p. 153.
 Type, *Glyptosaurus* (= *Archæopteryx*) [Archæopteryges.]
Γρῖφος, riddle; *σαῦρος*, a lizard.
- Gymnacrotaphus** BÜTTIKOFER, Notes Leyden Mus., XVII, June 9, 1896, p. 245.
 Type, *Brachypus tygus* Bonaparte (see *Bonapartia*).
 [Timaliidæ.]
Γυμνός, naked; *κρόταφος*, side of the face.
- Gymnogyps** LESSON, L'Écho du Monde Savant, ser. 2, VI, Dec. 8, 1842, col. 1037.
 Type, *Vultur californianus* Shaw [Cathartidæ.]
 (A subgenus of *Vultur*).
Γυμνός, naked; *γύψ*, a vulture.
- Gymnolæmus** GRANT, Catal. Birds Brit. Mus., XVII, 1892, p. 370.
 Type, *Anthracobelos marchii* Oustalet [Bucerotidæ.]
Γυμνός, naked; *λαιμός*, throat, gullet.
- Gymnops** SPIX, Avium Species Novæ, I, 1824, p. 10.
 Type, *Gymnops fasciatus* Spix [Falconidæ.]
Γυμνός, naked; *Ὥψ*, face.
- Hagiopsar** SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 168.
 Type, *Amydrus tristrami* Sclater [Sturnidæ.]
 " *Ἄγιος*, sacred; *ψάρ*, starling.
- Halinertus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 267.
 New name for *Haliastur* Selby, on grounds of purism.
 [Falconidæ.]
 " *Ἀλιος*, of the sea; *νέρτος*, a bird of prey.
- Halobates** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.
 New name for *Hydrobates* Boie [Procellaridæ.]
- Haploenas** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 278.
 New name for *Turacæna* Bonaparte, on grounds of purism.
 [Columbidæ.]
 ' *Ἀπλόνες*, simple, plain; *οἰνάς*, a wild pigeon.
- Haplopyga** HEUGLIN, Nachträge und Bericht. zur Ornith. Nordost-Afrika's, 1871, p. cxxxvi.
 Type, *Loxia astrild* Linnaeus [Ploceidæ.]
 ' *Ἀπλόνες*, simple; *πυγή*, rump.

Heliobucco SHELLEY, Ibis, ser. 6, I, Oct., 1889, p. 476.

Type, *Gymnobucco bonapartii* Hartlaub [Capitonidæ.]

"*Ηλιος*, the sun; + *Bucco*.

Heliocorys SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 623.

Type, *Galerida modesta* Heuglin [Alaudidæ.]

"*Ηλιος*, the sun; *κόρυς*, a lark.

Heliopais SHARPE, Bull. Brit. Orn. Club, I, Mar. 28, 1893, p. xxxvii.

Type, *Podica personata* Gray [Heliornithidæ.]

"*Ηλιος*, sun; *παις*, a child.

Hemithraupis RIDGWAY, Auk, XV, July (May 13), 1898, p. 226.

Type, *Aglaias cyanocephala* Lafresnaye [Tanagridæ.]

"*Ημισυς* (*ἡμι-*), half; *θραυπης*, a small bird.

Herophilus GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. viii.

New name for *Cecropis* Boie [Hirundinidæ.]

"*Ηρως*, a hero; *φιλος*, loving.

Heterhyphantes SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 414.

Type, *Malimbus nigricollis* Vieillot (first species mentioned).

[Ploceidæ.]

"*Ετερος*, other, different; + *Hyphantes* (*ὑφάντης*, a weaver).

Heterocnus SHARPE, Bull. Brit. Orn. Club, V, Dec. 30, 1895, p. xiv.

Type, *Tigrisoma cabanisi* Heine [Ardeidæ.]

"*Ετερος*, different; *օκνος*, a bittern.

Heteropsar SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 185.

Type, *Lamprocolius acuticaudus* Bocage (first species mentioned) [Sturnidæ.]

"*Ετερος*, different; *ψάρ*, starling.

Heteroptiloris SHARPE, Monogr. Paradiseidæ, Pt. 8, 1898, p. x.

Type, *Craspedophora mantoui* Oustalet [Paradiseidæ.]

"*Ετερος*, different; + *Ptilorhis* (*πτιλον*, a feather; *ρησ*, nose).

Heterospingus RIDGWAY, Auk, XV, July (May 13), 1898, p. 225.

Type, *Tachyphonus rubrifrons* Lawrence [Tanagridæ.]

"*Ετερος*, different; *σπιγγος* (= *σπιρος*), a small bird, a finch.

Heterotetrax SHARPE, Catal. Birds Brit. Mus., XXIII, 1894, p. 296.

New name for *Heterotis* Sharpe, preoccupied [Otididæ.]

"*Ετερος*, different; + *Tetrax* (*τέτραξ*, a pheasant).

Heterotis SHARPE, Bull. Brit. Orn. Club, I, June 1, 1893, p. 1.

Type, *Otis vigorsi* Smith (see *Heterotetrax*) [Otididæ.]

"*Ετερος*, different; + *Otis* (*ωτης*, a kind of bustard).

Heterotrogon RICHMOND, Proc. U. S. Nat. Mus., XVII, May 11, 1895, p. 602.

Type, *Hapaloderma vittatum* Shelley [Trogonidæ.]

"*Ετερος*, different; + *Trogon*.

- Hilarocichla** OATES, Fauna British India (Birds), I, Dec., 1889, p. 243.
 Type, *Pteruthius rufiventris* Blyth [Muscicapidae.]
 Ἰλαρός, cheerful, gay; κίχλη, a thrush.
- “*Hirundolanius* Clarke.” This name is referred to by Count Salvadori as having been omitted from Waterhouse’s “Index.” It, however, appears to have no standing; it was not printed in the Trans. N. Z. Inst., XIII, 1881, p. 454, and was quoted by Buller (Birds New Zealand, ed. 2, I, 1888, p. 119) only to be discredited.
- Histriophaps** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 529.
 Type, *Columba histrioionica* Gould [Peristeridae.]
Histrio, an actor; + *Phaps* (φάψ, a pigeon).
- Homopelia** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 409.
 Type, *Columba picturata* Temminck [Peristeridae.]
 (A subgenus of *Turtur*.)
 Ομός, the same, like; πέλεια, a dove.
- Horizocerus** OBERHOLSER, Proc. U. S. Nat. Mus., XXII, Oct. 9, 1899, p. 28.
 Type, *Toccus hartlaubi* Gould [Bucerotidae.]
 Ὁρίζω, I limit; κέρας, a horn.
- Horizopus** OBERHOLSER, Auk, XVI, Oct., 1899, p. 331.
 New name for *Contopus* Cabanis, 1855, not *Contipus* de Marceul, 1853 [Tyrannidae.]
 Ὁρίζω, I limit; πούς, foot.
- Horizorhinus** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 216.
 New name for *Cuphopterus* Hartlaub, preoccupied [Turdidae.]
 Ὁρίζω, I limit; φίς, nose.
- Houbaropsis** SHARPE, Bull. Brit. Orn. Club, I, June 1, 1893, p. 1.
 Type, *Otis bengalensis* Gmelin [Otididae.]
Houbara, native name of a bustard; + ὄψις, aspect.
- Houppifer** GUÉRIN-MÉNEVILLE, Icon. Règne Anim. Ois., 1829–1838, p. 26.
 Type, *Phasianus erythrophthalmus* Raffles [Phasianidae.]
Houppe, tuft, topknot; *fero*, to bear.
- Hydranassa** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 306.
 Type, *Ardea rufa* Boddaert [Ardeidae.]
 Ὠδωρ (ὤδρ-), water; ἀνασσα, queen.
- Hydrobates** TEMMINCK, Planches Coloriées, V (livr. 68), 1826, pl. 406.
 Type, *Anas lobata* Shaw [Anatidae.]
- Hydrocorax** VIEILLOT, Analyse, Apr., 1816, p. 63.
 Type, “*Cormoran* Buff.” (= *Pelecanus carbo* Linnæus).
 [Phalacrocoracidae.]
 Ὠδωρ (ὤδρ-), water; κόραξ, a raven.

Hyetoceryx HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 336.

New name for *Pluviorhynchus* Bonaparte, on grounds of purism.
[*Charadriidae.*]

'Τετός, rain; κῆρος, herald.

Hylaërops GLOGER, Hand-und Hilfsbuch, I, 1842, p. xxxv.

Type, *Galbula tridactyla* Vieillot [*Galbulidae.*]

Hylike GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Leistes* Vigors [*Icteridae.*]

'Τλική, material, worldly.

Hylorchilus NELSON, Auk, XIV, Jan., 1897, p. 71.

Type, *Catherpes sumichrasti* Lawrence [*Troglodytidae.*]

"Τλη, forest; ὄρχιλος, wren.

Hyperanthus GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Euplectes* Swainson [*Ploceidae.*]

'Υπέρ, over, excess; ἄνθος, a flower, gay color.

Hyphantospiza REICHENOW, Berichte Allgem. Deutsche Ornith. Ges., Feb., 1892, p. 6.

Type, *Coccothraustes olivaceus* Fraser [*Fringillidae.*]

'Υφαντης, a weaver; σπίζα, finch.

Hypocharmosyna SALVADORI, Catal. Birds Brit. Mus., XX, 1891, p. 72.

Type, *Psittacus placensis* Temminck [*Loriidae.*]

'Υπό, under; + *Charmosyna* (χαρμόσυνος, joyful, glad).

Hypocrites GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.

New name for *Kittacincla* Gould [*Timaliidae.*]

'Υποκριτής, one who answers, an interpreter, an actor.

†**Hypselornis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 354.

Type, *Hypselornis sivalensis* Lydekker [*Casuariidae.*]

'Υψηλός, lofty, towering; ὄρνις, bird.

†**Ibidopsis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 74.

Type, *Ibidopsis hordwelliensis* Lydekker [*Plataleidae.*]

'Ιβης (*iβιδ-*), ibis; ὄψις, appearance.

†**Idiornis** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 202.

New name for *Orthocnemus* Milne-Edwards, preoccupied.

[*Incertae sedis.*]

'Ιδιος, distinct; ὄρνις, bird.

Ifrita ROTHSCHILD, Bull. Brit. Orn. Club, VII, May 25, 1898, p. liii.

Type, *Ifrita coronata* Rothschild [*Timaliidae.*]

'Ιφριτ, a demon (Arabian).

- Ilyonetta** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 347.
 New name for *Nyroca* Fleming, on grounds of purism.
- 'Ιλύς, mud; νῆττα, a duck. [Anatidæ.]
- Incaspiza** RIDGWAY, Auk, XV, July (May 13), 1898, p. 224.
 Type, *Aimophila pulchra* Sclater [Fringillidæ.]
- Inca*, an ancient Peruvian; σπιζα, finch.
- Insignipitta** ELLIOT, Monogr. Pittidæ, ed. 2, Pt. 5, 1895, p. xviii (introd.).
 Type, *Pitta ellioti* Oustalet [Pittidæ.]
 (A subgenus of *Pitta*).
Insignis, notable; + *Pitta*.
- Ipnodomus** GLOSER, Hand- und Hilfsbuch, I, 1842, p. 304.
 Type, *Turdus figulus* Lichtenstein [Furnariidæ.]
 'Ιπνός, an oven; δόμος, house.
- Itys** WAGLER, Isis, 1831, p. 535.
 New name for *Ocypetes* Wagler (not *Ocypeta* Leach, 1814). [Thinocoridæ.]
- Ixidia** BLYTH, Journ. Asiat. Soc. Bengal, XV, 1846, p. 50.
 New name for *Ixodia* Blyth [Timaliidæ.]
- Ixodes** BLYTH, Journ. Asiat. Soc. Bengal, XV, 1846, p. 50.
 Type, same as *Ixodia* Blyth? [Timaliidæ.]
 'Ιξώδης, like birdlime; stingy.
- Jaco** LESSON, Manuel d'Ornithologie, II, June, 1828, p. 151; De Filippi, Museum Mediolanense, 1847, p. 20.
 Type, "Le perroquet gris" (= *Psittacus erythacus* Linnæus). [Psittacidæ.]
 (A subgenus of *Psittacus*).
Jaco, a poll parrot (French).
- Janthothorax** BÜTTIKOFER, Notes Leyden Museum, XVI, Mar. 15, 1895, p. 163.
 Type, *Janthothorax bensbachi* Büttikofer [Paradiseidæ.]
 "Ιον, violet, ἄρθος, flower; θώραξ, breastplate.
- Jonocicca** SALVADORI, Ann. Mus. Civ. Stor. Nat. Genova, ser. 2, III, 1887, p. 236.
 Type, *Porphyrio alleni* Thomson [Rallidæ.]
 "Ιον, violet; κίκκα, cock.
- Kakatoe** CUVIER, Leçons d'Anatomie Comparée, I, Apr., 1800, 2d tableau.
 Type, "Kakatoës" [Cacatuidæ.]
Kakatoës, cockatoo (French).
- Kittlitzia** HARTERT, Katalog Vogelsammlung Mus. Senckenb., 1891, p. 75.
 Type, *Calornis corvina* Kittlitz [Sturnidæ.]
 Named for Friedrich von Kittlitz.

- Kittlitzia** HARTLAUB, Abhandl. Nat. Ver. Bremen, XII, 1892, p. 391.
 Type, *Rallus monasa* Kittlitz (see *Aphanolimnas*) . . . [Rallidæ.]
 Named for Friedrich von Kittlitz.
- Laceryzon** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 109.
 New name for *Gracupica* Lesson, on grounds of purism.
 [Sturnidæ.]
Λακέρυζα, one that cries.
- †**Lagopterus** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 66.
 Type, *Lagopterus minutus* Moreno and Mercerat . . . [Falconidæ.]
 (See *Asthenopterus*.)
- Lambruschinia** SALVADORI, Atti Soc. Ital. Sci. Nat., VI, 1864, p. 487.
 Type, *Larus gelastes* Lichtenstein [Laridæ.]
 Named for Luigli(?) Lambruschini.
- Lamprothorax** MEYER, Abhandl. und Berichte Mus. Dresden, V, No. 2, 1894, p. 3.
 Type, *Lamprothorax wilhelminæ* Meyer [Paradiseidæ.]
Ασπρός, shining; *θώραξ*, breastplate.
- Lanioturdinus** BÜTTIKOFER, Notes Leyden Museum, XVII, 1895, p. 72.
 Type, *Corythocichla crassa* Sharpe [Timaliidæ.]
Lanius + *Turdinus*.
- Laticauda**¹ LESSON, L'Écho du Monde Savant, ser. 2, VIII, Oct. 22, 1843, col. 758.
 Type, *Trochilus tyrianthinus* Loddiges [Trochilidæ.]
 (A subgenus of *Ornismyia*.)
Latus, broad; *cauda*, tail.
- Lawrencius** BOUCARD, Genera of Humming Birds (in Humming Bird, IV, Pt. 3), Sept. 1894, p. 173.
 Type, *Euperusa cupreiceps* Lawrence [Trochilidæ.]
 Named for George Newbold Lawrence.
- Lecythoplastes** REICHENOW, Ornith. Monatsb., VI, July, 1898, p. 115.
 Type, *Lecythoplastes preussi* Reichenow [Hirundinidæ.]
Λήκυθος, an oil vase; *πλαστής*, a molder, modeler.
- Leptomyza** STEJNEGER, Standard Nat. History, IV (Birds), 1885, p. 535.
 New name for *Leptornis* Hombron & Jacquinot, preoccupied.
 [Meliphagidæ.]
- Leptopelia** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 283.
 New name for *Talpacotia* Bonaparte, on grounds of purism.
 [Peristeridæ.]
Λεπτός, delicate; *πελειά*, a dove.

¹This name has priority over and should replace *Metallura* Gould, 1847.

Leptosittaca BERLEPSCH and STOLZMANN, Ibis, ser. 6, VI, July, 1894,
p. 402.

Type, *Leptosittaca branickii* Berlepsch and Stolzmann.

[*Psittacidae.*]

Λεπτός, delicate; *σιττάκη*, a parrot.

Leptourus SWAINSON, Birds of Western Africa, II, 1838, p. 184.

Type, *Zanclostomus flavirostris* Swainson [*Cuculidae.*]

(A subgenus of *Zanclostomus*.)

Leucocarbo BONAPARTE, Conspl. Gen. Avium, II, 1855, p. 176.

Type, *Carbo bougainvillii* Lesson (first species mentioned).

[*Phalacrocoracidae.*]

(A subgenus of *Urile*.)

Λευκός, white; + *Carbo* (*carbo*, coal, charcoal).

Leucenas SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 242.

Type, *Columba grisea* Gray [*Columbidæ.*]

(A subgenus of *Columba*.)

Λευκός, white; *οἰράς*, a wild pigeon.

Leucophoyx SHARPE, Bull. Brit. Orn. Club, III, Apr. 30, 1894, p. xxxix.

Type, *Ardea candidissima* Gmelin [*Ardeidæ.*]

Λευκός, white; *φώνξ*, a species of heron.

Leucuria BANGS, Proc. Biol. Soc. Wash., XII, Oct. 31, 1898, p. 173.

Type, *Leucuria phalerata* Bangs [*Trochilidæ.*]

Λευκός, white; *οὐρά*, tail.

Lignobucco REICHENOW, Journ. für Orn., July, 1887, p. 309.

Type, *Lignobucco consobrinus* Reichenow [*Capitonidæ.*]

Lignum, wood; + *Bucco*.

Limnætus BOWDICH, Excursions in Madeira and Porto Santo, 1825,
p. 56.

Type, the *Manta* (= *Falco buteo* Linnæus) [*Falconidæ.*]

Λίμνη, a pool, marsh; *αἴτος*, eagle.

Limnogeranus SHARPE, Bull. Brit. Orn. Club, I, Mar. 28, 1893, p. xxxvii.

Type, *Ardea americana* Linnæus [*Gruidæ.*]

Λίμνη, a pool, marsh; *γέρανος*, a crane.

Limoneres REICHENOW, Journ. für Orn., July, 1885, p. 372.

New name for *Dinemellia* Reichenbach, on grounds of purism.

[*Ploceidæ.*]

Λειμωνίδης, belonging to a meadow.

Lioparus OATES, Fauna Brit. India (Birds), I, Dec., 1889, p. 174.

Type, *Proparus? chrysæus* Hodgson [*Timaliidæ.*]

Λεῖος, smooth; + *Parus* (a titmouse).

†**Liornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 570.

Type, *Liornis floweri* Ameghino [*Stereornithes.*]

Λεῖος, smooth; *ὤρνις*, bird.

†**Liptornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 597.

Type, *Liptornis hesternus* Ameghino [*Pelecanidæ?*]

†**Lithophaps** DE VIS, Proc. Linn. Soc. N. S. Wales, ser. 2, VI, Sept. 9, 1891, p. 121.

Type, *Lithophaps ulnaris* De Vis [Treronidae.]

λιθος, stone; *φασις*, a pigeon.

Lobibyx HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 334.

Type, *Tringa lobata* Latham [Charadriidae.]

Loboparadisea ROTSCHILD, Bull. Brit. Orn. Club, VI, Dec. 30, 1896, p. xv.

Type, *Loboparadisea sericea* Rothschild [Paradiseidae.]

λοβος, a lobe; + *Paradisea*.

Lobospingus DE VIS, Ibis, ser. 7, III, July, 1897, p. 389.

Type, *Lobospingus sigillifer* De Vis [Ploceidae.]

λοβος, a lobe; *σπιγγος* (= *σπιρος*), a small bird, a kind of finch.

Lochmophasis HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 298.

New name for *Gallophasis* Hodgson, on grounds of purism.

[Phasianidae.]

λόχυη, a thicket; *φασις*, the Phasian bird, pheasant.

†**Lophiornis** AMEGHINO, Revista Argentina Hist. Nat., I, Dec., 1891, p. 449.

Type, *Lophiornis obliquus* Ameghino [Stereornithes.]

λοφια, a ridge, mane; *ορνις*, bird.

Lophobasileus PLESKE, Wiss. Result. Przew. Reis., Zool. Th., 1891, pp. 95–96.

Type, *Leptopæcile elegans* Przewalski [Turdidae.]

λόφος, crest; *βασιλεύς*, a king, prince.

Lophomyia FITZINGER, Sitzungsber. Ak. Wissenschaft. Wien, XLVI, Pt. 1, 1863, p. 235.

Type, *Trochilus magnificus* Vieillot [Trochilidae.]

Lophophalaris HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 317.

New name for *Lupha* Reichenbach, on grounds of purism.

[Rallidae.]

λόφος, crest; *φαλαρίς*, a coot.

Lophozosterops HARTERT, Novitates Zoologicae, III, Dec. 29, 1896, p. 567.

Type, *Lophozosterops dohertyi* Hartert [Timaliidae.]

λόφος, crest; + *Zosterops* (*ζωστήρ*, a girdle; *ὤψ*, eye).

Loria SALVADORI, Ann. Mus. Civ. Stor. Nat. Genova, ser. 2, XIV, May 15, 1894, p. 151.

Type, *Loria loriæ* Salvadori (= *Cnemophilus*?).

[Ptilonorhynchidae.]

Named for Dr. Lamberto Loria.

- †**Loxornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 595.
 Type, *Loxornis clivus* Ameghino [Incertæ sedis.]
Aoξός, crosswise, slanting; ὄρνις, bird.
- Lybius** HERMANN, Tabula Affinitatum Animalium, 1783, pp. 217, 235.
 Type, "Le Guifso Balito" Buffon (= *Loxia tridactyla* Gmelin).
 [Capitonidæ.]
 (See *Melanobucco*.)
- Λιβύος*, a kind of bird mentioned by Aristotle.
- Lychnidospiza** HEUGLIN, Nachträge und Bericht. zur Ornith. Nordost-Afrika's, 1871, p. cxxxvii.
 Type, *Estrilda melanogaster* Heuglin [Ploceidæ.]
Αυχνίς (*λυχνίδ-*), a plant with a bright scarlet flower; σπιζα, a finch.
- Lysurus** RIDGWAY, Auk, XV, July (May 13), 1898, p. 225.
 Type, *Buarremon crassirostris* Cassin [Fringillidæ.]
Λύειν (*λυσ-*), to loose; οὐρά, tail.
- Macgregoria** DE VIS, Ibis, ser. 7, III, Apr., 1897, p. 251.
 Type, *Macgregoria pulchra* De Vis [Paradiseidæ.]
 Named for Lady McGregor, wife of the first governor of British New Guinea.
- Machlostomus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 228.
 New name for *Tucarius* Bonaparte, on grounds of purism.
 [Ramphastidæ.]
Μάχλος, wanton, lustful; στόμα, mouth.
- Malacorhynchus** WAGLER, Isis, 1832, p. 1235.
 Type, *Anas malacorhynchus* Forster [Anatidæ.]
- Manikup** DESMAREST, Hist. Nat. Tangaras, etc., 1805, text to pl. 66.
 Type, *Pipra albifrons* Gmelin [Formicariidæ.]
Manikin + huppe.
- Marisca** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. viii.
 New name for *Cossypha* Vigors [Timaliidæ.]
Marisca, a kind of fig.
- †**Megalapteryx** HAAST, Trans. Zool. Soc. Lond., XII, Pt. 5, Dec., 1886, p. 161.
 Type, *Megalapteryx hectori* Haast [Dinornithidæ.]
Μέγας (*μεγαλ-*), great; + *Apteryx* (*ἀ*, priv. + *πτέρυξ*, wing).
- Melanobucco** SHELLEY, Ibis, ser. 6, I, Oct., 1889, p. 476.
 Type, *Bucco bidentatus* Shaw (= *Lybius* Hermann).
 [Capitonidæ.]
Μέλας (*μελαν-*), black; + *Bucco*.
- Melanocarbo** BERNSTEIN, in Musschenbroek, Dagboek van Dr. H. A. Bernstein's laatste Reis van Ternate, etc., 1883, p. 119.
 Type, *Hydrocorax melanoleucus* Vieillot [Phalacrocoracidæ.]
Μέλας (*μελαν-*), black; + *Carbo* (*carbo*, coal, charcoal).

- Melanolarus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 359.
 New name for *Melagavia* Bonaparte, on grounds of purism.
 [Laridae.]
- Mέλας* (*μελαν-*), black; + *Larus* (*λάρος*, a gull).
- Melanophoyx** SHARPE, Bull. Brit. Orn. Club, III, Apr. 30, 1894, p. xxxviii.
 Type, *Ardea calceolata* Du Bus (= *Ardea ardesiaca* Wagler).
 [Ardeidae.]
- Mέλας* (*μελαν-*), black; *φώνξ*, a species of heron.
- Melanospiza** RIDGWAY, Proc. U. S. Nat. Mus., XIX, Mar. 15, 1897, p. 466 (note).
 Type, *Loxigilla richardsoni* Cory [Fringillidae.]
- Mέλας* (*μελαν-*), black; *σπιζα*, a finch.
- Melanosterna** BLYTH, Journ. Asiat. Soc. Bengal, XV, 1846, p. 373.
 Type, *Sterna anæthetus* Scopoli [Laridae.]
- Mέλας* (*μελαν-*), black; + *Sterna*.
- Melignomon** REICHENOW, Ornith. Monatsb., VI, Feb., 1898, p. 22.
 Type, *Melignomon zenkeri* Reichenow [Indicatoridae.]
- Mέλι*, honey; *γράμμων*, an inspector, guardian.
- Mellopitta** STEJNEGER, Standard Nat. History, IV (Birds), 1885, p. 466.
 New name for *Melampitta* Schlegel, preoccupied [Pittidae.]
 (See *Coracocichla*.)
- Mel* (*mell-*), honey; + *Pitta*.
- †**Mesembriornis** MORENO, Breve Reseña Prog. Mus. La Plata, segundo semestre 1888, 1889, p. 29.
 Type, *Mesembriornis milne-edwardsii* Moreno [Stereornithes.]
- Μεσημβρία*, the south; *Ὥρνις*, bird.
- Mesolophus** BÜTTIKOFER, Notes Leyden Museum, XVII, June 9, 1896, p. 247.
 Type, *Vanga flaviventris* Tickell [Timaliidae.]
- Μέσος*, middle; *λόφος*, crest.
- Mesophoyx** SHARPE, Bull. Brit. Orn. Club, III, Apr. 30, 1894, p. xxxviii.
 Type, *Ardea intermedia* Wagler. [Ardeidae.]
- Μέσος*, middle; *φώνξ*, a species of heron.
- †**Mesopteryx** HUTTON, Trans. New Zealand Inst., XXIV, May, 1892, p. 129.
 Type, *Dinornis didiformis* Owen [Dinornithidae.]
- Μέσος*, middle; + *Apteryx* (*ἀ*, priv. + *πτέρυξ*, wing).
- Mesoscolopax** SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 371.
 Type, *Numenius minutus* Gould [Scolopacidae.]
- Μέσος*, middle; + *Scolopax* (*σκολόπαξ*, a woodcock).
- Metallococcyx** REICHENOW, Ornith. Monatsb., IV, Apr., 1896, p. 54.
 Type, *Cuculus smaragdinus* Swainson [Cuculidae.]
- Μέταλλον*, a metal; *κόκκυξ*, a cuckoo.

- †**Metapteryx** DE VIS, Proc. Linn. Soc. N. S. Wales, ser. 2, VI, May 23, 1892, p. 453.
 Type, *Metapteryx bifrons* De Vis [Apterygidae.]
Mετά, beyond; + *Apteryx* (*α'*, priv. + $\pi\tau\acute{\epsilon}\rho\nu\xi$, wing).
- Mezobucco** SHELLEY, Ibis, ser. 6, I, Oct., 1889, p. 477.
 Type, *Bucco duvauceli* Lesson [Capitonidae.]
Μέσος, middle; + *Bucco*.
- Mezotreron** SHARPE, Hand-list of Birds, I, 1899, p. 56.
 Type, *Ptilopus dohertyi* Rothschild [Treronidae.]
Μέσος, middle; + *Treron* ($\tau\rho\eta\rho\omega\nu$, a dove).
- Micranous** SAUNDERS, Bull. Brit. Orn. Club, IV, Jan. 29, 1895, p. xix.
 Type, *Sterna tenuirostris* Temminck [Laridae.]
Μικρός, small; + *Anous* ($\ddot{\alpha}ροος$, silly, stupid).
- Micropelia** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 283.
 New name for *Scardafella* Bonaparte, on grounds of purism. [Peristeridae.]
Μικρός, small; $\pi\acute{\epsilon}\lambda\epsilon\iota\alpha$, a dove.
- Microsarcops** SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 133.
 Type, *Pluvianus cinerea* Blyth [Charadriidae.]
Μικρός, small; $\sigma\acute{\alpha}\rho\xi$, flesh; $\omega\psi$, face.
- Microstictus** HARGITT, Catal. Birds Brit. Mus., XVIII, 1890, p. 489.
 New name for *Lichtensteinipicus* Bonaparte, on grounds of purism [Picidae.]
Μικρός, small; $\sigma\tau\iota\kappa\tau\acute{\alpha}\oslash$, marked, spotted.
- Microtribonyx** SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxix.
 Type, *Gallinula ventralis* Gould [Rallidae.]
Μικρός, small; + *Tribonyx* ($\tau\rho\iota\beta\epsilon\iota\nu$, to rub; $\ddot{\sigma}vv\xi$, claw).
- Micruria** GRANT, Catal. Birds Brit. Mus., XXVI, 1898, p. 594.
 Type, *Brachyramphus hypoleucus* Xantus (first species mentioned). (See *Endomychura*) [Alcidae.]
Μικρός, small; + *Uria*.
- †**Milnea** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 169.
 Type, *Milnea gracilis* Lydekker [Edicnemidae.]
 Named for Alphonse Milne-Edwards.
- Mimetes** GLOGER, Hand- und Hilfsbuch, I, 1842, p. 303.
 New name for *Mimus* Boie [Mimidae.]
Μιμητής, an imitator.
- Mitrospingus** RIDGWAY, Auk, XV, July (May 13), 1898, p. 225.
 Type, *Tachyphonus cassini* Lawrence [Tanagridae.]
Μίτρων, a miter; $\sigma\pi\acute{y}\gamma\gamma\oslash$ (= $\sigma\pi\acute{y}\nu\oslash$), a kind of finch.
- †**Moa** REICHENBACH, Nat. Syst. der Vögel, 1852, p. xxx.
 Type, *Dinornis giganteus* Owen [Dinornithidae.]
Moa, its New Zealand name.

- Monedula** LINNÆUS, in Hasselquist, Reise nach Palæstina, 1762, p. 294.
 Type, *Upupa pyrrhocorax* Linnæus [Corvidæ.]
Monedula, a jackdaw.
- Monilipitta** ELLIOT, Monogr. Pittidæ, ed. 2, Pt. 5, 1895, p. xvii (introd.).
 Type, *Pitta arquata* Gould [Pittidæ.]
 (A subgenus of *Pitta*.)
- Monile*, a necklace, collar; + *Pitta*.
- †**Movia** REICHENBACH, Nat. Syst. der Vögel, 1852, p. xxx.
 Type, *Dinornis ingens* Owen [Dinornithidæ.]
 From *Moa*, its New Zealand name.
- Mülleria** BÜTTIKOFER, Notes Leyden Museum, XVII, Aug., 1895, p. 96.
 Type, *Napothera bivittata* Bonaparte [Timaliidæ.]
 Named for Salomon Müller.
- †**Mullerornis** MILNE-EDWARDS and GRANDIDIER, Comptes-Rendus Acad. Sci., CXVIII, 1894, p. 125.
 Type, *Mullerornis betsilei* Milne-Edwards and Grandidier (first species mentioned) [Æpyornithidæ.]
 Named for M. Georges Muller.
- Musciparus** REICHENOW, Ornith. Monatsb., V, Feb., 1897, p. 25.
 Type, *Musciparus tappenbecki* Reichenow [Muscicapidæ.]
Musca, a fly; + *Parus* (*parus*, a titmouse).
- Mustoxydes** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.
 New name for *Francolinus* Stephens [Phasianidæ.]
- Mychrorynchus** LESSON, L'Écho du Monde Savant, ser. 2, VIII, Oct. 22, 1843, col. 756.
 Type¹ [Trochilidæ.]
Μικρός, small; *ρύγχος*, beak.
- Myiopagis** SALVIN and GODMAN, Biol. Centr.-Amer., Aves, II, Dec., 1888, p. 26.
 Type, *Elainea placens* Sclater [Tyrannidæ.]
Mvīa, a fly; *παγίσ*, a trap.
- Myiosobus** REICHENOW, Journ. für Orn., Apr., 1891, p. 210.
 Type, *Myiosobus fulvicauda* Reichenow [Muscicapidæ.]
Mvīa, a fly; *σοβέω*, to drive away.
- Myospiza** RIDGWAY, Auk, XV, July (May 13), 1898, p. 224.
 Type, *Fringilla manimbe* Lichtenstein [Fringillidæ.]
Mūs, a mouse; *σπιζα*, a finch.
- Myrmochanes** ALLEN, Bull. Amer. Mus. Nat. Hist., II, Mar. 22, 1889, p. 95.
 Type, *Myrmochanes hypoleucus* Allen [Formicariidæ.]
Μύρμηξ, an ant; *χαίρω*, I gape, yawn, snap.

¹Proposed as a subgenus or “race” of *Ornismyia*, with the following species: *O. heteropogon* Boissonneau, *O. iris* Lesson (“*Or. cupripennis*, Bourcier.??”), *O. phœbe* Lesson and Delattre, *O. rhami* Lesson, *O. parzudaki* Lesson, *O. michroryncha* Boissonneau.

Mystrorhamphus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 313.

New name for *Ajaja* Reichenbach, on grounds of purism.

[*Plataleidae.*]

Mύστρον, a spoon; *δάμφος*, bill.

Myza MEYER and WIGLESWORTH, Abhandl. und Berichte Mus. Dresden, V, no. 8, 1895, p. 11.

Type, *Myza sarasinorum* Meyer and Wiglesworth.

[*Meliphagidae.*]

Mυζάω, I suck.

Nannochordeiles HARTERT, Ibis, ser. 7, II, July, 1896, p. 374.

Type, *Chordeiles pusillus* Gould ----- [*Caprimulgidae.*]

Νάρνος, dwarf; + *Chordeiles* (*χορδή*, a harp string; *δειλη*, evening).

Nannopterum SHARPE, Hand-list of Birds, I, 1899, p. 235.

Type, *Phalacrocorax harrisi* Rothschild ----- [*Phalacrocoracidae.*]

Νάρνος, dwarf; *πτερόν*, wing.

†**Necrastur** DE VIS, Proc. Linn. Soc. N. S. Wales, ser. 2, VI, May 23, 1892, p. 437.

Type, *Necrastur alacer* De Vis ----- [*Falconidae.*]

Νεκρός, dead; *astur*, a goshawk.

†**Necrobyas** MILNE-EDWARDS, Compte-Rendu Second Congrès Ornith. Int., II, 1892, p. 61.

Type, *Necrobyas harpax* Milne-Edwards (first species mentioned) ----- [*Bubonidae.*]

Νεκρός, dead; *βύας*, the owl.

†**Necropsar** "SLATER," A. GÜNTHER and E. NEWTON, Philos. Trans., 168, 1879, p. 427.

Type, *Necropsar rodericanus* "Slater," A. Günther and E. Newton ----- [*Sturnidae.*]

Νεκρός, dead; *ψάρ*, starling.

†**Necropsittacus** MILNE-EDWARDS, Ann. Sci. Nat. (Zool.), ser. 5, XIX, 1874, p. 18.

Type, *Psittacus rodericanus* Milne-Edwards ----- [*Psittacidae.*]

Νεκρός, dead; *ψίττακος*, a parrot.

Neneba DE VIS, Ibis, ser. 7, III, July, 1897, p. 384.

Type, *Neneba prasina* De Vis ----- [*Meliphagidae.*]

Named from the type locality (Neneba, Mt. Scratchley, Brit. New Guinea).

Neolesbia SALVIN, Catal. Birds Brit. Mus., XVI, 1892, p. 145.

Type, *Cyanolesbia nehrkorni* Berlepsch ----- [*Trochilidae.*]

Νέος, new; + *Lesbia* (*Λεσβία*, Lesbian).

Neophema SALVADORI, Catal. Birds Brit. Mus., XX, 1891, p. 569.

Type, *Psittacus pulchellus* Shaw ----- [*Psittacidae.*]

Νέος, new; *φήμη*, voice.

- Neotis** SHARPE, Bull. Brit. Orn. Club, I, June 1, 1893, p. 1.
 Type, *Otis ludwigii* Rüppell [Otididae.]
Nέος, new; + *Otis* ($\omega\tauίς$, a kind of bustard).
- Nesacanthis** SHARPE, Catal. Birds Brit. Mus., XIII, 1890, 483.
 Type, *Foudia eminentissima* Bonaparte [Ploceidae.]
Nῆσος, an island; + *Acanthis* ($\alpha\kappaανθίς$, a goldfinch).
- Neshyphantes** SHELLEY, Birds of Africa, I, 1896, p. 36.
 Type, *Foudia flavicans* E. Newton [Ploceidae.]
Nῆσος, island; + *Hypantes* ($\nu\phi\alphaντης$, a weaver).
- Nesierax** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 203.
 New name for *Harpe* Bonaparte, preoccupied [Falconidae.]
Nῆσος island; $i\acute{e}ραξ$, a hawk.
- Nesillas** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 211.
 New name for *Ellisia* Hartlaub, preoccupied [Timaliidae.]
Nῆσος, island; $i\lambda\acute{a}s$, a thrush.
- Nesochen** SALVADORI, Catal. Birds Brit. Mus., XXVII, 1895, p. 126.
 Type, *Anser sandvicensis* Vigors [Anatidae.]
Nῆσος, island; $\chi\acute{e}ν$, a goose.
- Nesoctites** HARGITT, Catal. Birds Brit. Mus., XVIII, 1890, p. 552.
 Type, *Picumnus micromegas* Sundevall [Picidae.]
Nῆσος, island; $\kappa\tauίτης$, a colonist, inhabitant.
- Nesoenas** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 327.
 Type, *Columba mayeri* Marchal [Columbidæ.]
Nῆσος, island; $oīvās$, a wild pigeon.
- Nesolimnas** ANDREWS, Novitates Zoologicae, III, Sept. 18, 1896, p. 266.
 Type, *Rallus dieffenbachi* J. E. Gray [Rallidae.]
Nῆσος, island; $\lambdaιμνάς$ ($\lambdaιμναῖος$), marshy, of the mere.
- Nesomimus** RIDGWAY, Proc. U. S. Nat. Mus., XII, Feb. 5, 1890, p. 102.
 Type, *Orpheus melanotis* Gould [Mimidae.]
Nῆσος, island; + *Mimus* ($\muīμος$, an imitator).
- Nesotriccus** C. H. TOWNSEND, Bull. Mus. Comp. Zool., XXVII, July, 1895, p. 124.
 Type, *Nesotriccus ridgwayi* C. H. Townsend [Tyrannidae.]
Nῆσος, island; + *Triccus* ($\tauρίκκος$, a small bird).
- Nettalopex** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 343.
 New name for *Casarca* Bonaparte, on grounds of purism.
 [Anatidae.]
Nῆττα, a duck; $\alpha\lambda\acute{e}πηξ$, a fox.
- Notophoyx** SHARPE, Bull. Brit. Orn. Club, V, Dec. 30, 1895, p. xiii.
 Type, *Ardea nova-hollandiae* Latham [Ardeidae.]
Nότος, the south; $\phi\acute{e}νξ$, a species of heron.

- Nyctalatinus** "KAUP, 1854," GRAY, Catal. Genera and Subgenera of Birds, 1855, p. 135.
 Type, *Nyctalatinus albipunctatus* Kaup (= *Nyctale harrisi* Cassin) [Bubonidæ.]
- Nycticorax** FORSTER, Synoptical Catalogue of British Birds, 1817, p. 59.
 Type, *Nycticorax infaustus* Forster (= *Ardea nycticorax*). [Ardeidæ.]
- Nύξ* (*νυκτ-*), night; *κόραξ*, a raven.
- Nyctimene** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 252.
 New name for *Macabra* Bonaparte [Bubonidæ.]
- Nύξ* (*νυκτ-*), night; *μήνη*, the moon.
- Oenænas** SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 248.
 Type, *Columba nigrirostris* Sclater (first species mentioned)
 (A subgenus of *Columba*) [Columbidæ.]
- Oίνος*, wine; *oiváσ* (*λιμνάσ*), marshy, of the mere.
- Oenolimnas** SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.
 Type, *Rallina isabellina* Schlegel [Rallidæ.]
- Oivωπόσ*, wine-colored; *πέλεια*, a dove.
- Oenopelia** BLANFORD, Fauna of Brit. India (Birds), IV, 1898, p. 47.
 Type, *Columba tranquebarica* Hermann [Peristeridæ.]
- Oivωπόσ*, wine-colored; *πέλεια*, a dove.
- Onychornis** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.
 New name for *Megalonyx* "d'Orbigny" [Pteroptochidæ.]
- "*Ονυχ* (*ονυχ-*), a claw; *Ὥρνις*, bird.
- Ophrydornis** BÜTTIKOFER, Notes Leyden Museum, XVII, Aug., 1895, p. 101.
 Type, *Setaria albicularis* Blyth [Timaliidæ.]
- '*Οφρύς*, eyebrow; *Ὥρνις*, bird.
- †Opisthodactylus** AMEGHINO, Revista Argentina Hist. Nat., I, Dec., 1891, p. 453.
 Type, *Opisthodactylus patagonicus* Ameghino [Stereornithes.]
- '*Οπισθοδάκτυλος*, with fingers bent backward.
- Oreocistes** SHARPE, Ibis, ser. 5, VI, Oct., 1888, p. 388.
 Type, *Oreocistes leucops* Sharpe [Timaliidæ.]
- "*Ορος* (*ορε-*), mountain; *κτίστης*, a settler.
- Oreospiza** RIDGWAY, Manual N. A. Birds, ed. 2, Apr. 2, 1896, p. 605.
 Type, *Fringilla chlorura* Audubon [Fringillidæ.]
- "*Ορος* (*ορε-*), mountain; *σπίζα*, finch.
- Oreospiza** DE VIS, Ibis, ser. 7, III, July, 1897, p. 388.
 Type, *Oreospiza fuliginosa* De Vis (see *Oreostruthus*). [Ploceiādæ.]
- "*Ορος* (*ορε-*), mountain; *σπίζα*, finch.

Oreostruthus DE VIS, Ibis, ser. 7, IV, Jan., 1898, p. 175.

New name for *Oreospiza* De Vis, preoccupied [Ploceidae.]

"*Oρος* (*όρε-*), mountain; *στρουθός*, sparrow.

Ornatipitta ELLIOT, Monogr. Pittidæ, ed. 2, Pt. 5, 1895, p. xviii (introd.).

Type, *Turdus guajanus* Müller [Pittidæ.]
(A subgenus of *Pitta*.)

Ornatus, decorated, adorned; + *Pitta*.

†**Ornithodesmus** SEELEY, Quart. Journ. Geol. Soc., XLIII, 1887, p. 206.

Type, *Ornithodesmus cluniculus* Seeley [Incertæ sedis.]

"*Oρνις* (*όρνιθ-*), a bird; *δεσμός*, a bond.

Oronertus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein.

Orn., 1890, p. 272.

New name for *Phalcobænus* Lafresnaye, on grounds of purism. [Falconidæ.]

"*Oρος*, mountain; *νέρτος*, a bird of prey.

†**Orthocnemus** MILNE-EDWARDS, Compte-Rendu Second Congrès Ornith.

Int., II, 1892, p. 74.

Type, *Orthocnemus gallicus* Milne-Edwards (first species mentioned). (See *Idiornis*) [Incertæ sedis.]

"*Ορθός*, straight; *κνήμη*, leg.

Ortholophus GRANT, Catal. Birds Brit. Mus., XVII, 1892, p. 424.

Type, *Buceros albocristatus* Cassin (first species mentioned).

[Bucerotidæ.]

"*Ορθός*, straight, upright; *λοφος*, crest.

Ortygonax HEINE, in Heine and Reichenow, Nomencl. Mus. Hein.

Orn., 1890, p. 321.

Type, *Rallus rytirhynchus* Vieillot (first species mentioned).

[Rallidæ.]

"*Ορτυξ* (*όρτυγ-*), a quail; *ἄραξ*, king.

Ortygops HEINE, in Heine and Reichenow, Nomencl. Mus. Hein.

Orn., 1890, p. 320.

New name for *Coturnicops* Bonaparte, on grounds of purism.

[Rallidæ.]

"*Ορτυξ* (*όρτυγ-*), a quail; + *Ὥψ*.

Oryzivora JERDON, Birds of India, II, 1863, p. 359.

Type, *Oryzivora leucotis* "Blyth," Jerdon [Ploceidae.]

Oryza, rice; *vorare*, to devour.

†**Osteornis** GERVAIS, Bull. Soc. Philomath. de Paris, III, 1844, pp. 68-69.

Type, *Osteornis ardeaceus* Gervais (first species mentioned).

[Incertæ sedis.]

"*Οστέον*, bone; *Ὥρνις*, bird.

Ostiarius GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.

New name for " *Psilopus* Oken, Gould" [Muscicapidæ.]

Ostiarius, a doorkeeper.

Othyphantes SHELLEY, Birds of Africa, I, 1896, p. 37.

Type, *Sycobrotus reichenowi* Fischer [Ploceidae.]

Οὐς (ωτ-), ear; + *Hypantes* (ὑφάντης, a weaver).

†**Owenornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 64.

Type, *Owenornis affinis* Moreno and Mercerat (first species mentioned) [Stereornithes.]

Named for Richard Owen.

Oxypelia SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 490.

Type, *Peristera cyanopus* Pelzeln [Peristeridae.]

Ὀξύς, sharp, keen; πέλεια, a dove.

Pachycephalixus BÜTTIKOFER, Notes Leyden Museum, XVII, June 9, 1896, p. 241.

Type, *Muscicapa sinensis* Gmelin [Pycnonotidae.]

Pachycephala (παχύς, thick; κεφαλή, head), + *Iaxus* (ἰξός, a miser).

†**Pachyornis** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 316.

Type, *Dinornis elephantopus* Owen [Dinornithidae.]

Παχύς, thick; ὄρνις, bird.

Pachyphantes SHELLEY, Birds of Africa, I, 1896, p. 36.

Type, *Hypphantornis superciliosus* Shelley [Ploceidae.]

Παχύς, thick; + *Hypantes* (ὑφάντης, a weaver).

†**Palaeo-casuarius** FORBES, Trans. New Zealand Inst., XXIV, May, 1892, p. 189.

A nomen nudum here [Dinornithidae.]

Παλαιός, ancient; + *Casuarius* (kassuwaris, a native name).

†**Palæociconia** MORENO, Breve Reseña Prog. Mus. La Plata segundo semestre 1888, 1889, p. 30.

Type, *Palæociconia australis* Moreno [Stereornithes.]

Παλαιός, ancient; + *Ciconia* (ciconia, a stork).

†**Palæocolymbus** SEELEY, Proc. Cambridge Philos. Soc., I, 1864, p. 228 (nomen nudum).

Type, *Palæocolymbus barretti* Seeley (nomen nudum).

[Enaliornithidae.]

Παλαιός, ancient; + *Colymbus* (κόλυμβος, a diver).

†**Palæocorax** FORBES, Bull. Brit. Orn. Club, I, Dec. 31, 1892, p. xxi.

Type, *Corvus moriorum* Forbes [Corvidæ.]

Παλαιός, ancient; κόραξ, a raven.

†**Palæocryptonyx** DEPÉRET, Comptes Rendus Acad. Sci., CXIV, Mar., 1892, p. 691.

Type, *Palæocryptonyx donnezani* Depéret [Phasianidae.]

Παλαιός, ancient; + *Cryptonyx* (κρυπτός, hidden; ὄρνξ, claw).

†**Palæogrus** PORTIS, Mem. R. Acc. Sci. Torino, ser. 2, XXXVI, 1885, p. 362.

Type, *Palæogrus princeps* Portis [Gruidae.]

Παλαιός, ancient; + *Grus* (grus, a crane).

†Palæolimnas FORBES, Ibis, ser. 6, V, Oct., 1893, p. 544.

Type, *Fulica newtoni* Milne-Edwards [Rallidae.]

Παλαιός, ancient; *λιμνάς* (*λιμναῖος*), marshy, of the mere.

†Palæopelargus DE VIS, Proc. Linn. Soc. N. S. Wales, ser. 2, VI, May 23, 1892, p. 441.

Type, *Palæopelargus nobilis* De Vis [Ciconiidae.]

Παλαιός, ancient; *πελαργός*, a stork.

†Palæospheniscus MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 29.

Type, *Palæospheniscus patagonicus* Moreno and Mercerat.¹

[Spheniscidae.]

Παλαιός, ancient; + *Spheniscus* (*σφηνίσκος*, *σφήν*, a wedge).

†Palæotetrix SHUFELDT, Journ. Acad. Nat. Sci. Phila., XI, 1892, p. 415.

Type, *Palæotetrix gilli* Shufeldt [Tetraonidae.]

Παλαιός, ancient; *τέτρων*, a grouse.

†Palaetus MILNE-EDWARDS, Rech. Ois. Foss. France, II, 1870, p. 571 (a *nomen nudum* here).

Type, *Palaetus rapax* Milne-Edwards (a *nomen nudum* here).

[Falconidae.]

Παλαιός, ancient; *αετός*, eagle.

Pallasicarbo COUES, Osprey, III, May (June 10), 1899, p. 144.

Type, *Phalacrocorax perspicillatus* Pallas [Phalacrocoracidae.]

(A subgenus of *Phalacrocorax*.)

Pallas,² one of the giants; + *Carbo* (*carbo*, coal, charcoal).

Palmeria ROTHSCHILD, Ibis, ser. 6, V, Jan., 1893, p. 113.

Type, *Palmeria mirabilis* Rothschild (= *Himationedolei* Wilson).

[Drepanidae.]

Named for Henry Palmer.

Palumbis FORSTER, Synoptical Catalogue of British Birds, 1817, p. 55.

Type, *Columba palumbus* Linnaeus [Columbidae.]

Palumbus, a wood pigeon.

Pan RICHMOND, Auk, XVI, Jan., 1899, p. 77.

New name for *Tetragonops* Jardine, preoccupied (see *Semnornis*) [Capitonidae.]

Πάν, *Pan*, a god of the forest.

Paramythia DE VIS, Ann. Report Brit. New Guinea (1890–91), 1892,

App. CC, p. 95.

Type, *Paramythia montium* De Vis.

[Sturnidae (= Paramythiidae).]

Παραμυθία, encouragement, consolation.

¹ *P. antarcticus* Moreno and Mercerat is the first species mentioned, but Ameghino has selected this as the type of another genus (*Paraptenodytes*). *Palæospheniscus patagonicus*, which is second on the list, may perhaps stand as the type of the genus.

² Or for Peter Simon Pallas.

- †**Paraptenodytes** AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 447.
 Type, *Palaeospheniscus antarcticus* Moreno and Mercerat.
 [Spheniscidae.]
Παρά, beside; + *Aptenodytes* (*ἀπτενός*, wingless; *δύτης*, diver).
- Pardaliparus** DE SELYS-LONGCHAMPS, Bull. Soc. Zool. France, IX, 1884, p. 73.
 Type, *Parus elegans* Lesson (first species mentioned). - [Paridae.]
Pardalotus + *Parus*.
- Parnopio** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 314.
 New name for *Hagedashia* Bonaparte, on grounds of purism.
 [Ibididae.]
- Paryphephorus** MEYER, Ibis, ser. 6, II, Oct., 1890, p. 420.
 Type, *Craspedophora duivenbodei* Meyer [Paradiseidae.]
Παρυφή, a hem or border; *φορέω*, I bear.
- †**Patagornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen., I), 1891, p. 55.
 Type, *Patagornis marshi* Moreno and Mercerat (first species mentioned) [Stereornithes.]
Patagonia; *ὄρνις*, bird.
- Pecuarius** TEMMINCK, Manuel d'Ornithologie, ed. 2, III, 1835, p. 76.
 Substitute name for *Pastor* Temminck [Sturnidae.]
Pecuarius, relating to cattle, a grazier.
- Pedilorrhynchus** REICHENOW, Journ. für Orn., Jan., 1892, p. 34.
 Type, *Pedilorrhynchus stuhlmanni* Reichenow [Muscicapidae.]
Πέδιλον, a sandal; *ρύγχος*, bill.
- †**Pelagornis** SEELEY, Ann. Mag. Nat. Hist., ser. 3, XVIII, Aug., 1866, p. 110 (a *nomen nudum* here).
 Type, *Pelagornis barretti* Seeley (a *nomen nudum* here).
 [Enaliornithidae.]
- †**Pelargocrex** MILNE-EDWARDS, Bull. Brit. Orn. Club, I, July 4, 1893, p. liv.
 New name for *Pelargopsis* Milne-Edwards, preoccupied (see *Pelargopappus*) [Ciconiidae.]
Πελαργός, a stork; + *Crex* (*κρέξ*, a crake).
- †**Pelargodes** LYDEKKER, Proc. Zool. Soc. Lond., Apr. 1, 1892, p. 477.
 New name for *Pelargopsis* Milne-Edwards, preoccupied.
 [Ciconiidae.]
Πελαργός, a stork; *εἶδος*, form.
- †**Pelargopappus** STEJNEGER, Standard Nat. History, IV (Birds), 1885, p. 163.
 New name for *Pelargopsis* Milne-Edwards, preoccupied.
 [Ciconiidae.]
Πελαργός, a stork; *πάππος*, a grandfather.

- †Pelargopsis** MILNE-EDWARDS, Rech. Ois. Foss. France, I, 1867, p. 460.
 Type, *Pelargopsis magna* Milne-Edwards (see *Pelargodes*; *Pelargocrex*; *Pelargopappus*) [Ciconiidæ.]
 Πελαργός, a stork; ὄψις, look, appearance.
- Pelasgia** ISID. GEOFFROY ST.-HILAIRE, L'Écho du Monde Savant, III, 1837, p. 74.
 Type, *Hirundo pelagica* LINNÆUS [Micropodidæ.]
 Πελασγία, *Pelasgia*, an early name of Greece.
- †Pelecyornis** AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 448.
 New name for *Psilopterus* MORENO and MERCERAT. [Stereornithes.]
- Peltohyas** SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 307.
 Type, *Eudromias australis* GOULD [Charadriidæ.]
 Πέλτη, a shield; + *Hyas*.
- Penthetriopsis** SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 220.
 Type, *Loxia moineau* MÜLLER (first species mentioned).
 [Ploceidæ.]
Penthetria (πενθήτρια, a mourner); + ὄψις, aspect.
- Perisocephalus** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 209.
 New name for *Gymnocephalus* ISID. Geoffroy St.-Hilaire, preoccupied (see *Calvifrons*) [Cotingidæ.]
 Περισσός, wonderful; κεφαλή, head.
- Perissornis**¹ OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 216.
 New name for *Dilophus* VIEILLOT, preoccupied [Sturnidæ.]
 Περισσός, wonderful; ὄρνις, bird.
- Perissospiza** OBERHOLSER, Proc. U. S. Nat. Mus., XXII, Apr. 23, 1900, p. 227.
 New name for *Pycnorhamphus* HUME, preoccupied.
 [Fringillidæ.]
 Περισσός, wonderful; σπιζα, a finch.
- Phacelias** HEINE, in Heine and REICHENOW, Nomencl. Mus. Hein. Orn., 1890, p. 67.
 New name for *Kelaartia* BLYTH, on grounds of purism.
 [Timaliidæ.]
 Φάκελος, a bundle.
- Phaedrus** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.
 New name for *Ixos* TEMMINCK [Pycnonotidæ.]
 Φαιδρός, beaming, radiant.
- Phaeospiza** BOCAGE, Jorn. Sci. Math., Phys. e Nat. Lisboa, XII, no. xlvi, Jan., 1888, p. 148.
 Type, *Phaeospiza thomensis* Bocage (= *Ligurnus rufobrunneus* Gray) [Fringillidæ.]
 Φαιός, dusky; σπιζα, a finch.

¹ *Perissornis* will have to give way to *Creatophora* LESSON, 1847.

Phassa HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 281.

New name for *Ramphiculus* Bonaparte, on grounds of purism.
[*Treronidae*.]

Φάσσα, the wood pigeon.

Philomela LINCK, Beschr. Natur. Samml. Univers. Rostock, I, 1806, p. 3.

Substitute name for *Sylvia* Bechstein [*Turdidae*.]

Phoenicurus FORSTER, Synoptical Catalogue of British Birds, 1817, p. 16.

Type, *Phoenicurus ruficilla* Forster (= *Motacilla phoenicurus* Linnæus) [*Turdidae*.]

Pholia REICHENOW, Ornith. Monatsb., VIII, July, 1900, p. 99.

Type, *Pholia hirundinea* Reichenow [*Muscicapidae*.]

Φωλία (*φωλεία*), life in a hole or cave.

† **Phorusrhacos**¹ AMEGHINO, Enum. List. Especies Mam. Fósiles, Dec., 1887, p. 24.

Type, *Phorusrhacos longissimus* Ameghino [*Stereornithes*.]

Φορός, bearing; *ράκος*, a ragged garment.

Phyllopezus "SHARPE MS.", SHELLEY, Birds of Africa, I, 1896, p. 187.

Type, *Parra africana* Gmelin (see *Actophilus*) [*Jacanidae*.]

Φύλλον, a leaf; *πεζός*, walking.

† **Physornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 576.

Type, *Physornis fortis* Ameghino [*Stereornithes*.]

Φῦσα, bellows; *Ὥρνις*, bird.

Piculus ISID. GEOFFROY ST.-HILAIRE, Nouv. Ann. du Mus. d'Hist. Nat., ser. 3, I, 1832, p. 396.

Type, *Yunx minuta* Vieillot [*Picidae*.]

Piculus, dim. of *picus*, a woodpecker.

Piculus HODGSON, Journ. Asiat. Soc. Bengal, X, Pt. 1, 1841, p. 21.

New name for *Vivia* Hodgson, on grounds of purism. [*Picidae*.]

Piculus, dim. of *picus*, a woodpecker.

Piculus BREHM, Isis, Sept., 1842, p. 650.

Type, *Picus minor* Linnæus [*Picidae*.]

Piculus dim. of *picus*, a woodpecker.

Pionites HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 231.

New name for *Caica* Lesson, on grounds of purism.

[*Psittacidae*.]

Πίων, plump, sleek; with suffix *ites*.

¹This has been amended to *Phororhacos* Ameghino, Revista Argentina Hist. Nat., i, Aug., 1891, p. 256; also to *Phororhacis*, Sclater, Ibis, Jan., 1893, p. 41 (note), where the derivation is assumed to be *φορέω*, and *ράκης*.

- Pisynolimnas** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 317.
 New name for *Erythra* Reichenbach, on grounds of purism. [Rallidae.]
Πίσυννος, confiding in; *λιμνάς*, marshy, of the mere.
- Pithecophaga** GRANT, Bull. Brit. Orn. Club, VI, Dec. 30, 1896, p. xvi.
 Type, *Pithecophaga jefferyi* Grant [Falconidae.]
Πίθηκος, a monkey; *φαγεῖν* (*φάγος*), to eat.
- Plagiospiza** RIDGWAY, Auk, XV, July (May 13), 1898, p. 224.
 Type, *Aimophila superciliosa* Swainson [Fringillidae.]
Πλάγιος, oblique; *σπίζα*, a finch.
- Plectroperdix** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 293.
 New name for *Hepburnia* Bonaparte, on grounds of purism. [Phasianidae.]
Πλῆκτρον, a cock's spur; + *Perdix* (*πέρδιξ*, a partridge).
- Plectrura** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.
 New name for *Oxyura* Bonaparte [Anatidae.]
Πλῆκτρον, a paddle; *οὐρά*, tail.
- Poecilotreron** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 281.
 New name for *Sylphidæna* Bonaparte, on grounds of purism. [Treronidae.]
Ποικίλος, spotted, mottled; *τρήρων*, a dove.
- Pogonites** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 226.
 New name for *Buccanodon* “Verreaux” Hartlaub, on grounds of purism [Capitonidae.]
Πωγωνίτης, bearded.
- Polemaëtus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 270.
 Type, *Falco bellicosus* Daudin [Falconidae.]
Πόλεμος, war; *ετός*, eagle.
- Poliolimnas** SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.
 Type, *Porphyrio cinereus* Vieillot [Rallidae.]
Πολιός, gray; *λιμνάς* (*λιμναῖος*), marshy.
- Polionetta** OATES, Manual Game Birds of India, Pt. 2, May 18, 1899, p. 149.
 Type, *Anas pacilorhyncha* Forster [Anatidae.]
Πολιός, gray; *νῆττα*, a duck.
- Poliopsar** SHARPE, Ibis, ser. 5, VI, Oct., 1888, p. 476.
 Type, *Sturnus sericeus* Gmelin (see *Spodiopsar*) [Sturnidae.]
Πολιός, gray; *ψάρ*, starling.

Poospizopsis BERLEPSCH, Ibis, ser. 6, V, Apr., 1893, p. 208.

Type, *Poospiza cæsar* Sclater and Salvin [Fringillidæ.]

Poospiza ($\pi\circ\alpha$, grass; $\sigma\pi\iota\zeta\alpha$, finch); + $\ddot{\sigma}\rho\nu\varsigma$, aspect.

Porphyreicephalus REICHENOW, Vogelbild., Syst. Verz., 1883, p. 1.

Emendation of *Purpureicephalus* Bonaparte [Psittacidæ.]

$\Pi\circ\rho\phi\acute{u}\rho\alpha$, purple; $\kappa\epsilon\phi\alpha\lambda\acute{h}$, head.

Porphyriornis ALLEN, Bull. Amer. Mus. Nat. Hist., IV, May 9, 1892, p. 57.

Type, *Porphyriornis comeri* Allen [Rallidæ.]

$\Pi\circ\rho\phi\acute{u}\rho\alpha$, purple; $\ddot{\sigma}\rho\nu\varsigma$, bird.

Porzanula FROHAWK, Ann. and Mag. Nat. Hist., ser. 6, IX, Mar., 1892, p. 247.

Type, *Porzanula palmeri* Frohawk [Rallidæ.]

Porzanula, dim. of *Porzana*.

Potamochelidon HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 355.

New name for *Seena* Blyth, on grounds of purism [Laridæ.]

$\Pi\circ\tau\alpha\mu\circ\varsigma$, river; $\chi\epsilon\lambda\iota\delta\acute{\omega}\nu$, a swallow.

Pratincola DEGLAND, Ornithologie Européenne, II, 1849, p. 106.

Type, *Hirundo pratincola* Linnæus (first species mentioned).

[Cursoriidæ.]

Pratum, a meadow; *incola*, inhabitant.

Premnoplex CHERRIE, Proc. U. S. Nat. Mus., XIV, Sept. 4, 1891, p. 339.

Type, *Margarornis brunnescens* Lawrence [Dendrocolaptidæ.]

$\Pi\circ\acute{\rho}\mu\nu\circ\varsigma$, a stump, tree trunk; $\pi\lambda\acute{y}\sigma\sigma\omega$, to strike.

Prionornis "SCLATER MS." SALVIN and GODMAN, Biol. Centr.-Amer., Aves, II, May, 1895, p. 454.

New name for *Prionirhynchus* Sclater, preoccupied.

[Momotidæ.]

$\Pi\circ\rho\acute{\iota}\omega\varsigma$, a saw; $\ddot{\sigma}\rho\nu\varsigma$, bird.

Prister HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 350.

Type, *Mergus brasiliensis* Vieillot [Anatidæ.]

$\Pi\circ\rho\iota\sigma\tau\acute{h}\rho$, a sawyer.

† **Prociconia** AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 445.

Type, *Prociconia lydekkeri* Ameghino [Ciconiidæ.]

Pro, before; + *Ciconia* (*ciconia*, a stork).

† **Proherodius** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 60.

Type, *Proherodius oweni* Lydekker [Ardeidae?]

$\Pi\circ\rho\acute{o}$, before; + *Herodius* ($\acute{\epsilon}\rho\omega\delta\iota\circ\varsigma$, heron).

† **Propelargus** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 65.

Type, *Propelargus cayluxensis* Lydekker [Ciconiidæ.]

$\Pi\circ\rho\acute{o}$, before; $\pi\epsilon\lambda\alpha\gamma\acute{\omega}\varsigma$, a stork.

- † **Prophaethon** ANDREWS, Proc. Zool. Soc. Lond., Pt. 3, Oct. 1, 1899,
p. 776.
Type, *Prophaethon shrubsolei* Andrews [Phaëthontidæ.]
Πρό, before; + *Phaethon*.
- Prospoietus** CABANIS, Journ. für Orn., Jan., 1892, p. 126.
Type, *Pachyrhamphus albinucha* Burmeister (see *Xenopsaris*).
[Cotingidæ.]
Προσποιητός, assumed, pretended, adopted.
- † **Protibis**¹ AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 445.
Type, *Protibis cnemialis* Ameghino [Plataleidæ.]
Πρώτος, the first; + *Ibis* (*ἰβις*, the ibis).
- † **Protornis** H. VON MEYER, Neues Jahrb. für Mineralogie, 1844, p. 338.
Type, *Protornis glarniensis* von Meyer [Incertæ sedis.]
Πρώτος, the first; *Ὥρνις*, bird.
- Psaltria** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848,
p. x.
New name for *Salicaria* Selby [Turdidæ.]
Ψάλτρια, a female harper.
- Pselliophorus** RIDGWAY, Auk, XV, July (May 13), 1898, p. 225.
Type, *Tachyphonus tibialis* Lawrence [Fringillidæ.]
Ψέλλιον, armlet, bracelet; *φορός*, bearing.
- Pseudalaemon** PHILLIPS, Ibis, ser. 7, IV, July, 1898, p. 400.
Type, *Calendula fremantlii* Phillips [Alaudidæ.]
Ψευδής, false; + *Alaemon* (*ἀλήμων*, a wanderer, rover).
- † **Pseudapteryx** LYDEKKER, Catal. Fossil Birds Brit. Mus., 1891, p. 218.
Type, *Pseudapteryx gracilis* Lydekker [Apterygidæ.]
Ψευδής, false; + *Apteryx* (*ἀ*, priv. + *πτέρυξ*, wing).
- Pseudofringilla** HUME, Stray Feathers, I, Feb., 1873, p. 314.
Type, *Indicator xanthonotus* Blyth [Indicatoridæ.]
Ψευδής, false; + *Fringilla* (*fringilla*, a sparrow).
- Pseudogeranus** SHARPE, Bull. Brit. Orn. Club, I, Mar. 28, 1893,
p. xxxvii.
Type, *Grus leucauchen* Temminck [Gruidæ.]
Ψευδής, false; *γέρανος*, a crane.
- Pseudoglottis** STEJNEGER, Zeitschr. Ges. Orn., I, Sept., 1884, p. 223
(note).
Type, *Totanus guttifer* Nordmann (= *Pseudototanus* Hume).
[Scolopacidæ.]
Ψευδής, false; + *Glottis* (*glottis*, a small bird).
- † **Pseudolarus** AMEGHINO, Revista Argentina Hist. Nat., I, 1891, p. 446.
Type, *Pseudolarus eocænus* Ameghino (see *Ameghinia*).
[Stereornithes.]
Ψευδής, false; + *Larus* (*λάρος*, a gull).

¹ *Protorhea* Moreno and Mercerat, 1891, described as a bird, has been shown by Ameghino (Revista Argentina Hist. Nat., I, 1891, p. 448) to be a mammal.

Pseudominla OATES, Ibis, ser. 6, VI, Oct., 1894, p. 480.

New name for *Sittiparus* Oates, preoccupied [Timaliidæ.]

Ψευδής, false; + *Minla* (*minla*, a Nepalese name).

Pseudomyobius SALVADORI and FESTA, Boll. Mus. Zool. Anat. Comp.

Torino, XV, No. 362, Nov. 17, 1899, p. 12.

Type, *Pseudomyobius annectens* Salvadori and Festa.

[Tyrannidæ.]

Ψευδής, false; + *Myiobius* (*μυῖα*, a fly; *βαίνω* [*βει*], I go after).

Pseudonestor ROTHSCHILD, Bull. Brit. Orn. Club, I, Mar. 28, 1893, p. XXXV.

Type, *Pseudonestor xanthophrys* Rothschild [Drepanidæ.]

Ψευδής, false; + *Nestor* (*Νέστωρ*).

Pseudospingus BERLEPSCH and STOLZMANN, Proc. Zool. Soc. Lond., Aug. 1, 1896, p. 346.

Type, *Dacnis xanthophtalma* Taczanowski (first species mentioned) [Tanagridæ.]

Ψευδής, false; *σπίγγος* (= *σπίρος*), a small bird of the finch kind.

Pseudospiza SHARPE, in Rowley's Ornithological Miscellany, I, Pt. 3, Jan., 1876, p. 207.

Emendation of *Pseudofringilla* Hume [Indicatoridæ.]

Ψευδής, false; *σπίζα*, finch.

† **Pseudosterna** MERCERAT, Anales Soc. Cientifica Argentina, XLIII, N°. v, May, 1897, p. 237.

Type, *Pseudosterna degener* Mercerat (first species mentioned).

[Laridæ.]

Ψευδής, false; + *Sterna*.

Pseudostruthus OUSTALET, Le Naturaliste, ser. 2, IV, Dec. 1, 1890, p. 274.

Type, *Pseudostruthus gongonensis* Oustalet [Fringillidæ.]

Ψευδής, false; *στρούθος*, sparrow.

Pseudotharrhaleus GRANT, Bull. Brit. Orn. Club, IV, June 29, 1895, p. xl.

Type, *Pseudotharrhaleus caudatus* Grant [Timaliidæ.]

Ψευδής, false; + *Tharrhaleus* (*θαρράλεος*, bold, daring).

Pseuduria SHARPE MS., COUES, Osprey, III, May (June 10), 1899, p. 144.

Type, "Black guillemots with 14 rectrices" (= *Cephus columba* Pallas, etc.) [Alcidæ.]

Ψευδής, false; + *Uria*.

Psilomycter HARTERT, Ornith. Monatsb., VII, Oct., 1899, p. 160.

Type, *Trochilus theresiae* Da Silva [Trochilidæ.]

Ψιλός, naked, bare; *μυκτήρ*, nose, snout.

† **Psilopterus** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen.), I, 1891, p. 67.

Type, *Psilopterus communis* Moreno and Mercerat (see *Pelecyornis*) [Cathartidæ] (= *Stereornithes*).

Ψιλός, bare, naked; *πτερόν*, wing.

- Psilopus** "TEM." BONAPARTE, Conspl. Gen. Avium, I, 1850, p. 141.
 Type, *Bucco hayi* Gray [Capitonidæ.]
 Ψιλός, naked; πούς, foot.
- Psiloscops** COUES, Osprey, III, May (June 10), 1899, p. 144.
 Type, *Scops flammeola* Kaup [Bubonidæ.]
 (A subgenus of *Megascops*).
 Ψιλός, bare, smooth; σκώψ, a small owl.
- Pteridophora** MEYER, Bull. Brit. Orn. Club, IV, Dec. 29, 1894, p. xi.
 Type, *Pteridophora alberti* Meyer [Paradiseidæ.]
 Πτερός, fern; φέρειν, to bear.
- Pteronetta** SALVADORI, Catal. Birds Brit. Mus., XXVII, 1895, p. 63.
 Type, *Querquedula hartlaubi* Cassin [Anatidæ.]
 Πτερόν, wing; νῆστα, a duck.
- Pterygocys** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 288.
 New name for *Pteroclurus* Bonaparte [Pteroclidæ.]
 Πτέρυξ, wing; ὄκνος, swift, fleet.
- Ptilocorys** MADARASZ, Magyar. Madaras Fuz., II, 1899, p. 48.
 New name for *Galerida* (emend. *Galerita*) Boie, 1828, not *Galerita* Fabricius, 1801 [Alaudidæ.]
 Πτίλον, a feather; κόρυς, a lark.
- Ptilolæmus** GRANT, Catal. Birds Brit. Mus., XVII, 1892, p. 392.
 Type, *Buceros tickelli* Blyth (first species mentioned).
 Πτίλον, feather; λαμός, throat. [Bucerotidæ.]
- Ptiloprora** DE VIS, Ann. Report Brit. New Guinea (1893–94), 1894, App. EE, p. 103.
 Type, *Ptilotis? guisei* De Vis (first species mentioned).
 Πτίλον, feather; πρώρα, prow. [Meliphagidæ.]
- Ptiloxena** CHAPMAN, Bull. Amer. Mus. Nat. Hist., IV, 1892, p. 307.
 Type, *Quiscalus atroviolaceus* d'Orbigny [Icteridæ.]
 Πτίλον, feather; ξένος, strange.
- Ptocas** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 342.
 New name for *Rufibrenta* Bonaparte, on grounds of purism.
 Πτωκάς, shy, timorous. [Anatidæ.]
- Ptynx** BLYTH, in Cuvier's Animal Kingdom, 1840, p. 175 (note).
 Type, *Strix uralensis* Pallas [Bubonidæ.]
 Πτύγξ, a water bird.
- Pulchripitta** ELLIOT, Monogr. Pittidæ, ed. 2, Pt. 5, 1895, p. xviii (introd.).
 Type, *Pitta iris* Gould [Pittidæ.]
 (A subgenus of *Pitta*).
 Pulcher, beautiful; + *Pitta*.

Rectirostrum REICHENOW, Ornith. Monatsb., I, Feb., 1893, p. 32.

Type, *Rectirostrum hypochondriacum* Reichenow. [Timaliidae.]

Rectus, straight; *rostrum*, beak.

†**Remiornis** LEMOINE, Rech. Ois. Foss. Environs de Reims, Pt. 2, 1881, p. 158.

Type, *Remiornis heberti* Lemoine. [Gastornithidae.]

Remus, an oar; ὄρνις, bird.

Remiza STEJNEGER, Proc. U. S. Nat. Mus., IX, Feb. 10, 1887, p. 387.

New name for *Aegithalus* Boie, preoccupied. [Paridae.]

Remiz, the Polish vernacular name of *Parus pendulinus* Linnæus.

Rhabdochlamys OUSTALET, Bull. Mus. d'Hist. Nat., III, 1897, p. 208.

Type, *Rhabdochlamys dejani* Oustalet. [Timaliidae.]

ῥάβδος, a rod; χλαμύς, a mantle.

Rhabdotorrhinus MEYER and WIGLESWORTH, Abhandl. und Berichte Mus. Dresden, V, no. 8, 1895, p. 6.

Type, *Buceros exaratus* Temminck. [Bucerotidae.]

ῥάβδωτός, striped, streaked; ρίς, nose.

Rhagoborus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 229.

New name for *Baillonius* Cassin, on grounds of purism.

[Ramphastidae.]

ῥάξ (ράγο-), a grape; βορός, devouring.

Rhagorhina GLOGER, Hand und Hilfsbuch, I, 1842, p. 360.

Type, *Columba auricularis* Temminck (an artifact).

[Incertæ sedis.]

ῥάξ (ράγο-), a grape; ρίς, nose.

Rhamphotreron HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 279.

New name for *Toria* Hodgson, on grounds of purism.

[Treronidae.]

ῥάμφος, beak; + *Treron* (τρήπων, a dove).

Rhaphidornis REICHENOW, Ornith. Monatsb., V, Aug., 1897, p. 123.

Type, *Rhaphidornis flavifrons* Reichenow. [Nectariniidae.]

ῥάφις (ράφιδ-), a needle; ὄρνις, bird.

Rhimphalea HEINE and REICHENOW, Nomencl. Mus. Hein. Orn., 1890, p. 338.

New name for *Stiltia* Bonaparte, on grounds of purism.

[Cursoriidae.]

ῥιμφαλέος, light, swift.

Rhinornis GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.

New name for *Rhinomya* Geoffroy St.-Hilaire. [Pteroptochidae.]

ῥίς (ρίν-), nose; ὄρνις, bird.

- Rhodacanthis** ROTHSCHILD, Ann. and Mag. Nat. Hist., ser. 6, X, July, 1892, p. 110.
 Type, *Rhodacanthis palmeri* Rothschild [Drepanidae.]
 'Ρόδον, rose; + *Acanthis* (ἀκανθίς, a goldfinch).
- Rhodornis** SHELLEY, Birds of Africa, I, 1896, p. 67.
 Type *Pholidornis rubrifrons* Sharpe and Ussher [Dicæidae.]
 'Ρόδον, rose; ὄρνις, bird.
- Rhodothraupis** RIDGWAY, Auk, XV, July (May 13), 1898, p. 226.
 Type, *Fringilla celæno* Lichtenstein [Fringillidae.]
 'Ρόδον, rose; θραυπίς, a little bird, like the goldfinch.
- Rhombura** GLOGER, Hand- und Hilfsbuch, I, 1842, p. 360.
 Type, *Columba oxyura* Temminck [Treronidae.]
 'Ρούμβος, rhomb; οὐρά, tail.
- Rhopocichla** OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 159.
 Type, *Brachypteryx atriceps* Jerdon [Timaliidae.]
 Ρώψ (ρωπός), underwood, brushwood; κίχλη, a thrush.
- Rhopocichla** ALLEN, Bull. Amer. Mus. Nat. Hist., III, Feb. 20, 1891, p. 199.
 Type, *Myiothera ardesiaca* Wied [Formicariidae.]
 'Ρώψ (ρωπός), underwood, brushwood; κίχλη, a thrush.
- Rhynchoryx** GRANT, Catal. Birds Brit. Mus., XXII, 1893, p. 443.
 Type, *Odontophorus spodiostethus* Salvin (first species mentioned) [Phasianidae.]
 'Ρύγχος, beak; + *Ortyx* (օρτυξ, a quail).
- Rhynchosimus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 326.
 New name for *Terekia* Bonaparte, on grounds of purism. [Scolopacidae.]
 'Ρύγχος, beak; σιμός, uphill, concave.
- Rhynchospiza** RIDGWAY, Auk, XV, July (May 13), 1898, p. 224.
 Type, *Hæmophila stolzmanni* Taczanowski [Fringillidae.]
 'Ρύγχος, beak; σπίζα, a finch.
- Riparia** FORSTER, Synoptical Catalogue of British Birds, 1817, p. 17.
 Type, *Riparia europaea* Forster (= *Hirundo riparia* Linnæus). [Hirundinidae.]
Riparius, frequenting river banks.
- † **Rostrornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon. Argen.), I, 1891, p. 40.
 Type, *Rostrornis floweri* Moreno and Mercerat [Stereornithes.]
 Rostrum, beak; ὄρνις, bird.
- Rothschildia** PERKINS, in Wilson and Evans, Aves Hawaienses, June, 1899, p. xxi.
 Type, *Himatione parva* Stejneger [Drepanidae.]
 Named for Mr. Walter Rothschild.

- Rubricapilla** BREHM (see Blyth, Journ. Asiat. Soc. Bengal, XIII, Pt. 2, 1844, p. 954).
 Type, the "Redpole linnets" [Fringillidae.]
Rubra, red; *capillus*, hair.
- Rupicola** BOGDANOW "1881," Conspectus Avium Imperii Rossii, Pt. 1, 1884, p. 1.
 Type, *Columba livia* Bonnaterre (first species mentioned).
 [Columbidæ.]
- Rupes*, a rock; *incola*, an inhabitant.
- Salvadorina** ROTHSCHILD and HARTERT, Novitates Zoologicae, I, Sept., 1894, p. 683.
 Type, *Salvadorina waigiensis* Rothschild and Hartert.
 [Anatidæ.]
 Named for Count Tomaso Salvadori.
- Sapheopipo** HARGITT, Catal. Birds Brit. Mus., XVIII, 1890, p. 378.
 Type, *Picus noguchii* Seebold [Picidae.]
 $\Sigma\alpha\phi\epsilon\omega\varsigma$, clearly, plainly; $\pi\iota\pi\omega$, a kind of woodpecker,
- Sarcogeranus** SHARPE, Bull. Brit. Orn. Club, I, Mar. 28, 1893, p. xxxvii.
 Type, *Grus leucogeranus* Pallas [Gruidæ.]
 $\Sigma\acute{\alpha}\rho\tilde{\epsilon}$ ($\sigma\alpha\rho\kappa$ -), flesh; $\gamma\acute{e}\rho\alpha\nu\varsigma$, a crane.
- Sarcogyps** LESSON, L'Écho du Monde Savant, ser. 2, VI, Dec. 8, 1842, col. 1038.
 Type, *Vultur pondicerianus* Latham [Vulturidæ.]
 (A subgenus of *Vultur*).
 $\Sigma\acute{\alpha}\rho\tilde{\epsilon}$ ($\sigma\alpha\rho\kappa$ -), flesh; $\gamma\acute{v}\psi$, a vulture.
- Sarganura** DE VIS, Ann. Report Brit. New Guinea (1896-97), 1898, Appendix AA, p. 87.
 Type, *Sarganura maculiceps* De Vis [Meliphagidæ.]
 $\Sigma\alpha\rho\gamma\acute{a}\nu\eta$, a plait, band; $o\acute{u}\rho\acute{a}$, tail.
- Sarothrura** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 319.
 New name for *Corethrura* Reichenbach, preoccupied. [Rallidæ.]
 $\Sigma\acute{\alpha}\rho\omega\theta\rho\sigma\nu$, a sweeping broom; $o\acute{u}\rho\acute{a}$, tail.
- Scæorhynchus** OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 68.
 Type, *Paradoxornis ruficeps* Blyth [Paridæ.]
 $\Sigma\kappa\alpha\iota\acute{o}\varsigma$, awkward, clumsy; $\acute{\rho}\acute{v}\gamma\chi\varsigma$, beak.
- Scaniornis** DAMES, Bihang K. Vet.-Akad. Handl., XVI, Pt. 4, no. 1, 1890, p. 4, pl.
 Type, *Scaniornis lundgreni* Dames [Incertæ sedis.]
 $\Sigma\kappa\alpha\nu\acute{a}$ ($\sigma\kappa\eta\nu\acute{h}$), a tent; $\acute{\rho}\nu\iota\varsigma$, bird.
- Scenopœtes** COUES, Auk, VIII, Jan., 1891, p. 115.
 New name for *Scenopœus* Ramsay, preoccupied.
 [Ptilonorhynchidæ.]
 $\Sigma\kappa\eta\nu\varsigma$, a tent, house; $\pi\iota\eta\tau\acute{h}\varsigma$, maker.
- Schoeniclus** FORSTER, Synoptical Catalogue of British Birds, 1817, p. 51.
 Type, *Emberiza schæniclus* Linnaeus [Fringillidae.]

Sclateria OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 209.

New name for *Heterocenemis* Sclater, preoccupied.

[*Formicariidae.*]

Named for Dr. P. L. Sclater.

Scototheres HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 249.

New name for *Lempijius* Bonaparte, on grounds of purism.

[*Rubonidae.*]

$\Sigma\kappa\acute{\tau}\sigma\varsigma$, darkness; $\theta\eta\rho\acute{\alpha}\omega$, I hunt.

Scotothorus OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 208.

New name for *Heteropelma* Bonaparte, preoccupied [*Pipridae.*]

$\Sigma\kappa\acute{\tau}\sigma\varsigma$, darkness; $\theta\circ\rho\epsilon\bar{\imath}\nu$, to leap.

Scyornis GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. x.

New name for *Sialia* Swainson ----- [*Turdidae.*]

$\Sigma\kappa\tilde{\nu}\rho\acute{\sigma}\varsigma$, gypsum, stucco; $\ddot{\sigma}\rho\nu\varsigma$, bird.

Semnornis RICHMOND, Auk, XVII, Apr., 1900, p. 179.

New name for *Pan* Richmond (vice *Tetraganops* Jardine), preoccupied ----- [*Capitonidae.*]

$\Sigma\epsilon\mu\nu\acute{\sigma}\varsigma$, solemn; $\ddot{\sigma}\rho\nu\varsigma$, bird.

Serinopsis RIDGWAY, Auk, XV, July (May 13), 1898, p. 225.

Type, *Fringilla arvensis* Kittlitz ----- [*Fringillidae.*]

Serinus (a serin-finch), + $\ddot{\sigma}\phi\varsigma$, appearance.

Serrator SPRÜNGLI, in Storr, Alpenreise, I, 1784, p. 74.

Type, *Mergus merganser* Linnaeus ----- [*Anatidae.*]

Setogyps LESSON, L'Écho du Monde Savant, ser. 2, VI, Dec. 8, 1842, col. 1038.

Type, *Vultur imperialis* Temminck (first name cited) [*Vulturidae.*]

(A subgenus of *Vultur*).

Seta, a bristle, + *Gyps* ($\gamma\acute{v}\psi$, a vulture).

Sirycter HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 309.

Type, *Ardea cyanocephala* Molina ----- [*Ardeidae.*]

$\Sigma\nu\rho\iota\kappa\tau\bar{\eta}\rho$, the male crane.

Sittiparus OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 171.

Type, *Minla cinerea* Blyth (see *Pseudominla*) ----- [*Timaliidae.*]

Sitta ($\sigma\acute{\iota}\tau\bar{\eta}$, a kind of woodpecker), + *Parus* (*parus*, a titmouse).

Spathopterus NORTH, Ibis, ser. 7, I, July, 1895, p. 339.

Type, *Polytes alexandræ* Gould ----- [*Psittacidæ.*]

$\Sigma\pi\acute{\alpha}\theta\eta$, a blade; $\pi\tau\epsilon\rho\acute{\sigma}\nu$, wing.

Spermophilopsis ROTHSCHILD, Bull. Brit. Orn. Club, IV, May 31, 1895,
p. xxxvii.

New name for *Drepanorhynchus* Dubois, preoccupied.

[*Fringillidae.*]

Spermophila ($\sigma\pi\acute{\rho}\mu\alpha$, seed; $\phi\imath\lambda\varepsilon\bar{\iota}\nu$, to love); + $\ddot{\o}\psi\iota\varsigma$, aspect

Spiloptera "BLYTH," JERDON, Birds of India, I, 1862, p. 492.

Type, *Troglodytes punctatus* Blyth [*Troglodytidae.*]
(See *Elachura.*)

Spilosiza SALVADORI, Ann. Mus. Civ. Stor. Nat. Genova, ser. 1, VII,
1875, p. 643.

New name for *Erythrosipa* Kaup, preoccupied [*Falconidae.*]

$\Sigma\pi\bar{\iota}\lambda\varsigma$, a spot; $\sigma\pi\iota\zeta\bar{\iota}\alpha\varsigma$, a sparrow-hawk.

Spodiopsar SHARPE, Ibis, ser. 6, I, Oct., 1889, p. 580.

New name for *Poliopsar* Sharpe, preoccupied [*Sturnidae.*]
 $\Sigma\pi\acute{\delta}\iota\lambda\varsigma$, ash-colored; $\psi\acute{\alpha}\rho$, a starling.

Sporathraupis RIDGWAY, Auk, XV, Oct., 1898, p. 331.

New name for *Hemithraupis* Ridgway, preoccupied.

[*Tanagridae.*]

$\Sigma\pi\bar{\iota}\rho\acute{\alpha}$, seed; $\theta\rho\alpha\upsilon\pi\iota\varsigma$, a small bird, like the goldfinch.

†**Staphylornis** MERCERAT, Anales Soc. Cientifica Argentina, XLIII, No.
V, May, 1897, p. 233.

Type, *Staphylornis gallardoi* Mercerat (first species mentioned).
[*Stereornithes.*]

$\Sigma\tau\alpha\phi\upsilon\lambda\dot{\eta}$, a bunch of grapes; $\ddot{\o}\rho\bar{\iota}\iota\varsigma$, bird.

Stasiasticus HARTERT, Novitates Zoologicae, III, Dec. 29, 1896, p. 539.

Type, *Stasiasticus montis* Hartert [*Timaliidae.*]

$\Sigma\tau\alpha\sigma\iota\alpha\sigma\tau\iota\kappa\acute{\sigma}$, seditious.

Stelgidillas OBERHOLSER, Proc. U. S. Nat. Mus., XXII, Oct. 9, 1899,
p. 30.

Type, *Andropadus gracilirostris* Strickland [*Pyconotidae.*]

$\Sigma\tau\epsilon\lambda\gamma\iota\varsigma$ ($\sigma\tau\epsilon\lambda\gamma\iota\delta-$), a scraper; $i\lambda\lambda\acute{\alpha}\varsigma$, a thrush.

Stelgidostomus RIDGWAY, Auk, XV, July (May 13), 1898, p. 226.

Type, *Saltator maxillosus* Cabanis [*Fringillidae?*]

$\Sigma\tau\epsilon\lambda\gamma\iota\varsigma$ ($\sigma\tau\epsilon\lambda\gamma\iota\delta-$), a scraper; $\sigma\tau\acute{\o}\mu\alpha$, mouth.

†**Stephanornis** MERCERAT, Note sur la Géologie de la Patagonie, 1893,
p. 5.

Type [*Stereornithes.*]

$\Sigma\tau\acute{\epsilon}\phi\alpha\nu\sigma\varsigma$, crown; $\ddot{\o}\rho\bar{\iota}\iota\varsigma$, bird.

Stephanoxis SIMON, Catal. Famille des Trochilides, 1897, p. 40.

New name for *Cephallepis* Loddiges, preoccupied. [*Trochilidae.*]

$\Sigma\tau\acute{\epsilon}\phi\alpha\nu\sigma\varsigma$, crown; $\ddot{\o}\xi\bar{\iota}\varsigma$, sharp, pointed.

†**Stereornis** MORENO and MERCERAT, Anales Mus. La Plata (Paleon.
Argen.), I, 1891, p. 45.

Type, *Stereornis rollieri* Moreno and Mercerat (first species
mentioned) [*Stereornithes.*]

$\Sigma\tau\epsilon\rho\acute{\o}\varsigma$, solid, fixed; $\ddot{\o}\rho\bar{\iota}\iota\varsigma$, bird.

- Stictognathus** BÜTTIKOFER, Notes Leyden Museum, XVII, June 9, 1896, p. 242.
 Type, *Pycnonotus taivanus* Styani [Pycnonotidae.]
 $\Sigma\tauικτός$, marked, spotted; $\gamma\nu\alpha\thetaος$, jaw.
- Stictolimnas** BÜTTIKOFER, Notes Leyden Museum, XV, Oct., 1893, p. 274.
 Type, *Stictolimnas sharpei* Büttikofer [Rallidae.]
 $\Sigma\tauικτός$, spotted; $\lambdaιμνάς$ ($\lambdaιμναῖος$), marshy, of the mere.
- Stictospiza** SHARPE, Catal. Birds Brit. Mus., XIII, 1890, p. 287.
 Type, *Fringilla formosa* Latham [Ploceidae.]
 $\Sigma\tauικτός$, spotted; $\sigma\piίζα$, a finch.
- Stilbopsar** REICHENOW, Ornith. Monatsb., I, Feb., 1893, p. 31.
 Type, *Stilbopsar stuhlmanni* Reichenow [Sturnidae.]
 $\Sigma\tauιλβω$, I shine, glitter; $\psi\alpha\rho$, starling.
- Stizoptera** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 215.
 New name for *Stictoptera* Reichenbach, preoccupied. [Ploceidae.]
 $\Sigma\tauίζω$, I mark; $\pi\tauερόν$, wing.
- Stizorhina** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 213.
 New name for *Cassinia* Hartlaub, preoccupied. [Muscicapidae.]
 $\Sigma\tauίζω$, I mark; $\rhoίσ$, nose.
- Styptes** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. xi.
 New name for *Tigrisoma* Swainson [Ardeidae.]
 $\Sigma\tauιπτός$, trodden down.
- Sylvicola** BOGDANOW "1881," Consپ. Av. Imp. Ross., Pt. 1, 1884, p. 3.
 Type, *Columba fusca* Pallas (first species mentioned). [Columbidæ.]
Sylva, a wood, forest; *incola*, an inhabitant.
- †**Tachyornis** MILNE-EDWARDS, Compte-Rendu Second Congrès Orn. Int., Pt. 2, 1892, p. 66.
 Type, *Tachyornis hirundo* Milne-Edwards (see *Belornis*). [Incertæ sedis.]
 $Tαχύς$, swift; $\delta\rhoνις$, bird.
- Tantalops** COUES, Key to North American Birds, ed. 2, 1884, p. 653.
 Type, *Tantalus loculator* Linnaeus [Ciconiidae.]
Tantalus ($Tάνταλος$, a king of Phrygia); + $\omega\psi$.
- †**Taoperdix** MILNE-EDWARDS, Rech. Ois. Foss. de France, II, 1870, p. 225.
 Type, *Tetrao? pessieti* Gervais [Phasianidae.]
 $Tαώς$, a peacock; $\piέρδιξ$, partridge.
- †**Taphaetus** DE VIS, Proc. Linn. Soc. N. S. Wales, ser. 2, VI, Sept. 9, 1891, p. 123.
 Type, *Uroætus brachialis* De Vis [Falconidae.]
 $Tάφος$, grave; $\alpha\epsilonτός$, eagle.

- †**Tapinopus** MILNE-EDWARDS, Compte-Rendu Second Congrès Orn. Int., Pt. 2, 1892, p. 79.
 Type, *Tapinopus ellioti* Milne-Edwards (see *Diatropornis*).
 [Incertæ sedis.]
- Tαπεινός*, low; *ποῦς*, foot.
- Tectonornis** SHARPE, Monogr. Paradiseidæ, Pt. 1, 1891.
 New name for *Scenopæus* Ramsay, preoccupied (see *Scenopætes*) [Ptilonorhynchidæ.]
- Τέκτων*, a builder; *ὄρνις*, bird.
- Telespyza** WILSON, Ibis, ser. 6, II, July, 1890, p. 341.
 Type, *Telespyza cantans* Wilson [Drepanidæ.]
- Τῆλε*, far away; *σπίζα*, a finch.
- Temnurus** SWAINSON, "Classification of Birds," II, July, 1837, p. 337.
 Type, *Temnurus albicollis* Swainson (= *Trogon temnurus* Temminck) [Trogonidæ.]
 (A subgenus of *Trogon*).
Τέμνω, I cut; *οὐρά*, tail.
- Terenotreron** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 280.
 New name for *Thouarsitreron* Bonaparte, on grounds of purism.
 [Treronidæ.]
Τέρενος, soft, delicate; + *Treron* (*τρήρων*, a dove).
- Thamnocharis** SCLATER, Catal. Birds Brit. Mus., XV, 1890, p. 310.
 Type, *Grallaria dignissima* Sclater and Salvin. [Formicariidæ.]
Θάμνος, a bush; *χάρις*, grace.
- †**Thegornis** AMEGHINO, Bol. Inst. Geogr. Argentino, XV, 1895, p. 598.
 Type, *Thegornis musculosus* Ameghino (first species mentioned).
 [Falconidæ.]
Θηγών, to sharpen; *ὄρνις*, bird.
- Thereiceryx** BLANFORD, Ibis, ser. 6, V, Apr., 1893, p. 237.
 Type, *Bucco zeylonicus* Gmelin [Capitonidæ.]
Θέρος, summer; *κήρυξ*, herald.
- Thringorhina** OATES, Fauna of Brit. India (Birds), I, Dec., 1889, p. 155.
 Type, *Turdinus guttatus* Tickell [Timaliidæ.]
Θριγγός, cornice, eaves; *ρίς*, nose.
- Thryolegus** OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 210.
 New name for *Limnophyes* Sclater, preoccupied. [Furnariidæ.]
Θρύον, a rush; *λέγω*, I lie down.
- Tigriornis** SHARPE, Bull. Brit. Orn. Club, V, Dec. 30, 1895, p. xiv.
 Type, *Tigrisoma leucolophum* Jardine [Ardeidæ.]
Τίγρης, tiger; *ὄρνις*, bird.
- Timeta** GISTEL, Naturgesch. des Thierreichs für höhere Schulen, 1848, p. ix.
 New name for *Leptorhynchus* Du Bus [Recurvirostridæ.]
Τιμητής, an appraiser.

- †**Titanornis** MERCERAT, Note sur la Géologie de la Patagonie, 1893, p. 5.
 Type, *Titanornis mirabilis* Mercerat [Stereornithes.]
Tιτάν, Titan; ὄρνις, bird.
- Tolmerus** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 260.
 New name for *Chiquera* Bonaparte, on grounds of purism.
 [Falconidæ.]
- Τολμηρός*, bold.
- †**Tolmodus**¹ AMEGHINO, Revista Argent. Hist. Nat., I, Aug., 1891, p. 157.
 Type, *Tolmodus inflatus* Ameghino [Stereornithes.]
Τόλμα, daring, boldness; ὀδούς, tooth.
- Tolmolestes** HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 270.
 New name for *Spizastur* Lesson, on grounds of purism.
 [Falconidæ.]
- Τόλμα*, daring; *ληστής*, robber.
- Trachylaemus** REICHENOW, Journ. für Orn., 1891, p. 394.
 Type, *Capito goffini* Schlegel [Capitonidæ.]
Τραχύς, rough; *λαιμός*, throat.
- Traversia** ROTHSCHILD, Bull. Brit. Orn. Club, IV, Dec. 29, 1894, p. x.
 Type, *Traversia lyalli* Rothschild [Xenicidæ.]
 Named for Henry H. Travers.
- Trichocichla** REICHENOW, Journ. für Orn., "Oct.," 1890, p. 489.
 Type, *Trichocichla rufa* Reichenow [Timaliidæ.]
Θρίξ (*τριχ-*), hair; *κίχλη*, thrush.
- Tricholimnas** SHARPE, Bull. Brit. Orn. Club, I, Jan. 26, 1893, p. xxviii.
 Type, *Gallirallus lafresnayanus* Verreaux [Rallidæ.]
Θρίξ (*τριχ-*), hair; *λιμνάς* (*λιμναῖος*), marshy, of the mere.
- Trichoparadisea** MEYER, Abhandl. und Berichte Mus. Dresden, IV, No. 3, 1893, p. 20.
 Type, *Paradisea guilielmi* Cabanis [Paradiseidæ.]
Θρίξ (*τριχ-*), hair; + *Paradisea*.
- Trigonoceps** LESSON, L'Écho du Monde Savant, ser. 2, VI, Dec. 8, 1842, col. 1038.
 Type, *Vultur occipitalis* Burchell [Vulturidæ.]
 (A subgenus of *Vultur*).
- Τριγωνώς*, three-cornered; + *Caput* (*ceps*), head.
- Trochilus** FORSTER, Synoptical Catalogue of British Birds, 1817, p. 14.
 Type, *Trochilus minor* Forster (= *Sylvia rufa* Bechstein).
 [Turdidæ.]
- Trygon** BREHM, Handb. Vög. Deutschl., 1831, p. 495.
 Type, *Columba migratoria* Linnæus [Columbidæ.]
Τρυγών, the turtle dove.

¹ Here described as a mammal.

Tryzusa HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 276.

New name for *Turturæna* Bonaparte, on grounds of purism.

[*Columbidæ*.]

Tρύζω, I coo like a dove.

Tusalia HODGSON (see Hodgson, Journ. Asiat. Soc. Bengal, XII, Pt. 2, 1843, p. 937).

Same as *Coccyzura* Hodgson [*Columbidæ*.]

Tusalia, a Nepalese name.

†**Tylopteryx** HUTTON, Trans. New Zealand Institute, XXIV, May, 1892, p. 116.

Type, *Dinornis gracilis* Owen (first species mentioned).

[*Dinornithidæ*.]

(A subgenus of *Dinornis*.)

Tύλος, a swelling (in allusion to the top of the skull); + *Apteryx* (ἀ', priv. + πτέρυξ, wing).

Typanus NITZSCH, Observ. Avium Arteria Carotide Communi, 1829, p. 18.

Type *Charadrius aegyptius* Linnaeus [*Charadriidæ*.]

Tύπανος, a kind of bird.

Tyto HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 252.

New name for *Myrtha* Bonaparte, on grounds of purism.

[*Bubonidæ*.]

Tυτώ, the night owl.

Ulocomus HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 229.

New name for *Beauharnesiuss* Bonaparte, on grounds of purism.

[*Ramphastidæ*.]

Oὐλός, curly; κόμη, hair.

Uratelornis ROTHSCHILD, Novitates Zoologicae, II, Dec. 30, 1895, p. 479.

Type, *Uratelornis chimaera* Rothschild [*Coraciidæ*.]

Oὐρά, tail; τέλος, complete, perfect; ὄρνις, bird.

Urococcyx SHELLEY, Catal. Birds Brit. Mus., XIX, 1891, p. 398.

Type, *Phænicophæus erythrogathus* Hartlaub [*Cuculidæ*.]

Oὐρά, tail; κόκκυξ, a cuckoo.

Urodrepanis SHELLEY, Monograph Nectariniidæ, Pt. 1, July, 1876, p. 79.

Type, *Æthopyga christinæ* Swinhoe [*Nectariniidæ*.]

Oὐρά, tail; + *Drepanis* (δρεπάνη, a sickle).

Urophlexis STEJNEGER, Proc. U. S. Nat. Mus., XV, Aug. 2, 1892, p. 341.

New name for *Urosphena* Swinhoe, preoccupied [*Turdidæ*.]

Oὐρά, tail; φλεξίς, name of an unknown bird.

Vestipedes LESSON, L'Écho du Monde Savant, ser. 2, VIII, Oct. 22, 1843, col. 756.

Type¹ ----- [Trochilidae.]

Vestis, a covering; *pes*, the foot.

Viridonia ROTHSCHILD, Ann. and Mag. Nat. Hist., ser. 6, X, July, 1892, p. 112.

Type, *Viridonia sagittirostris* Rothschild ----- [Drepanidae.]

Warszewiczia BOUCARD, Genera of Humming Birds (in Humming Bird, V, Pt. 1), Mar., 1895, p. 224.

Type, *Heliangelus viola* Gould ----- [Trochilidae.]

Named for Josef Warszewicz.

Xanthixus OATES, Fauna Brit. India (Birds), I, Dec., 1889, p. 274.

Type, *Pycnonotus flavescentia* Blyth ----- [Pycnonotidae.]

$\Xi\alpha\nu\theta\acute{o}\varsigma$, yellow; + *Ixus*.

Xanthochlamys SHARPE, Bull. Brit. Orn. Club, IV, Dec. 29, 1894, p. xv.

Type, *Amblyornis subalaris* Sharpe ----- [Ptilonorhynchidae.]

$\Xi\alpha\nu\theta\acute{o}\varsigma$, yellow; $\chi\lambda\alpha\mu\acute{u}\varsigma$, cloak, mantle.

Xanthocenus SHARPE, Bull. Brit. Orn. Club, III, Apr. 30, 1894, p. xxxvii.

Type, *Ardea flavigularis* Latham (first species mentioned). ----- [Ardeidae.]

$\Xi\alpha\nu\theta\acute{o}\varsigma$, yellow; $\ddot{\sigma}\kappa\nu\sigma\varsigma$, bittern.

Xenopsisaris RIDGWAY, Proc. U. S. Nat. Mus., XIV, Oct. 22, 1891, p. 479.

Type, *Pachyrhamphus albinucha* Burmeister ----- [Cotingidae.]

$\Xi\acute{e}\nu\sigma\varsigma$, strange; $\psi\acute{a}\rho$, a starling.

Zalias HEINE, in Heine and Reichenow, Nomencl. Mus. Hein. Orn., 1890, p. 362.

New name for “*Thiellus* (!) Rehb. 1853, nec Glog. 1827.”

[Puffinidae.]

$Z\acute{a}\lambda\eta$, surf, spray.

Zapterus OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 201.

New name for *Euhyas* Sharpe, preoccupied ----- [Charadriidae.]

$Z\alpha$, intensive particle; $\pi\tau\epsilon\rho\acute{o}\nu$, wing.

Zarhynchus OBERHOLSER, Proc. Acad. Nat. Sci. Phila., June 2, 1899, p. 215.

New name for *Eucorystes* Sclater, preoccupied ----- [Icteridae.]

$Z\alpha$, intensive particle; $\rho\acute{u}\gamma\chi\varsigma$, bill.

Zeledonia RIDGWAY, Proc. U. S. Nat. Mus., XI, Sept. 20, 1889, p. 537.

Type, *Zeledonia coronata* Ridgway ----- [Turdidae.]

Named for Señor José C. Zeledon.

¹ Proposed as a subgenus or “race” of *Ornismya*, with the following species: *O. vestita* Lesson; *O. pennata* (new here); *O. maniculata* Lesson (new name, = “*O. vestita fæmina*, Long., Rev. Zool., 1838, p. 314”); *O. glomata* Lesson (new here). *Vestipedes* is equivalent to, and earlier than, *Eriocnemis*.

Zonifer SHARPE, Catal. Birds Brit. Mus., XXIV, 1896, p. 154.

Type, *Charadrius tricolor* Vieillot-----[*Charadriidæ*.]

Zōvñη, a girdle, belt; *φέρω*, I bear.

Zonophaps SALVADORI, Catal. Birds Brit. Mus., XXI, 1893, p. 207.

Type, *Carpophaga forsteri* Temminck -----[*Treronidæ*.]
(A subgenus of *Carpophaga*).

Zōvñη, a belt, girdle; *φάσις*, a pigeon.

Zosterornis GRANT, Bull. Brit. Orn. Club, III, June 30, 1894, p. 1.

Type, *Zosterornis whiteheadi* Grant-----[*Timaliidæ*.]

Zωστήρ, a girdle; *Ὥρνις*, bird.

CATALOGUE OF GENERA MENTIONED IN THE FOREGOING LIST, ARRANGED BY FAMILIES.

[Fossil genera are indicated by italics.]

INCERTÆ SEDIS.

- Alcatras.*
- Barornis.*
- Belornis.*
- Camaskelus.*
- Cimolopteryx.*
- Cryptornis.*
- Diatropornis.*
- Dolychoeix.*
- E'aphrocnemus.*
- Eupterornis.*
- Euryonotus.*
- Filholornis.*
- Idiornis.*
- Loxornis.*
- Ornithodesmus.*
- Orthocnemus.*
- Osteornis.*
- Protornis.*
- Rhagorhina.*
- Scaniornis.*
- Tachyornis.*
- Tapinopus.*

ÆGIALORNITHIDÆ.

- Ægialornis.*

ÆPYORNITHIDÆ.

- Flacourtia.*
- Mullerornis.*

ALAUDIDÆ.

- Chersophilus.*
- Corydon.*
- Eremopterix.*
- Etoimus.*
- Heliocorys.*
- Pseudalaemon.*
- Ptilocorys.*

ALCIDÆ.

- Endomychura.*
- Micruria.*
- Pseuduria.*

ANATIDÆ.

- Adelonetta.*
- Alopochen.*
- Asarcornis.*
- Centrornis.*
- Chenornis.*
- Dafilula.*
- Elasmonetta.*
- Eoneornis.*
- Eutelornis.*
- Gennaeochen.*
- Hydrobates.*
- Ilyonetta.*
- Malacorhynchus.*
- Nesochen.*
- Nettalopex.*
- Plectrura.*
- Polionetta.*
- Prister.*
- Pteronetta.*
- Ptocas.*
- Salvadorina.*
- Serrator.*

APTERYGIDÆ.

- Metapteryx.*
- Pseudapteryx.*

ARCHÆOPTERYGES.

- Griphornis.*
- Griphosaurus.*

ARDEIDÆ.

- Ardeacites.*

ARDEIDÆ—Continued.

Doriponus.
Dupetor.
Erythrocnus.
Erythrophoyx.
Glaucerodius.
Heterocnus.
Hydranassa.
Leucophoyx.
Melanophoyx.
Mesophoyx.
Notophoyx.
Nycticorax.
Proherodius.
Sirycter.
Styptes.
Tigriornis.
Xanthocnus.

ARTAMIDÆ.

Cataphania.

BUBONIDÆ.

Ascalaphia.
Cetupa.
Necrobyas.
Nyctalatinus.
Nyctimene.
Psiloscops.
Ptynx.
Scototheres.
Tyto.

BUCEROTIDÆ.

Cassidix.
Gymnolæmus.
Horizocerus.
Ortholophus.
Ptilolæmus.
Rhabtotorrhinus.

CACATUIDÆ.

Kakatoe.

CAMPEPHAGIDÆ.

Diaphoropterus.

CAPITONIDÆ.

Abelterus.
Aleator.
Cladurus.
Erythrobucco.
Geniates.
Heliobucco.
Lignobucco.
Lybius.
Melanobucco.
Mezobucco.
Pan.

CAPITONIDÆ—Continued.

Pogonites.
Psilopus.
Semnornis.
Thereiceryx.
Trachylæmus.

CAPRIMULGIDÆ.

Nannochordeiles.

CASUARIIDÆ.

Hypselornis.

CATHARTIDÆ.

Gymnogyps.

CHARADRIIDÆ.

Anomalophrys.
Dilobus.
Euhyas.
Eurypterus.
Gavia.
Hyetoceryx.
Lobibyx.
Microsarcops.
Peltohyas.
Typanus.
Zapterus.
Zonifer.

CICONIIDÆ.

Amphipelargus.
Diplocercus.
Diplura.
Palæopelargus.
Pelargocrex.
Pelargodes.
Pelargopappus.
Pelargopsis.
Prociconia.
Propelargus.
Tantalops.

CLADORNITHIDÆ.

Cladornis.

CŒREBIDÆ.

Cyanerpes.

COLUMBIDÆ.

Amauroenas.
Coccyzoenas.
Coelotreron.
Coryphœnas.
Dendrophaps.
Dendrotreron.
Dialiptila.
Haploenas.
Leucoenas.
Nesœnas.
Œncenas.

COLUMBIDÆ—Continued.

Palumbis.

Rupicola.

Sylvicola.

Trygon.

Tryzusa.

Tusalia.

COLYMBIDÆ.

Colymbetes.

CORACIIDÆ.

Geranopterus.

Uratelornis.

CORVIDÆ.

Cornix.

Galgulus.

Monedula.

Palæocorax.

COTINGIDÆ.

Alticeps.

Calvifrons.

Carnifex.

Perisocephalus.

Prospoietus.

Xenopsaris.

CRACES.

Gallinuloides.

CRACIDÆ.

Cumana.

CUCULIDÆ.

Clamator.

Dynamopterus.

Leptourus.

Metallococcyx.

Urococcyx.

CURSORIIDÆ.

Pratincola.

Rhimphalea.

DENDROCOLAPTIDÆ.

Deconychura.

Premnoplex.

DICÆIDÆ.

Acmonorhynchus.

Rhodornis.

DICRURIDÆ.

Dissemurulus.

DINORNITHIDÆ.

*Anomalornis.**Megalapteryx.**Mesopteryx.**Moa.**Movia.**Pachyornis.**Palæo-casuarius.**Tylopteryx.*

DREPANIDÆ.

Chlorodrepanis.

Chrysomitridops.

Ciridops.

Dialis.

Drepanorhamphus.

Drepanorhynchus.

Palmeria.

Pseudonestor.

Rhodacanthis.

Rothschildia.

Telespyza.

Viridonia.

DROMORNITHIDÆ.

Genyornis.

ENALIORNITHIDÆ.

*Enaliornis.**Palæocolymbus.**Pelagornis.*

FALCONIDÆ.

Alectromorphnus.

Anopaia.

Asthenopterus.

Brewsteria.

Cymindus.

Elasas.

Erythrotriorchis.

Euhierax.

Foetopterus.

Gennadas.

Gymnops.

Halinertus.

Lagopterus.

Limnaetus.

Necrastur.

Nesierax.

Oronertus.

Palaetus.

Pithecopaga.

Poilemaëtus.

Spilosiza.

*Taphaetus.**Thegornis.*

Tolmerus.

Tolmolestes.

FORMICARIIDÆ.

Calobamon.

Formicicapa.

Manikup.

Myrmochanes.

Rhopocichla.

Sclateria.

Thamnocharis.

FRINGILLIDÆ.

Arremonops.
Brachyspiza.
Clibanus.
Cocornis.
Compsospiza.
Dictaea.
Drepanorhynchus.
Eurhinospiza.
Geospiza.
Hyphantospiza.
Incaspiza.
Lysurus.
Melanospiza.
Myospiza.
Oreospiza.
Perissospiza.
Phaeospiza.
Plagiospiza.
Poospizopsis.
Pselliophorus.
Pseudostruthus.
Rhodothraupis.
Rhynchospiza.
Rubricapilla.
Schoeniclus.
Serinopsis.
Spermophilopsis.
Stelgidostomus.

FURNARIIDÆ.

Aphrastura.
Certhiaxis.
Ipnodomus.
Thryolegus.

GALBULIDÆ.

Hylaërops.

GASTORNITHIDÆ.

Remiornis.

GRUIDÆ.

Geranopsis.
Limnogeranus.
Palæogrus.
Pseudogeranus.
Sarcogeranus.

HELIORNITHIDÆ.

Heliopais.

HESPERORNITHIDÆ.

Coniornis.

HIRUNDINIDÆ.

Antrochelidon.
Chelidonaria.
Herophilus.

HIRUNDINIDÆ—Continued.

Lecythoplastes.

Riparia.

IBIDIDÆ.

Parnopio.

ICTERIDÆ.

Cirulus.
Hylike.
Ptiloxena.
Zarhynchus.

INDICATORIDÆ.

Melignomon.
Pseudofringilla.
Pseudospiza.

JACANIDÆ.

Actophilus.
Asarcia.
Phyllopezus.

LANIIDÆ.

Abbottornis.
Antichromus.
Bocagia.
Cosmophoneus.
Eulacestoma.

LARIDÆ.

Chema.
Dipsaleon.
Einalia.
Lambruschinia.
Melanolarus.
Melanosterna.
Micranous.
Potamochelidon.
Pseudosterna.

LORIIDÆ.

Hypocharmosyna.

MEGAPODIDÆ.

Chosornis.
Eulipoa.

MELIPHAGIDÆ.

Cleptornis
Entomyzon.
Leptomyza.
Myza.
Neneba.
Ptiloprora.
Sarganura.

MICROPODIDÆ.

Aëronautes.
Claudia.
Pelasgia.

MIMIDÆ.

Allenia.
Buleites.
Mimetes.
Nesomimus.

MOMOTIDÆ.

Aspatha.
Electron.
Prionornis.

MUSCICAPIDÆ.

Bathmisyrma.
Callaeops.
Dammeria.
Hilarocichla.
Musciparus.
Myiosobus.
Ostiarius.
Pedilorrhynchus.
Pholia.
Stizorhina.

NECTARINIIDÆ.

Rhaphidornis.
Urodrepanis.

ŒDICNEMIDÆ.

Milnea.

OTIDIDÆ.

Compsotis.
Heterotetrax.
Heterotis.
Houbaropsis.
Neotis.

PARADISEIDÆ.

Calastrapia.
Drepananax.
Eucorax.
Heteroptilorhis.
Janthothorax.
Lamprothorax.
Loboparadisea.
Macgregoria.
Paryphephorus.
Pteridophora.
Trichoparadisea.

PARAMYTHIIDÆ.

Paramythia.

PARIDÆ.

Anacrites.
Aphelocephala.
Brachyryynchus.
Pardaliparus.
Remiza.
Scæorhynchus.

PELECANIDÆ?

Liptornis.

PERISTERIDÆ.

Alopeccenas.
Calopelia.
Claravis.
Histriophaps.
Homopelia.
Leptopelia.
Micropelia.
Œnopolenia.
Oxypelia.

PHÆTHONTIDÆ.

Prophaethon.

PHALACROCORACIDÆ.

Actiornis.
Argillornis.
Ecmeles.
Enygrotheres.
Gripeus.
Hydrocorax.
Leucocarbo.
Melanocarbo.
Nannopterum.
Pallasicarbo.

PHASIANIDÆ.

Agriocharis.
Alector.
Arquata.
Colinus.
Compsortyx.
Dactylortyx.
Dendrophila.
Gallina.
Houppifer.
Lochmophasis.
Mystoxydes.
Palæocryptonyx.
Plectroperdix.
Rhynchortyx.
Taoperdix.

PHœNICOPTERIDÆ.

Elornis.

PICIDÆ.

Blacops.
Blax.
Crocomorphus.
Dryocolaptes.
Microstictus.
Nesoctites.
Piculus ST.-HILAIRE.
Piculus HODGSON.

PICIDÆ—Continued.

Piculus BREHM.
Sapheopipo.

PIPRIDÆ.

Scotothorus.

PITTIDÆ.

Coracocichla.
Cyanopitta.
Galeripitta.
Insignipitta.
Mellopitta.
Monilipitta.
Ornatipitta.
Pulchripitta.

PLATALEIDÆ.

Ibidopsis.
Mystrorhamphus.
Protibis.

PLOCEIDÆ.

Atalochrous.
Atopornis.
Brachycope.
Clytospiza.
Diatropura.
Drepanoplectes.
Granatina.
Haplopyga.
Heterhyphantes.
Hyperanthus.
Limoneres.
Lobospingus.
Lychnidospiza.
Nesacanthis.
Neshyphantes.
Oreospiza.
Oreostruthus.
Oryzivora.
Othyphantes.
Pachyphantes.
Penthetriopsis.
Stictospiza.
Stizoptera.

PODARGIDÆ.

Cyphorhina.

PRIONOPIDÆ.

Aerocharis.

PROCELLARIIDÆ.

Halobates.

PSITTACIDÆ.

Araclanga.
Bolbopsittacus.
Conuropsis.

PSITTACIDÆ—Continued.

Dichrognathus.
Jaco.
Leptosittaca.
Necropsittacus.
Neophema.
Pionites.
Porphyreicephalus.
Spathopterus.

PTEROCLIDÆ.

Pterygocys.

PTEROPTOCHIDÆ.

Eugralla.
Onychornis.
Rhinornis.

PTILONORHYNCHIDÆ.

Cnemophilus.
Loria.
Scenopœtes.
Tectonornis.
Xanthochlamys.

PUFFINIDÆ.

Cymatobolus.
Zalias.

PYCNONOTIDÆ.

Bostrycholophus.
Brachypus.
Centrolophus.
Cerasophila.
Elathea.
Pachycephalixus.
Phaedrus.
Stelgidillas.
Stictognathus.
Xanthixus.

RALLIDÆ.

Amaurolimnas.
Anurolimnas.
Aphanolimnas.
Aramidopsis.
Brachypteryx.
Calamodromus.
Castanolimnas.
Creccoides.
Crecopsis.
Diaphorapteryx.
Donacias.
Donacophilus.
Dryolimnas.
Erythrolimnas.
Galeolimnas.
Jonocicca.
Kittlitzia.

RALLIDÆ—Continued.

- Lophophalaris.*
Microtribonyx.
Nesolimnas.
Œnolimnas.
Ortygonax.
Ortygops.
Palæolimnas.
Pisynolimnas.
Poliolimnas.
Porphyriornis.
Porzanula.
Sarothrura.
Stictolimnas.
Tricholimnas.

RAMPHASTIDÆ.

- Dinorhamphus.*
Machlostomus.
Rhagoborus.
Ulocomus.

RECURVIROSTRIDÆ.

- Timeta.*

SCOLOPACIDÆ.

- Actia.*
Aegialodes.
Falcinellus.
Fedoa.
Gambetta.
Mesoscolopax.
Pseudoglottis.
Rhynchosimus.

SITTIDÆ.

- Daphoenositta.*

SPHENISCIDÆ.

- Palæospheniscus.*
Paraptenodytes.

STEREORNITHES.

(The genera of this group have been referred to several families, and in view of their unsettled classification they are here arranged under the order Stereornithes. The family name PHORORHACIDÆ Ameghino, 1895, is generally used for most of them, but the name STEREORNITHIDÆ Moreno and Mercerat, 1891, antedates it.)

- Ameghinia.*
Anisolornis.
Brontornis.
Callornis.
Darwinornis.
Dryornis.
Liornis.

STEREORNITHES—Continued.

- Lophiornis.*
Mesembriornis.
Opisthodactylus.
Owenornis.
Palæociconia.
Patagornis.
Pelecyornis.
Phorusrhacos.
Physornis.
Pseudolarus.
Psilopterus.
Rostrornis.
Staphylocornis.
Stephanornis.
Stereornis.
Titanornis.
Tolmodus.

STRIGIDÆ.

- Badiostes.*

STURNIDÆ.

- Æthiopsar.*
Agropsar.
Chalcopsar.
Eumathes.
Galeopsar.
Hagiopsar.
Heteropsar.
Kittlitzia.
Laceryzon.
Necropsar.
Pecuarius.
Perissornis.
Poliopsar.
Spodiopsar.
Stilbopsar.

SULIDÆ.

- Abeltera.*

TANAGRIDÆ.

- Hemithraupis.*
Heterospingus.
Mitrospingus.
Pseudospingus.
Sporathraupis.

TETRAONIDÆ.

- Palæotetrix.*

THINOCORIDÆ.

- Itys.*

TIMALIIDÆ.

- Allocotops.*
Alophoixus.
Amalocichla.

TIMALIIDÆ—Continued.

Amaurocichla.
Amytornis.
Androphilus.
Bathmocercus.
Bleda.
Bonapartia.
Bowdleria.
Cataponera.
Chlorocharis.
Cryptillas.
Diaphorillas.
Dybowskia.
Eremiornis.
Eurillas.
Gymnocrotaphus.
Hypocrites.
Ifrita.
Ixidia.
Ixodes.
Lanioturdinus.
Lioparus.
Lophozosterops.
Marisca.
Mesolophus.
Mülleria.
Nesillas.
Ophrydornis.
Oreocistes.
Phacelias.
Pseudominla.
Pseudotharrhaleus.
Rectirostrum.
Rhabdochlamys.
Rhopocichla.
Sittiparus.
Stasiasticus.
Thringorhina.
Trichocichla.
Zosterornis.

TINAMIDÆ.

Calopezus.

TRERONIDÆ.

Cryptophaps.
Curotreron.
Dendrophassa.
Lithophaps.
Mezotreron.
Phassa.
Poecilotreron.
Rhamphotreron.
Rhombura.
Terenotreron.
Zonophaps.

TROCHILIDÆ.

Alcidius.
Amazilia.
Arinia.
Bellona.
Cyanolesbia.
Gmelinius.
Laticauda.
Lawrencius.
Leucuria.
Lophomyia.
Mychrorhynchus
Neolesbia.
Psilomycter.
Stephanoxis.
Vestipedes.
Warszewiczia.

TROGLODYTIDÆ.

Elachura.
Hylocichlus.
Spiloptera.

TROGONIDÆ.

Archæotrogon.
Heterotrogon.
Temnurus.

TURRIDÆ.

Amnicola.
Emarginata.
Horizorhinus.
Lophobasileus.
Philomela.
Phoenicurus.
Psaltria.
Seyrornis.
Trochilus.
Urophlexis.
Zeledonia.

TURNICIDÆ.

Areortyx.

TYRANNIDÆ.

Deltarhynchus.
Eribates.
Horizopus.
Myiopagis.
Nesotriccus.
Pseudomyobius.

VULTURIDÆ.

Caprornis.
Sarcogyps.
Setogyps.
Trigonoceps.

XENICIDÆ.

Traversia.



BHL

Biodiversity Heritage Library

Richmond, Charles Wallace. 1902. "List of generic terms proposed for birds during the years 1890 to 1900, inclusive, to which are added names omitted by Waterhouse in his "Index Generum Avium"." *Proceedings of the United States National Museum* 24, 663–730.

View This Item Online: <https://www.biodiversitylibrary.org/item/53718>

Permalink: <https://www.biodiversitylibrary.org/partpdf/53109>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.