

Figs. 4–9. *Entedononecremnus krauteri*. 4, Habitus, female. 5, Head, female. 6, Mesonotum and metasoma, female. 7, Metasoma, female, ventral view. 8, Midtibial spur, female. 9, Scape, male, ventral view.

Cockerell Butterfly Center (400 parasites), and the Fort Worth Botanical Garden (60 parasites). *Entedononecremnus krauteri* was later found attacking giant whitefly on *Hibiscus* growing outdoors at the San Antonio Botanical Garden. It remains unknown if *E. krauteri* is native to North America or if this is a case of fortuitous ecesis (DeBach 1971).

Etymology. Named in honor of P. C. Krauter, who found the parasite and its host in his hometown of Comfort, Texas.

Types. Holotype female mounted on a card, "Texas: Kendall Co., Comfort, Altgelt Ave., 10.X.1995, G. Zolnerowich" "Aleurodicus dugesii on Hibiscus syriacus". Holotype deposited in USNM. Twenty-three female and 18 male para-

types with same data as holotype deposited in BMNH, CDFA, CNC, TAMU, UCR, and USNM.

ACKNOWLEDGMENTS

We express our gratitude to: P. C. Krauter for finding the parasite; G. A. P. Gibson (Biological Resources Division, Centre for Land and Biological Resources Research), M. E. Schauff (Systematic Entomology Laboratory, USDA), and J. B. Woolley (TAMU) for their review of the paper and loan of type specimens of E. unicus; J. LaSalle (IIE) for his discussions and loan of other undescribed species of Entedononecremnus; R. Gill (CDFA) for information on hosts; C. Pickett (CDFA) and D. Kellum (SDCDA) for information on parasite releases and host plants; B. Shaw for line drawings; D. Knott (USDA, APHIS, PPQ) for expediting interstate shipment permits; and E. Morrison and R. S. Stauffer for rearing, shipping, and colonizing parasites.

LITERATURE CITED

- Cockerell, T. D. A. 1896. A Mexican *Aleurodicus*. Canadian Entomologist 28: 302.
- DeBach, P. 1971. Fortuitous biological control from ecesis of natural enemies, pp. 293–307. In: Entomological Essays to Commemorate the Retirement of Professor K. Yasumatsu. Hokuryukan Pub. Co., Ltd. Tokyo. 389 pp.
- Girault, A. A. 1915. Some new chalcidoid Hymenoptera from North and South America. Annals of the Entomological Society of America 8: 272–278.
- LaSalle, J., and M. E. Schauff. 1994. Systematics of the tribe Euderomphalini (Hymenoptera: Eulophidae): parasitoids of whiteflies (Homoptera: Aleyrodidae). Systematic Entomology 19: 235–258.
- Mound, L. A., and S. H. Halsey. 1978. Whitefly of the world. A systematic catalogue of the Aleyrodidae (Homoptera) with host plant and natural enemy data. British Museum (Natural History). 340 pp.
- Schauff, M. E. 1991. The Holarctic genera of Entedoninae (Hymenoptera: Eulophidae). Contributions of the American Entomological Institute 26: 1–109.



Wheeler, A. G. 1996. "Use Of An Introduced Host, Scotch Pine, By A Native Planthopper, Thionia Bullata (Homoptera:fulgoroidea:issidae)." *Proceedings of the Entomological Society of Washington* 98, 374–375.

View This Item Online: https://www.biodiversitylibrary.org/item/89742

Permalink: https://www.biodiversitylibrary.org/partpdf/66646

Holding Institution

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Sponsored by

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Entomological Society of Washington

License: http://creativecommons.org/licenses/by-nc-sa/3.0/

Rights: https://biodiversitylibrary.org/permissions

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.