## Case 2844

## Oniscus asellus Linnaeus, 1758 (Crustacea, Isopoda): proposed designation of a neotype

## David T. Bilton

Department of Biology, University of York, Heslington, York YO1 5DD, U.K.

Abstract. The purpose of this application is to confirm as neotype of the nominal species Oniscus asellus Linnaeus, 1758 a specimen from Uppsala, Sweden proposed by Bilton (1994). A specimen labelled 'asellus' in Linnaeus's handwriting belongs to the taxon always called Porcellio scaber Latreille, 1804. O. asellus and P. scaber are amongst the commonest woodlice of Europe and are the type species of their genera. Acceptance of the Linnaean specimen as the name-bearing type of O. asellus would transfer this name to P. scaber as always understood, and would confuse isopod names at the ranks of family, genus and species.

1. The nominal species *Oniscus asellus* Linnaeus, 1758 (p. 637) was based on a four-word description and five references; as originally defined the name could apply to almost all non-conglobating species of terrestrial isopod.

2. The composite nature of *O. asellus* was recognized by early authors. The taxon was first more narrowly defined by De Geer (1778, p. 549, pl. 35, figs. 3–10), who applied the name to a woodlouse with seven antennal segments, including three in the terminal flagellum, and prominent lateral lobes on the head. The description and figures indicate that De Geer was referring to *O. asellus* as currently interpreted. However, the De Geer collection in the Naturhistoriska Riksmuseet in Stockholm contains three specimens below a label bearing the name *Oniscus asellus*. One of these is *O. asellus* as now understood, one a specimen of *Cylisticus convexus* (De Geer, 1778, p. 553), and the third an undetermined porcellionid possibly of non-European origin. The fact that a separate De Geer species (*C. convexus*) stands under the name *O. asellus* suggests that subsequent arrangement of his material has occurred.

3. Cuvier (1792, p. 22, pl. 26, figs. 11–13) introduced the name Oniscus murarius. The description and figures show that the species concerned is O. asellus sensu De Geer. In the nineteenth and early twentieth centuries the name O. murarius was widely used for the species (e.g. Budde-Lund, 1885; Verhoeff, 1908). Sars (1899) adopted O. asellus sensu De Geer (1778) and Latreille (1804), and this application of the name has for many years entirely replaced O. murarius for one of the commonest woodlice in Europe (see for example Vandel, 1962; Gruner, 1966; Sutton, 1972; Bilton, 1994).

4. Cuvier (1792, p. 23, pl. 26, figs. 9–10) applied the name *O. asellus* to another species, with a two-segmented antennal flagellum. He remarked that he did this for the sole reason that the species was the most common, noting that the description by Linnaeus applied equally well to three species. Latreille (1804, p. 39) did not follow

Cuvier's usage, and expressly based his new genus *Porcellio* (p. 45) on 'l'espèce qu'il [Cuvier] appelle *aselle*'; this species was described on p. 45 under the name *P. scaber*, which has been adopted by all subsequent authors. The differences between *O. asellus* and *P. scaber* are well illustrated by Sutton (1972, fig. 27). The Commission rejected '*O. asellus* Cuvier, 1792' as a junior homonym of *O. asellus* Linnaeus in Direction 88 (March 1958), but, as mentioned above, Cuvier did not propose a new name and merely applied that of Linnaeus in a way which, although different from De Geer (1778), was reasonable at the time but not adopted by Latreille (1804) or later authors.

5. The names *Oniscus* and *asellus* of Linnaeus, 1758 and *Porcellio* and *scaber* of Latreille, 1804 were placed on the relevant Official Lists in Opinion 104 (September 1928). The entry for *Oniscus* on the Official List (1987) records 'Stiles, 1928' (i.e. Opinion 104) for the designation of *O. asellus* as the type species, but this is an error: Direction 88 had noted a designation by E. Desmarest in 1858. An earlier designation of *O. asellus* (in the current sense) is that by Audouin (1823, p. 222). Latreille (1810, p. 423) had previously designated *O. murarius* as the type but he did not there synonymize this nominal species, not originally included, with *O. asellus* (although he had done so in 1804 and elsewhere).

6. The collection at the Linnean Society in London contains a single specimen labelled 'asellus' in Linnaeus's handwriting. The label has pin-holes at both ends, and may have been attached to this specimen by a later worker (see Day & Fitton, 1978 for a discussion of this practice). The specimen is an adult male of the species always called *Porcellio scaber*, but this may simply reflect the composite nature of Linnaeus's concept of *Oniscus asellus*.

7. Acceptance of the specimen at the Linnean Society as the name-bearing type of O. asellus would mean reverting to the specific name murarius Cuvier, 1792 for O. asellus auct. Much more seriously, such acceptance would transfer the generic name Oniscus to the taxon called Porcellio Latreille, 1804; Porcellio would disappear, P. scaber would become O. asellus, and murarius Cuvier would need a new nominal genus. The family name ONISCIDAE would take the meaning of PORCELLIONIDAE, and a new family name would be needed to replace it. All this would create intolerable confusion.

8. To avoid the situation given in the previous paragraph and because of the early history of the name, it is desirable to define *O. asellus* by a neotype. Another reason for the present application is that I have recently described a subspecies, *O. asellus occidentalis* Bilton, 1994 (p. 332). In that paper I have differentiated *O. a. asellus* and *O. a. occidentalis*, and designated a holotype for the latter from Lydford Gorge, Devon, England. The nominotypical subspecies *O. a. asellus* Linnaeus, 1758 has no type locality but I (Bilton, 1994, p. 331) have proposed a neotype from the Linneträdgården, Uppsala, Sweden. The types of both subspecies are deposited in the Natural History Museum, London. It is necessary for the proposed neotype designation for *Oniscus asellus* to be validated by the Commission.

9. The International Commission on Zoological Nomenclature is accordingly asked:

 to use its plenary powers to set aside all previous fixations of type specimens for the nominal species *Oniscus asellus* Linnaeus, 1758 and to designate as neotype the specimen from Uppsala, Sweden proposed by Bilton (1994);

- (2) to amend the entry for Oniscus Linnaeus, 1758 on the Official List of Generic Names in Zoology to record that O. asellus was designated as the type species by Audouin (1823);
- (3) to add to the entry for Oniscus asellus Linnaeus, 1758 on the Official List of Specific Names in Zoology an endorsement recording that this nominal species is to be defined by the neotype designated in (1) above.

## References

- Audouin, J.V. 1823. Cloporte. Oniscus. Pp. 222-223 in Bory de Saint-Vincent, J.B.G.M. (Ed.), Dictionnaire classique d'Histoire naturelle, vol. 4. 628 pp. Paris.
- Bilton, D.T. 1994. Intraspecific variation in the terrestrial isopod Oniscus asellus Linnaeus, 1758 (Crustacea: Isopoda: Oniscidea). Zoological Journal of the Linnean Society (London), 110: 325–354.
- **Budde-Lund, G.** 1885. Crustacea Isopoda Terrestria, per familias et genera et species descripta. 319 pp. Havniae.
- Cuvier, G.L.C.F.D. 1792. Mémoire sur les cloportes terrestres. Journal d'Histoire Naturelle, 2: 18-31.
- Day, M.C. & Fitton, M.G. 1978. Recuration of the Linnaean Hymenoptera (Insecta), with a reassessment of the taxonomic importance of the collection. *Biological Journal of the Linnean Society* (London), 10: 181–198.
- De Geer, C. 1778. Mémoires pour servir à l'histoire des insectes, vol. 7. xii, 950 pp., 49 pls. Hesselberg, Stockholm.
- Gruner, H.E. 1966. Der Tierwelt Deutschlands: Krebstiere oder Crustacea 5: Isopoda, vol. 2. Fischer, Jena.
- Latreille, P.A. 1804. Histoire naturelle, générale et particulière, des crustacés et des insectes, vol. 7. 413 pp. Dufart, Paris.
- Latreille, P.A. 1810. Considerations générales sur ... les classes des crustacés, des arachnides, et des insectes. 444 pp. Schoell, Paris.
- Linnaeus, C. 1758. Systema Naturae, Ed. 10, vol. 1. 824 pp. Salvii, Holmiae.
- Sars, G.O. 1899. An account of the Crustacea of Norway. II. Isopoda. 270 pp. Bergen.
- Sutton, S.L. 1972. Woodlice. 144 pp. Ginn, London.
- Vandel, A. 1962. Isopodes terrestres (deuxième partie). Faune de France, 66: 417-931.

Verhoeff, K.W. 1908. Über Isopoden. 15. Isopoden-Aufsatz. Archiv für Biontologie, 2: 335-387.



Bilton, David T. 1994. "Oniscus Asellus Linnaeus, 1758 (Crustacea, Isopoda): Proposed Designation Of A Neotype." *The Bulletin of zoological nomenclature* 51, 227–229. <u>https://doi.org/10.5962/bhl.part.7200</u>.

View This Item Online: <a href="https://www.biodiversitylibrary.org/item/44552">https://doi.org/10.5962/bhl.part.7200</a> Permalink: <a href="https://www.biodiversitylibrary.org/partpdf/7200">https://www.biodiversitylibrary.org/partpdf/7200</a>

**Holding Institution** Natural History Museum Library, London

**Sponsored by** Natural History Museum Library, London

**Copyright & Reuse** Copyright Status: In copyright. Digitized with the permission of the rights holder. Rights Holder: International Commission on Zoological Nomenclature License: <u>http://creativecommons.org/licenses/by-nc-sa/3.0/</u> Rights: <u>https://biodiversitylibrary.org/permissions</u>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.