his desire to display himself, for at no time did he withdraw the white ruffs into concealment. Several times for an instant a second Bittern, presumably the female, appeared in view, but only to become hidden at once behind one of the clumps of bushes. On the other hand, the male bird made no use of the bushes to screen himself. The distance travelled by this male bird during our observation was but a few rods, for he moved first in one direction and then in the opposite, first towards us and then away from us, and was only slightly further removed from us when we proceeded on our way, than when we first saw him. Our position had been about a hundred yards distant.

Mr. William Brewster's very interesting detailed description of the display of these white nuptial plumes as witnessed by him and friends in the Great Meadows in Concord in April, 1910, then for the first time observed by him, presents the exhibition quite as we ten years later were fortunate enough to observe it in this Westwood swamp.—Horace W. Wright, 107 Pinckney St., Boston, Mass.

The Knot in Montana.—On October 4, 1915, I found the mummified body of a Knot (Tringa canutus) on Woody Island in Lake Bowdoin, Montana (nine miles east of Malta), among remains of a large number of shorebirds and other species that had perished from disease. From the appearance of these bodies it appeared that the birds had died near the end of August or during the early part of September of that same year. All were lying on a muddy shore just above the water line, apparently where they had dragged themselves out of the water after becoming sick. Like the other specimens examined the Knot was not in suitable condition for preservation as a skin, and so was prepared as a skeleton. It is now in the osteological collections of the U. S. National Museum. This is apparently the first published record of the Knot in Montana.—Alexander Wetmore, Biological Survey, Washington, D. C.

Tringa Auct. versus Calidris Anon.—It has been conclusively shown by Mr. G. M. Mathews (Novit. Zool., XVIII, No. 1, June 17, 1911, pp. 5–6) that the generic name Tringa Linnaeus must be transferred to the group commonly called Helodromas Kaup. This leaves the Knot, Tringa canutus Linnaeus, without a generic name, and Mr. Mathews proposes the use of Canutus Brehm (Naturg. Vög. Deutschl., 1831, p. 653; type, Tringa canutus Linnaeus). Dr. C. W. Richmond has called attention (Proc. U. S. Nat. Mus., LIII, August 16, 1917, pp. 581–582) to a still earlier publication of this name by an anonymous reviewer of Bechstein's Ornithologische Taschenbuch. This name, however, must give way to Calidris of the same anonymous reviewer (Allg. Lit.-Zeitung, 1804, II, No. 168, June 8, 1804, col. 542), which has anteriority over Canutus and which was introduced as follows:

^{1 &#}x27;Auk,' XXVIII, Jan. 1911. Pp. 90-100.

"Knüssel, Calidris.

Schnabel walzenförmig, gegen die Spitze hin dicker, glatt. Mittlere und äussere Zehe etwas verbunden.

Tringa calidris, arenaria u. a."

The *Tringa calidris* here mentioned should by tautonymy be considered the type of *Calidris* [Anonymous], although the other species mentioned, [*Tringa*] arenaria, has as a synonym the same specific name calidris (= Charadrius calidris Linnaeus, Syst. Nat., ed. 12, I, 1766, p. 255). In such cases of tautonymy it seems by all means more logical to consider as the type the species the cited name of which is the same as the generic name proposed, rather than the species having the same name as a synomyn.

The type of Calidris Anonymous being thus settled as Tringa calidris, it remains to determine the identity of this Tringa calidris. It is, of course, the Tringa calidris of Bechstein (Ornith. Taschenb. Deutschl., 1803, p. 308), which is in turn the Tringa calidris of Linnaeus, (i. e., Gmelin) since Bechstein quotes "T[ringa] calidris Linn." and "Linné, l. c., p. 681, N. 19," which latter, of course, refers only to Gmelin. But Tringa calidris Linnaeus (Syst. Nat., ed. 12, I, 1766, p. 252) and Tringa calidris Gmelin (Syst. Nat. I, ii, 1789, p. 681) are, anyway, one and the same; and as is unmistakably shown by the diagnoses of both and by the descriptions given by the authors on which both are based, they both clearly refer to the Knot, Tringa canutus Linnaeus; not to the Redshank, Totanus totanus (Linnaeus), as intimated by Mathews and Iredale (Austral Avian Record, III, No. 5, December 26, 1917, p. 114). This unexpected development makes it necessary to use the generic name Calidris Anonymous for the Knot, which will, therefore, now stand as

Calidris canutus (Linnaeus.)

This use of the generic name Calidris, of course, precludes its employment for the Sanderling just as effectively as though it were to be employed for the Red-shank. Consequently the substitution of the generic name Crocethia Billberg for the Sanderling, made by Messrs. Mathews and Iredale (Austral. Avian Record, III, No. 5, December 26, 1917, p. 114), remains valid, even though they misidentified the Tringa calidris on which Calidris Anonymous is based.—Harry C. Oberholser, Washington, D. C.

Early Virginia Rail in New York.—On March 13, 1920, Mr. William Gee, of Stony Point, N. Y., picked up a Virginia Rail at Bear Mountain, near Stony Point. The bird evidently had been killed by flying into telegraph wires. It was sent to me for identification by Mr. Fred E. Sleight, Principal of the Stony Point High School, and the record seems unusual enough to be reported to 'The Auk.'—Lee S. Crandall, N. Y. Zoological Park.



Oberholser, Harry C. 1920. "Tringa Auct. versus Calidris Anon." *The Auk* 37, 451–452. https://doi.org/10.2307/4073274.

View This Item Online: https://www.biodiversitylibrary.org/item/54106

DOI: https://doi.org/10.2307/4073274

Permalink: https://www.biodiversitylibrary.org/partpdf/86451

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.