ALBINISM IN THOMOMYS TALPOIDES FROM COLORADO

G. Keith LaVoie¹, Howard P. Tietjen¹, and Michael W. Fall¹

Anomalies of pelage coloration among the various species of pocket gophers are not uncommon; however, most reported specimens are melanistic or exhibit only partial albinism. Bailey (1915) reported four specimens of the genus Thomomys that were apparently complete albinos. Six albino specimens of T. bottae from California collections were described by Storer and Gregory (1934). Bradley (1963) collected a completely albino T. umbrinus near Las Vegas, Nevada. Burnett (1925) described a T. talpoides trapped in Larimer County, Colorado; it "approached albinism," being a deep cream color. Mr. R. H. Brannaman of Larimer County, Colorado (1970), reported two white T. talpoides with black eyes in a sample of 954 trapped from his ranch in the past four years. To our knowledge, there is only one other report of a completely albino T. talpoides. Tryon (1947) found one in a sample of over 1000 gophers trapped in Montana.

On 6 November 1970, while live-trapping T. talpoides, we cap-tured a completely albino male in Douglas County near Sedalia, Colorado. We estimated that more than 1000 gophers have been trapped for laboratory studies in this meadow and adjacent ranchlands since 1962. This specimen was a young-of-the-year weighing 75 g. The measurements were as follows: total length-165 mm, tail-40 mm, hind foot-26 mm, ear from notch-6 mm. The animal was completely white above and below, and hairs were uni-formly white from base to tip. The eyes lacked pigment, being entirely pink. The specimen is preserved in the collection of the Denver Wildlife Research Center.

REFERENCES

BAILEY, V. 1915. Revision of the pocket gophers of the genus Thomomys. N. Amer. Fauna 39:1-132.

BRADLEY, W. G. 1963. An albino pocket gopher. J. Mammal. 44(2):261.

BRADLEY, W. G. 1963. An albino pocket gopher. J. Mammal. 44(2):261.
BRANNAMAN, R. H. 1970. Personal communication.
BURNETT, W. L. 1925. Dichromatism and albinism in *Thomomys talpoides* clusius. J. Mammal. 6(2):129.
STORER, T. I., AND P. W. GREGORY. 1934. Color aberrations in the pocket gopher and their probable genetic explanation. J. Mammal. 15(4):300-312.
TRYON, C. A. 1947. The biology of the pocket gopher in Montana. Montana State Coll. Agr. Exp. Sta. Tech. Bull. 448. 30 p.

¹Denver Wildlife Research Center, Bureau of Sport Fisheries and Wildlife, Denver, Colorado 80225.



LaVoie, G. Keith., Tietjen, Howard P., and Fall, Michael W. 1971. "ALBINISM IN THOMOMYS-TALPOIDES FROM COLORADO." *The Great Basin naturalist* 31, 181–181.

View This Item Online: <u>https://www.biodiversitylibrary.org/item/33896</u> Permalink: <u>https://www.biodiversitylibrary.org/partpdf/91246</u>

Holding Institution Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Sponsored by Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Copyright & Reuse Copyright Status: In copyright. Digitized with the permission of the rights holder. Rights Holder: Brigham Young University License: <u>http://creativecommons.org/licenses/by-nc-sa/3.0/</u> Rights: <u>https://biodiversitylibrary.org/permissions</u>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.