clavicerum Lep. males em. 18.v, Crossocerus annulipes (Lep. & Brullé) 2 males em. 18.v, male em. 29.v, Ectemnius cavifrons (Thomson) male em. 18.v and n. later, Pemphredon inornatus Say females em. 25.v, P. lugubris (F.) female em. 11.iv, male em. 29.v, Stigmus solskyi Morawitz male em. 29.v—R. W. J. UFFEN, 4 Mardley Avenue, Welwyn, Herts. AL6 0UD.

REFERENCES

- Owen, J. A. 1989. An emergence trap for insects breeding in dead wood. *Br. J. Ent. Nat. Hist.* **2**(2): 65–67.
- Owen, J. A. 1992. Experience with an emergence trap for insects breeding in dead wood. *Br. J. Ent. Nat. Hist.* 5(1): 17–19.
- Smith, K. G. V. 1971. *Eustalomyia hilaris* Fallen (Diptera, Anthomyiidae) confirmed as British, with notes on other species of the genus. *Ent. Gazette* 22: 55–60.

A second Devon locality for the nationally rare weevil Cathormiocerus attaphilus Brisout plus a new county record for Miarus micros (Germar) (Coleoptera: Curculionidae).—Cathormiocerus attaphilus is currently only known in Britain from The Lizard peninsula in West Cornwall and near Wembury in South Devon, and is accordingly given RDB 1 (Endangered) status by Morris (1987). The discovery of a new locality on the south-west Devon coast at The Beacon, Scobbiscombe Cliffs (SX625465), 20 & 21.v.1996, is therefore an important event. A single individual was taken from the maritime therophyte zone on the rocky cliff heads of this poorly-recorded section of the Devon coast, together with frequent specimens of the RDB 3 species C. myrmecophilus (Seidlitz) which occurred both on The Beacon and nearby Hoist Point (SX631460).

The vegetation where the Cathormiocerus were found typically comprises a sparse cover of annuals and other small or low-growing plants such as Sedum anglicum Hudson, Plantago coronopus L., Spergularia rupicola Lebel, Jasione montana L., Thymus polytrichus A. Kerner and Silene uniflora Roth. This is the MC1, Armeria maritima—Cerastium diffusum spp. diffusum maritime therophyte community of the National Vegetation Classification (Rodwell, in prep.). This vegetation type is of considerable interest for invertebrates, and other scarce species associated with it at Scobbiscombe include the ant Leptothorax tuberum (Fab.), the spider Steatoda phalerata (Panzer), grey bush-cricket Platycleis albopunctata (Goeze), the beetles Opatrum sabulosum (L.) and Sibinia arenariae Stephens, and the bee Nomada fucata Panzer.

Originally discovered at Whitsand Bay in East Cornwall (Clark, 1906), all subsequent records of *Miarus micros* have come from much further west, mainly the Lizard. Away from the Lizard, it has also been reported from Penzance in 1924 (Alexander, 1997) and Letcha Cliff, St. Just (SW355308), 16.v.1994 (Alexander & Foster, 1995). The adults are relatively easy to find by searching the flowerhead of its laval food plant—sheep's bit *Jasione montana*. During 1996, specimens were readily found in flowerheads on the cliffs above Hoist Beach and along The Beacon, Scobbiscombe, and also at Tregenna Cliffs, Veryan Bay (SW949402), in E. Cornwall, 17.v.1996. The former constitutes a new county record while the latter is the first report from this vice county since Clark (1906). These two new records begin to suggest that it will prove to be widespread along the southern rocky coasts of the south-west peninsula; coleopterists have tended to search for it only on The Lizard in recent years.—Keith N. A. Alexander, The National Trust, 33 Sheep St, Cirencester, Gloucestershire GL7 1RQ.

REFERENCES

Alexander, K. N. A. 1997. Coleoptera. pp 241–272, In: Spalding A. (Ed.) Red Data Book for Cornwall and the Isles of Scilly. Croceago Press, Camborne.

Alexander, K. N. A. & Foster, A. P. 1994 Annual Exhibition—Coleoptera. Br. J. Ent. Nat. Hist., 8: 201–202.

Clark, J. 1906. Insects. pp. 163–245. In: Page, W. (Ed.) The Victoria History of the Counties of England. Cornwall. Archibald Constable & Co. London.

Morris, M. G. 1987. Cathormiocerus attaphilus. pp 237–238 in Shirt, D. B., ed. British Red Data Books: 2. Insects. Nature Conservancy Council

Rodwell, J. S. in prep. British Plant Communities-Maritime Cliff Communities. CUP.

Hypoponera punctatissima (Roger) (Hymenoptera: Formicidae) in South-East London.—I found a single worker of this unusual ant under the loose bark of a sun-baked poplar log in Nunhead Cemetery, (VC 17, Surrey) on 23.x.1996. Despite further searching, it remained a lone specimen. Although often associated with conservatories, bakehouses and other heated buildings, Hypoponera is occasionally taken out of doors. According to Bolton & Collingwood (1975), it is widespread but sporadic and because of its uncertain endemicity it was not included by Falk (1991), however records "in the field" are rare. Such records are usually alate females, presumably dispersing and looking for new nest sites; indeed, Saunders (1896) caught one such female at Bromley, Kent, not above half a dozen miles from Nunhead. The fact that my specimen was a worker suggests that a "wild" colony was successful in this case. However, the naturalness of Nunhead Cemetery is debatable, and although it closely resembles a 50-acre woodland, it is surrounded by suburban London and any number of heated buildings from which the species might have ventured.—RICHARD A. JONES, 13 Bellwood Road, Nunhead, London SE15 3DE.

REFERENCES

Bolton, B. & Collingwood, C. A. 1975. Hymenoptera: Formicidae. Handbks Ident. Br. Insects 6(3c): 16.

Falk, S. 1991. A review of the scarce and threatened bees, wasps and ants of Great Britain. Nature Conservancy Council, Peterborough.

Saunders, E. 1896. The Hymenoptera Aculeata of the British Islands. Lovell Reeve, London, p. 29.



Alexander, Keith N. A. 1998. "A second Devon locality for the nationally rare weevil Cathormiocerus attaphilus Brisout plus a new county record for Miarus micros (Germar) (Coleoptera: Curculionidae)." *British journal of entomology and natural history* 10, 255–256.

View This Item Online: https://www.biodiversitylibrary.org/item/111852

Permalink: https://www.biodiversitylibrary.org/partpdf/94653

Holding Institution

American Museum of Natural History Library

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: British Entomological and Natural History Society License: http://creativecommons.org/licenses/by-nc-sa/3.0/

Rights: https://biodiversitylibrary.org/permissions

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.