

GERANOMYIA BEZZII ALEXANDER & LEONARD (DIPTERA: LIMONIIDAE), A MARINE SPECIES NEW TO IRELAND

P. ASHE

Department of Zoology, Trinity College, Dublin 2.

AND J. P. O'CONNOR

National Museum of Ireland, Kildare Street, Dublin 2.

On 5.vii.1991 one of us (J.P.O'C.) collected a single male of the marine limoniid, *Geranomyia bezzii* Alexander & Leonard, at Fethard, Co. Wexford (S7905). It was identified using Coe (1950). This is the first record of this species from Ireland and represents a significant extension of its range in the British Isles. A coastal lagoon exists at the Fethard site and the specimen was probably collected near the high-water mark where mud flats are present. Shingle banks also occur there.

Another *Geranomyia* species is known from several Irish sites. Haliday (1833) originally described *G. unicolor* from adults taken among the rocks near the harbour at Donaghadee, Co. Down in the middle of July 1832. This species breeds in salt water, the larvae having been discovered in filamentous algae (Saunders, 1930).

G. bezzii is also marine and according to Geiger (1986) the larva is described by Seurat (1924). It is only known from seven coastal sites in southern Britain in counties Devon, Dorset (2 sites), Hants, Sussex, Suffolk and Norfolk (Stubbs, 1978; Falk, 1991). *G. bezzii* is listed in the British Red Data Book as a vulnerable species (Shirt, 1987). It inhabits coastal lagoons where the upper tidal shore has gravel with the alga *Enteromorpha*. One of the few marine craneflies independent of saltmarsh, its potential habitat is of limited occurrence. Threats include sailing and other amenity facilities and gravel extraction.

Outside the British Isles the species is known from Albania, Italy, North Africa (Algeria, Libya and Tunisia) and the Canary Islands (Savchenko *et al.*, 1992). This disparate distribution indicates that the species is probably more widely distributed and it could be expected in coastal lagoons on the French, Spanish and Portuguese coasts and throughout the Mediterranean basin region. The specimen has been presented to the National Museum of Ireland.

REFERENCES

- Coe, R. L. 1950. Family Tipulidae, pp. 1–66. In: *Diptera 2. Nematocera: families Tipulidae to Chironomidae*. Ed. R. L. Coe, P. Freeman & P. F. Mattingly. *Handbk. Ident. Br. Insects* 9(2).
- Falk, S. 1991. *A review of the scarce and threatened flies of Great Britain (Part 1)*. Nature Conservancy Council, Peterborough. Research and survey in nature conservation, No. 39, pp. 1–194.
- Geiger, W. 1986. Bibliographie raisonnée des Limoniidae (Diptera, Nematocera) de la zone Palearctique ouest. (Publications 1900–1982). I. Sous-famille Limoniinae. *Bull. Romand Ent.* 4: 3–121.
- Haliday, A. H. 1833. Catalogue of Diptera occurring about Holywood in Downshire. *Ent. Mag.* 1: 147–180.
- Saunders, L. G. 1930. The early stages of *Geranomyia unicolor* Haliday, a marine tipulid. *Entomologist's Mon. Mag.* 60: 185–187.
- Savchenko, E. N., Oosterbroek, P. & Starý, J. 1992. Family Limoniidae. In: *Catalogue of Palaearctic Diptera*. Ed. Á. Soós & L. Papp. 1: 183–369. Elsevier, Amsterdam/Akadémiai Kiadó, Budapest.

- Seurat, L. G. 1924. Mœurs et évolution d'un Tipulide à larve et nymphe marines. *Bull. Soc. Hist. Nat. Afr. N.* **15**: 113–121.
- Shirt, D. B. 1987. *British red data books: 2. Insects*. Nature Conservancy Council, Peterborough.
- Stubbs, A. E. 1978. The sea shore and cliffs, pp. 129–132. In: *A dipterist's handbook*. Ed. A. Stubbs & P. J. Chandler. *Amat. Ent.* **15**: 1–255.

ANNOUNCEMENTS

Larvae of the British macrolepidoptera—a plea.—Those who have attended the annual exhibition over the last few years will be aware of the work being done to photograph the larvae of all the butterflies and larger moths. All except about 30 have now been photographed, and text is being prepared for eventual publication. While we accept that we can never expect to find every species that is on the British list, it should still be possible to find some of these 30 species. We therefore appeal to all British and Continental lepidopterists to make every effort to make this important work as complete as possible. What is needed are the larvae, or females or ova which might lead to the species being bred, or alternatively, good quality slides. British or foreign material is acceptable. The larvae required are:

hecta	gold swift	sublustris	reddish light arches
castaneae	reed leopard	furva	confused
asella	triangle	versicolor	rufous minor
arion	large blue	captiuncula	least minor
epiphron	mountain ringlet	brevilinea	Fenn's wainscot
otregiata	Devon carpet	crinanensis	Crinan ear
taeniata	barred carpet	oculea	ear moth
blomeri	Blomer's rivulet	tridens	Burren green
coracina	black mountain moth	haworthii	Haworth's minor
sericea	northern footman	musculosa	Brighton wainscot
cribraria	speckled footman	parva	small marbled
strigula	small black arches	salicalis	lesser belle
aerugula	scarce black arches	taenialis	white-line snout
ravida	stout dart	humidalis	marsh oblique barred
irregularis	viper's bugloss	emortualis	olive crescent
diffinis	white-spotted pinion		

We would also be interested in foreign material of extinct British species such as dysodea (small ranunculus), atriplicis (orache) etc.

If you can help in any way please contact—Jim Porter, 45 King Charles Road, Surbiton, Surrey, Tel. 081 399 9592.

Larger moths of the London area, by Colin W. Plant.—A comprehensive A4 hardback book of some 300 pages, due to be published in July 1993. Detailed distribution maps for all resident species. Foreword by Bernard Skinner. Line illustrations by Rob Dyke.

Special introductory offer—only £14.95 inclusive of postage and packing. The price after 31 December 1993 will be £19.95, so act now and save £5.

To receive your copy at the special introductory price, send a cheque for £14.95, payable to 'LNHS', to: LNHS Publication Sales, 3 Chatsworth Gardens, West Harrow, Middlesex HA2 0RS. Please remember to include your name and address.—London Natural History Society—Registered charity number 206228.



Ashe, Patrick. 1993. "Geranomyia bezzii Alexander & Leonard (Diptera: Limoniidae), a marine species new to Ireland." *British journal of entomology and natural history* 6, 45–46.

View This Item Online: <https://www.biodiversitylibrary.org/item/94840>

Permalink: <https://www.biodiversitylibrary.org/partpdf/94743>

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Smithsonian

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: British Entomological and Natural History Society

License: <http://creativecommons.org/licenses/by-nc-sa/3.0/>

Rights: <https://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.