Foot Autotomy in the Gastropod Gena varia

(Prosobranchia: Trochidae)

BY

LEV FISHELSON

AND

GULIETTE QIDRON-LAZAR

Department of Zoology, Tel Aviv University, Tel Aviv, Israel

(1 Text figure)

Large concentrations of Gena varia A. Adams, 1850, a prosobranch gastropod usually typical for tropical regions, are encountered among the animals occurring under stones in the infratidal zone at Eilat (Red Sea, Israel). These gastropods are markedly photophobic and the slightest disturbance, e. g. merely trying to lift the stones under which they hide, puts them to flight. In attempting to escape, they plunge downwards and disappear among the algae and stones at the sea-bottom.

A prominent morphological feature of this genus is the large foot which extends posteriorly and cannot retract under the small ear-like shell (Figure 1).

A phenomenon rather unusual for mollusks was detected during collection of these prosobranch gastropods: when touched, they reacted by autotomy of that part of their foot which extended past the posterior margin of the shell. Immediately after, they attached firmly to a nearby stone, now completely covered by their shell.

The amputated part of the foot continued to exhibit movements for two to six hours after autotomy. Preliminary observations have clearly shown that the autotomy is not haphazard but always follows a well-defined course, occurring along the fine white line that traverses the foot. The region along this transverse line is histologically different from adjacent regions of the foot. Regeneration of the foot commences several days after autotomy.




Figure 1

A living specimen of Gena varia A. Adams
The arrow points to the narrow line of autotomy.

DAMS

Further histological and biological investigations should elucidate the cytological basis of this phenomenon as well as its biological importance.

This study is supported by contract 62558-4556 from the U. S. Office of Naval Research with the Department of Zoology, Tel Aviv University.



Fehelson, Lev and Lazar, Guliette Qidron. 1966. "Foot autotomy in the gastropod Gena varia (Prosobranchia: Trochidae)." *The veliger* 9, 8–8.

View This Item Online: https://www.biodiversitylibrary.org/item/134958

Permalink: https://www.biodiversitylibrary.org/partpdf/97311

Holding Institution

Smithsonian Libraries and Archives

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: In Copyright. Digitized with the permission of the rights holder.

Rights Holder: California Malacozoological Society

License: http://creativecommons.org/licenses/by-nc-sa/3.0/ Rights: https://www.biodiversitylibrary.org/permissions/

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.