

2-fidis. Flores albi minuti polygami, 4-meri in cymas valde compositas terminales adque folia suprema axillares corymbiformes dispositi; calyce breviter dentato; petalis leviter imbricatis; antheris 4 ovalis.

Humblot, Antsianaka.

7. *E. Boiviniana*, spec. nov.

Ramuli teretes; foliis alternis, 3-foliolatis; foliolis membranaceis oblongo-lanceolatis (ad 10 cent.) integris; costa pallida. Fructus ad foliorum supremorum axillas v. lateraliter inserti, breviter (ad 1 cent.) pedunculati; coccis 1 v. paucis ovoideis glabris.

Boivin, n. 3400, Mayotta Comor., Bouzi.

TODDALIA.

1. *T. aculeata* PERS., *Enchir.*, I, 249. — *Paullinia asiatica* L.

Boivin. — *De Lastelle*. — *Humblot*, n. 472, Antsianaka; n. 1237, Comor. — *Baron*, n. 1451, 1950, 2452, 2485, 2608, 3103.

2. *T. pilosa* BAK., in *Journ. Linn. Soc.*, XXI, 329.

Baron, n. 3093.

3. *T. schmidelioides* BAK., in *Journ. Linn. Soc.*, XX, 118. *Bojer*, in sylv. Befouroun. — *Baron*, n. 1102, 1282, 2212.

§ Citreæ.

MURRAYA.

1. *M. exotica* L., *Mantiss*, 563.

Humblot, n. 178. — *Baron*, n. 2356.

CITRUS.

1. *C. Aurantium* L. — *Risso*.

Baron, n. 1630.

2. *C. vulgaris* *Risso*. — *C. Bigaradia* *Duham*.

Boivin, n. 3347, 3348 (var.), Comor. — *Grandidier*, n. 66, inter Antsahambé et Tananarivo (var.). — *Hildebrandt*, n. 3174, Loucoubé.

§ Amyrideæ.

TECLEA.

1. *T. unifoliolata*, spec. nov.

Folia alterna v. subopposita; foliolo 1 (usque ad 1 $\frac{1}{2}$ decim.

longo) oblongo-lanceolato subcoriaceo glabro, petiolo ad petioluli basin incrassato subarticulato. Flores in racemos composite cymigeros dispositi, 1-sexuales; calyce breviter campanulato, 4-crenato. imbricato. Petala 4, leviter imbricata. Stamina 4; antheris in floribus masculis exsertis. Staminodia 4, in flore foemineo breviter ananthera. Germen in flore masculo conicum effœtum; in foemineo 1-loculare; ovulis 2, collateraliter descendentibus; micropyle extrorsum supera. Stylus peltatus depresso-globosus papillosus. — *Amyridis* specieb. nonnull. proxima.

Richard, n. 278, Mohilla Comor. — *Boivin*, Nossibé, ad riv. Andradroite; n. 3399, Mayotta Comor.; *Johanna* (vernac. *Gnagé*); Comor. maj. — *Humblot*, n. 1324, 1362, 1364, Comor.

§ *Zygophyllex*.

TRIBULUS.

1. *T. cistoides* L., *Spec.*, 554. — *Commerson*. — *Boivin*. — *Vesco*. — *Bernier*. — *Grandidier*, n. 67. — *Hildebrandt*, n. 3021.

§ *Surianæ*.

SURIANA.

1. *S. maritima* L., *Spec.*, 284.

Boivin, n. 2671, Port Lewen; îles Howe.

GERANIACEÆ.

§ *Geraniæ*.

GERANIUM.

1. *G. simense* HOCHST, in *A. Rich. Fl. Abyss. Tent.*, I, 116. — *G. emirmense* BOJ., herb. — *G. compar* R. BR. — *G. latistipulatum* HOCHST. — *G. frigidum* HOCHST.

Bojer et Hilsenb., prop. Tananarivo; mont, Angave. — *Parker*. — *Baron*, n. 27, 35, 3635 (vernac. *Laratanana*). — *Rutenberg*, Tananarivo. — *Hildebrandt*, n. 3638, Andrangoloaka.

Le Secrétaire :

MUSSAT.



Baillon, H. 1886. "Le genre Humblotia." *Bulletin mensuel de la*
Socie

te

linne

enne de Paris 1(75), 593–594.

View This Item Online: <https://www.biodiversitylibrary.org/item/41447>

Permalink: <https://www.biodiversitylibrary.org/partpdf/224615>

Holding Institution

Missouri Botanical Garden, Peter H. Raven Library

Sponsored by

Missouri Botanical Garden

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.

This file was generated 20 July 2023 at 20:48 UTC