

ANTHIAS DIAGRAMMA.



CHARACTER GENERICUS.

Caput totum squamofum ; operculo anteriore serrato.

Bloch. ichth. 9. p. 86.

CHARACTER SPECIFICUS, &c.

ANTHIAS striis longitudinalibus brunneis.

Bloch. ichth. 9. p. 101. t. 320.

Perca DIAGRAMMA.

Lin. Syst. Nat. Gmel. p. 1319.

Perca maxilla, superiore longiore, &c.

Seb. mus. 3. p. 79. t. 27. f. 18.

Anthias Diagramma Blochii, feu Perca Diagramma Linnæi, in variis Indiæ regionibus generatur, aquarum dulcium incola. Caro ejus habetur in deliciis. Crescere solet in longitudinem decem unciarum, piscesque minores, more reliqui generis, prædari.



London. Published Oct. 1st 1793, by T. B. Nodder, & Newman Street.

THE
BANDED ANTHIAS.



GENERIC CHARACTER.

Head completely scaled: anterior gill-covers serrated.

SPECIFIC CHARACTER, &c.

White ANTHIAS, with longitudinal brown bands.

The brown-banded ANTHIAS.

The BANDED Perch.

The Anthias Diagramma of Bloch, or Perca Diagramma of Linnæus, is found in various parts of India, where it inhabits fresh waters. It grows to the length of about ten inches, and, like others of this genus, preys on the smaller fishes.



Shaw, George. 1799. "The Banned Anthias, Anthias diagramma [Pl. 402]." *The Naturalist's Miscellany* 11(CXXII), <https://doi.org/10.5962/p.310849>.

View This Item Online: <https://www.biodiversitylibrary.org/item/276496>

DOI: <https://doi.org/10.5962/p.310849>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310849>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.