


PAPILIO ANDROMACHUS.



CHARACTER GENERICUS.

Antennæ apicem versus crassiores, sæpius clavato-capitatae.

Alæ (sedentis) erectæ sursumque conniventes ;
(volatu-diurno.)

Lin. Syst. Nat. p. 744.

CHARACTER SPECIFICUS, &c.

PAPILIO alis fuscis basi fulvis, primoribus subfalcatis fascia flava, subtus albo-maculatis.


PAPILIO Andromachus.

Cram. pap. t. 56. *f.* A. B.

Eq. Archiv.

Americæ Australis partes calidiores incolit Papilio Andromachus, magnitudine vera in tabula depictus.

ANDROMACHUS.



GENERIC CHARACTER.

Antennæ generally thickening towards the extremities, and terminating in a clavated tip.

Wings (when sitting) erect, and meeting upwards.

Flight diurnal.

SPECIFIC CHARACTER

BUTTERFLY with brown wings, fulvous at the base, with the upper wings subfalcated, marked with a yellow band, and spotted beneath with white.

This rare insect is an inhabitant of the warmer parts of South America, and is represented on the plate in its natural size.



Mr. J. C. G. S. 17



Shaw, George. 1804. "Andromachus, Papilio andromachus [Pl. 635]." *The Naturalist's Miscellany* 15(CLXXX), <https://doi.org/10.5962/p.311077>.

View This Item Online: <https://www.biodiversitylibrary.org/item/280634>

DOI: <https://doi.org/10.5962/p.311077>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311077>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.