

PHALÆNA APOLLONIA.



CHARACTER GENERICUS.

Antennæ setaceæ, a basi ad apicem sensim attenuatæ.

Alæ (sedentis) sæpius deflexæ. (Volatu nocturno.)

Lin. Syst. Nat. p. 808.

CHARACTER SPECIFICUS, &c.

PHALÆNA alba, alis omnibus macula ocellata fasciisque transversis nigris luteo marginatis.

PHALÆNA APOLLONIA.

Cram. t. 250. f. A.

Attaci.

Africam Australem incolit pulchra hæc phalæna, magnitudine vera in tabula depicta.

640
~~644~~



R.P.N. - Delt. Sculpt.

APOLLONIA.



GENERIC CHARACTER.

Antennæ setaceous, decreasing in size from base to point.

Wings (when at rest) generally deflected.

Flight nocturnal.

SPECIFIC CHARACTER.

White *Phalæna* with all the wings marked by a black ocellated spot and transverse black bands edged with yellow.

This beautiful *Phalæna* is a native of the southern parts of Africa, and is represented on the plate in its natural size.



Shaw, George. 1804. "Apollonia, Phalæna apollonia [Pl. 640]." *The Naturalist's Miscellany* 16(CLXXXI), <https://doi.org/10.5962/p.311081>.

View This Item Online: <https://www.biodiversitylibrary.org/item/281942>

DOI: <https://doi.org/10.5962/p.311081>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311081>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.