

PAPILIO ADONIS.

CHARACTER GENERICUS.

Antennæ apicem versus crassiores, sæpius clavato-capitatae.

Alæ (sedentis) erectæ sursumque conniventes.
(Volatu diurno.)

Lin. Syst. Nat. p. 744.

CHARACTER SPECIFICUS, &c.


PAPILIO alis dentatis, supra cæmleis nitidissim isapice nigris, subtus griseo albidoque undulatis.

PAPILIO ADONIS.

Cram. t. 61. f. A. B.

An var. P. Menelai?

Surinamiam incolit pulcherrimus hic Papilio, magnitudine vera in tabula depictus.





R. P. Nodder Del. et Sculpt.

ADONIS.

GENERIC CHARACTER.

Antennæ thickening towards the end, and commonly terminating in a club-shaped tip.

Wings (when at rest) meeting upwards. (Flight diurnal.)

SPECIFIC CHARACTER, &c.

Bright-blue Butterfly, with denticulated wings tipped with black; beneath grey, with whitish undulations.

This highly beautiful insect is a native of Surinam, and is represented on the plate in its natural size.



Shaw, George. 1806. "Adonis, Papilio adonis [Pl. 687]." *The Naturalist's Miscellany* 17(CXCVIII), <https://doi.org/10.5962/p.311125>.

View This Item Online: <https://www.biodiversitylibrary.org/item/281954>

DOI: <https://doi.org/10.5962/p.311125>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311125>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.