

## PACHYCEPHALA GUTTURALIS, Vig. & Horsf.

Fig. 1.

MAS. *Pach. vertice, loris, linea infra-oculari, plumis auricularibus lunulaque pectorali nigerrimis; gulâ albâ; nuchâ, linea angustâ pectorali, abdomineque toto flavis; dorso, tectricibusque caudæ flavescenti-olivaceis; tectricibus alarum nigrescenti-fuscis, flavescenti-olivaceo marginatis; primariis, secondariisque nigrescenti-fuscis, cinerescenti-olivaceo marginatis; caudâ ad basin cinereâ, apicem versus nigrescente, ad apicem cinereâ; rostro pedibusque nigrescentibus.*

FÆM. VEL MAS JUN. *Capite, corpore superiore, caudâque, olivaceo-fuscis; primariis, secondariisque fuscis, illis cinereo, his olivaceo marginatis; gulâ pallidè fuscâ, albo adspersâ; abdomine pallidè olivaceo-fusco; crrosso albo; rostro, pedibusque nigrescentibus.*

Long. tot.  $7\frac{1}{4}$  unc.; rostri,  $\frac{3}{4}$ ; alæ,  $3\frac{7}{8}$ ; caudæ,  $3\frac{1}{2}$ ; tarsi,  $\frac{3}{4}$ .

MALE. Crown of the head, lores, line beneath the eye, ear-coverts, and a crescent-shaped mark from the latter across the breast deep black; throat, within the black, white; back of the neck, a narrow line down each side of the chest behind the black crescent, and all the under surface gamboge yellow; back and upper tail-coverts yellowish olive; wing-coverts blackish brown, margined with yellowish olive; primaries and secondaries blackish brown, margined with greyish olive; tail grey at the base passing into brownish black near the extremity, and tipped with grey; bill and feet brownish black.

FEMALE, OR YOUNG MALE. Head, all the upper surface, and tail olive brown; primaries and secondaries brown, the former margined with grey, and the latter with yellowish olive; throat pale brown, freckled with white; the remainder of the under surface pale brown, tinged with olive; under tail-coverts white; bill and feet blackish brown.

SYN. *Turdus gutturalis*, Lath. Ind. Orn., Supp., p. xli. no. 6.

*Black-crowned Thrush*, Lewin, Birds of New Holl. pl. 10.

*Pachycephala gutturalis*, Vig. and Horsf. in Linn. Trans., vol. xv. p. 239.

Habitat. Australia: locality, New South Wales.

## PACHYCEPHALA PECTORALIS, Vig. & Horsf.

Fig. 2.

MAS. *Pach. gulâ albâ, nigro latè circumdatâ; fronte et vertice cinereis, plumis in medio nigro angustè striatis; corpore superiore cinereo; caudâ alisque fuscis; lateribus griseis; pectore medio, abdome, crisoque, aurantiaco-brunneis; rostro pedibusque nigris.*

FÆM. *Capite, corporeque superiore fusco-cinereis; alis caudâque, saturatè fuscis; gulâ albidâ; corpore subtus cervino, plumis hujus partis neonon gulæ angustè fuscis, in medio striatis; rostro fusco; pedibus nigris.*

Long. tot.  $6\frac{3}{4}$  unc.; rostri,  $\frac{3}{4}$ ; alæ,  $3\frac{3}{4}$ ; caudæ,  $3\frac{1}{4}$ ; tarsi,  $\frac{3}{4}$ .

MALE. Throat white, encircled by a broad band of black, which commences at the base of the bill, surrounds the eye, passes down the sides of the neck, and crosses the breast; forehead and crown dark grey, with a small stripe of black down the centre of each feather; the remainder of the upper surface dark grey; wings and tail blackish brown, each feather margined on the outer web with dark grey; sides of the breast and flanks grey; centre of the breast, abdomen, and under tail-coverts orange brown; bill and feet black.

FEMALE. Head and all the upper surface brownish grey; wings and tail dark brown, margined on the exterior webs with brownish grey; throat dull white, gradually passing into the tawny buff which covers the whole of the under surface, each feather of the throat and under surface having a narrow stripe of dark brown down the centre; bill brown; feet black.

SYN. *Muscicapa pectoralis*, Lath. Ind. Orn., Supp., p. li. no. 11.

*Orange-breasted Thrush*, Lewin, Birds of New Holl., pl. 8.

*Pachycephala pectoralis*, Vig. and Horsf. in Linn. Trans., vol. xv. p. 239.—Gould, Syn. Birds of Australia.

— *striata*, Vig. and Horsf. in Linn. Trans., vol. xv. p. 240, female, or young male?  
*Lanius macularius*, Quoy et Gaim. Voy. de l'Astrolabe, p. 257, pl. 31, f. 1, young male?

Habitat. Australia: locality, New South Wales.



1. *Pachycephala gutturalis*

2. *Pachycephala pectoralis*.



BHL

# Biodiversity Heritage Library

Gould, John and Gould, Elizabeth. 1838. "Pachycephala gutturalis, Vig. & Horsf." *A synopsis of the birds of Australia, and the adjacent islands* (3), -. <https://doi.org/10.5962/p.363674>.

**View This Item Online:** <https://www.biodiversitylibrary.org/item/172464>

**DOI:** <https://doi.org/10.5962/p.363674>

**Permalink:** <https://www.biodiversitylibrary.org/partpdf/363674>

## Holding Institution

Museums Victoria

## Sponsored by

Atlas of Living Australia

## Copyright & Reuse

Copyright Status: NOT\_IN\_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.