NOTE XLI.

LIST OF REPTILES BROUGHT FROM SIAM BY Mr. R. C. KEUN

DRAWN UP BY

Dr. Th. W. van LIDTH de JEUDE.

In the beginning of this year Mr. R. C. Keun, formerly Consul of the Netherlands at the empire of Siam, presented the Leyden Museum with a small collection of Reptiles from the neighbourhood of Bangkok. As Mr. Keun, because of ill-health, resigned his honourable employment, he will not be in a position again to add other Siamese specimens to those we have already received, and it is therefore that I give a list of this valuable collection, the more valuable as the Reptiles of the Indian continent are very poorly represented in our Museum, those of Mr. Day's precious collection ') being almost our sole representatives of the Indian herpetological fauna.

In making up this list I follow the nomenclature and the arrangement adopted by Mr. G. A. Boulenger in his »Reptilia and Batrachia" in »the Fauna of British India" except in his adoptation of the genus *Trimeresurus* Lacépède. The sole characteristic that, according to Lacépède, separates the snakes of the genus *Trimeresurus* from all other Opisthoglypha and Proteroglypha is the peculiar arrangement of the subcaudals. This characteristic is not

Notes from the Leyden Museum, Vol. XIII.

¹⁾ Described by Dr. A. A. W. Hubrecht in "Notes from Leyden Maseum", IV, p. 138.

to be found in one of the species belonging to the genus *Trimeresurus* according to Mr. Boulenger. Moreover the species first described by Lacépède, viz. *Trimeresurus leptocephalus* (a snake in my opinion very closely related to *Naja porphyriaca* Shaw and *Naja australis* Gray, both agreeing in having the peculiar arrangement of the subcaudals described by Lacépède) can by no means be classed in the genus *Trimeresurus* according to Mr. Boulenger. I think it better to adopt Wagler's genus *Bothrops* and, if it should be found desirable to preserve Lacépède's genus *Trimeresurus*, I would substitute it for Wagler's genus *Pseudechis*.

Mr. Keun's collection consists of 14 specimens belonging to 12 species, viz. 11 species of Ophidia and 1 species of Batrachia apoda.

Ophidia.

1. Cylindrophis rufus Laur.

2. Hydrophobus davisonii Blanf.

3. Simotes cyclurus Cant.

4. Zamenis korros Schleg.

5. Tropidonotus subminiatus Schleg.

6. " piscator Schneid.

7. Dryophis mycterizans Daud.

8. Chrysopelea ornata Shaw.

9. Homalopsis buccata L.

10. Hypsirhina enhydris Schneid.

11. Bothrops gramineus Shaw.

Batrachia apoda.

12. Ichthyophis glutinosus L.

Leyden Museum, October 1891.

Notes from the Leyden Museum, Vol. XIII



Lidth de Jeude, Theodoor Gerald van. 1891. "List of Reptiles brought from Siam by Mr. R. C. Keun." *Notes from the Leyden Museum* 13, 255–256.

View This Item Online: https://www.biodiversitylibrary.org/partpdf/150722 Permalink: https://www.biodiversitylibrary.org/partpdf/150722

Holding Institution Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Sponsored by Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Copyright & Reuse Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.